

Service Level Agreement (SLA)

BreMac POS / ERP System — v6.4

System URL: <https://pos.bremac.co.ke>

Effective Date: May 18, 2026

Review Cycle: Annually or on major version upgrade

1. Scope

This SLA covers the **BreMac POS/ERP System** — a multi-module point-of-sale and enterprise resource planning platform serving BreMac Pharmacy. It applies to:

- All registered business users (Admins, Cashiers, Managers)
 - All enabled modules: POS, Accounting, HRM, Inventory Management, Purchasing, CRM, Stocktake, Subscriptions, Asset Management, and related modules
 - The production environment at <https://pos.bremac.co.ke>
-

2. Uptime Commitment

Tier	Target	Max Allowed Downtime
Production	99.9%	~8.7 hours / year · ~43 minutes / month

2.1 Measurement

- Uptime is measured on a rolling **30-day calendar month**.
- Downtime is counted from the moment a confirmed outage is detected to when full service is restored.
- Scheduled maintenance windows (§6) are **excluded** from downtime calculations.

2.2 Exclusions

The following do not count against uptime: - Scheduled maintenance windows with ≥24 hours advance notice
- Outages caused by third-party services (M-Pesa API, SMS gateway, ISP) - Force majeure events (power grid failures, natural disasters) - Outages caused by customer-initiated misconfigurations or unauthorized changes

3. Performance Targets

Metric	Target
Page load (dashboard/home)	< 3 seconds (p95)
POS sale completion (submit)	< 2 seconds (p95)
Report generation (standard)	< 10 seconds
Report generation (large/export)	< 60 seconds
API response (M-Pesa callback)	< 5 seconds
Database query time (p99)	< 500 ms

4. Incident Response & Resolution Times

4.1 Severity Definitions

Severity	Description	Examples
P1 — Critical	System completely unavailable or data integrity at risk	Site down, login broken, payment processing failed for all users
P2 — High	Core feature broken for majority of users	POS cannot complete sales, reports returning errors
P3 — Medium	Non-critical feature broken or degraded	Single module inaccessible, slow reports, minor UI errors
P4 — Low	Cosmetic / informational issues	UI misalignment, non-blocking error messages

4.2 Response & Resolution Targets

Severity	Initial Response	Resolution Target
P1 — Critical	15 minutes	2 hours
P2 — High	1 hour	8 hours (same business day)
P3 — Medium	4 hours	48 hours
P4 — Low	1 business day	Next release cycle

Business hours: Monday–Friday 08:00–18:00 EAT. P1 incidents are responded to 24/7.

5. Data & Backup Policy

Item	Commitment
Automated backup frequency	Daily (full database dump)
Backup retention	30 days rolling
Backup storage location	Off-server (separate volume or remote storage)
Recovery Point Objective (RPO)	≤ 24 hours (max data loss in worst-case recovery)
Recovery Time Objective (RTO)	≤ 4 hours (time to restore from backup)
Backup verification	Test restore performed monthly

5.1 Data Integrity

- All financial transactions are stored with double-entry accounting journal entries.
- M-Pesa payments are idempotent — duplicate callbacks do not create duplicate records.
- Soft-delete is used for critical records (contacts, products, transactions); data is never hard-deleted via normal operations.

6. Scheduled Maintenance Windows

Window	Schedule
Routine maintenance	Sundays 01:00–03:00 EAT
Major updates	Announced ≥ 48 hours in advance

- Maintenance notices will be communicated via the system’s admin dashboard notification or SMS/email to registered admins.
- Emergency patches (security fixes) may be applied outside the window with best-effort notice.

7. Security Commitments

Item	Commitment
HTTPS/TLS	Enforced site-wide; HTTP redirected to HTTPS
Authentication	Session-based with role/permission enforcement (Spatie)
Passwords	Bcrypt-hashed; never stored in plaintext
M-Pesa credentials	Stored in <code>.env</code> ; never exposed in logs or responses
Session timeout	Configurable per business; default idle timeout applies
Security patches	Applied within 7 days of disclosure for critical CVEs
Dependency updates	Reviewed and applied on each major version cycle

8. Support Channels

Channel	Availability	Use For
System Admin (in-app)	Business hours	Configuration, user management
Email / WhatsApp	Business hours	P2–P4 incidents, feature questions
On-call phone	24/7	P1 — Critical incidents only

9. Change Management

All changes to the production system follow this process:

1. **Code changes** — committed to main branch on GitHub (github.com/Machogu001/Pos)
2. **Deployment** — via `php artisan pos:deploy (update)` or `pos:deploy --fresh` (new install)
3. **Database migrations** — run automatically during deployment; no manual SQL
4. **Rollback plan** — `git revert + php artisan migrate:rollback` for schema changes; database backup restore for data issues

10. Internal IT Operations (Ops SLA)

10.1 Server Health Monitoring

Check	Frequency	Action on Failure
HTTP health check (login page 200)	Every 5 minutes	Alert on 2 consecutive failures
Disk space	Hourly	Alert at 80%, escalate at 90%
MySQL replication lag (if applicable)	Every 5 minutes	Alert if > 30 seconds
Laravel error log scan	Every 15 minutes	Alert on new P1-class exceptions
Cron scheduler heartbeat	Every minute	Alert if <code>schedule:run</code> missed for > 5 minutes

10.2 Deployment Runbook

After git pull:

```
cd /var/www/pos
git pull origin main
php artisan pos:deploy          # migrate, publish, seed perms, optimize
sudo systemctl reload apache2  # reload (not restart) to clear OPcache gracefully
```

Fresh server install:

```
# 1. Configure .env (DB, APP_KEY, M-Pesa credentials, etc.)
# 2. Run:
php artisan pos:deploy --fresh --force
# 3. Open browser → register business → roles are created automatically
```

Emergency rollback:

```
git revert <commit> && git push origin main
php artisan pos:deploy
```

10.3 Key Artisan Commands Reference

Command	Purpose
<code>php artisan pos:deploy</code>	Full update deployment (non-destructive)
<code>php artisan pos:deploy --fresh --force</code>	Fresh install deployment
<code>php artisan pos:setup</code>	Re-run dir/symlink/key setup only
<code>php artisan queue:work</code>	Start queue worker
<code>php artisan schedule:run</code>	Run due scheduled jobs
<code>php artisan optimize:clear</code>	Clear all caches
<code>php artisan permission:cache-reset</code>	Reset Spatie permission cache

11. SLA Credits (Customer-Facing)

If uptime falls below the 99.9% monthly target, affected users are eligible for service credits:

Monthly Uptime	Credit
99.0% – 99.9%	10% of monthly fee
95.0% – 99.0%	25% of monthly fee
< 95.0%	50% of monthly fee

Credits are applied to the next billing cycle. Credits are not provided for exclusions listed in §2.2.

12. Limitations of Liability

- Total liability for any single incident shall not exceed the monthly subscription fee paid for that month.
 - The system provider is not liable for losses resulting from user error, misuse, or unauthorized access caused by inadequate password management.
 - M-Pesa transaction failures caused by Safaricom's API are outside the scope of this SLA.
-

13. Review & Acceptance

Role	Name	Signature	Date
System Administrator			
Business Owner			
IT Manager			

This document is version-controlled in the system repository at SLA.md.