Autor: Maciej Zbrzezny

1 Źródła

[1] *AZ1117C datasheet* (2022). Diodes Incorporated. https://www.tme.eu/Document/d7533080e58605c6cdf95a496e4272c0/AZ1117C.pdf (term. wiz. 28. 10. 2026).

[2] *DS12991 Rev 6 Datasheet* (2025). STMicroelectronics. https://www.st.com/resource/en/datasheet/stm32g030c6.pdf (term. wiz. 27. 10. 2026).

[3] *Getting Started in KiCad* (2026). The KiCad Team. https://docs.kicad.org/10.0/en/getting_started_in_kicad/getting_started_in_kicad.pdf (term. wiz. 28. 10. 2026).

[4] *Getting started with I2C* (4 wrz. 2026). STMicroelectronics. https://wiki.st.com/stm32mcu/wiki/Getting_started_with_I2C (term. wiz. 27. 10. 2026).

[5] *RM0454 Rev 5 Reference manual* (2020). STMicroelectronics. https://www.st.com/resource/en/reference_manual/rm0454-stm32g0x0-advanced-armbased-32bit-mcus-stmicroelectronics.pdf (term. wiz. 27. 10. 2026).

[6] *USB Type-C Specification* (2017). USB 3.0 Promoter Group. https://www.usb.org/sites/default/files/documents/usb_type-c.zip (term. wiz. 30. 10. 2026).

[7] *WeActStudio.STM32G0xxC0xxCoreBoard* (27 paź. 2026). WeActStudio. https://github.com/WeActStudio/WeActStudio.STM32G0xxC0xxCoreBoard/tree/master (term. wiz. 27. 10. 2026).

1 Źródła 2