MACNICA DHW · MACNICA AMERICAS WEBSITE MIGRATION

Page Acceptance Guidelines

How a migrated Macnica Americas page is reviewed on global2, what it must meet to be accepted, and the decisions already made on the open layout and content points.

For Anion and Macnica Americas

Scope The Macnica Americas pages migrated from GWI (`/content/macnicagwi/americas/mai/en`) to global2 (`/content/macnicaglobal2/americas/mai/en`), including the home page and the Products, Semiconductors, Displays, IP & Software and Macnica Products pages

Built on Anion's review comments of 21, 22, 23, 27 and 28 September 2026, and the components and settings available in global2

Decisions Section 5 settles the layout and content points raised in review: what we have already decided (applied to pages), and what is still open. Section 6 covers how review and acceptance work.

Version 2.0 · 6 October 2026 · Prepared by Macnica DHW

Contents

1. Summary
2. How a migrated page is built
3. How a page is reviewed
4. Page acceptance guidelines
   - A. Content: G1 to G4
   - B. Page structure: G5 to G9
   - C. Components: G10 to G16
   - D. Alignment and page settings: G17, G18
   - E. Phone view: G19
5. Decisions and open points
   - 5.1 Layout (A1 to A9)
   - 5.2 Open points — layout
   - 5.3 Content (M1 to M6)
6. How review works (J1 to J5)

1. Summary

1.1 Where the migration stands

The Macnica Americas pages have been migrated to global2 and rebuilt with global2's components; two GWI event pages await a decision (question M6). Their text, images, links, tables, videos and downloads come from the original GWI pages.

99%
of the 1,846 links written in the content of the GWI pages compared on 25 Sep are on the global2 pages with the same destination

10
links, on 6 pages, whose destination on global2 differs from GWI; each is listed in question M4

0
Image or Text with Image components pointing to a missing file or to a file stored on GWI (checked 25 Sep)

What remains is mainly **layout refinement**: heading levels, spacing and padding, the size of images next to their text, tables, buttons, tabs and lists. These are the topics of Anion's review comments of 21 to 28 September, and most of them concern how the migrated content is laid out.

1.2 Why this document

The same layout topics come up on many pages, and a short comment such as *"Spacing issues"* or *"Padding Issues"* can be met in more than one way. A written target, with measurements and pictures, lets every remaining page be finished and reviewed the same way by everyone. This document gives that target:

- **Section 3** gives how a page is reviewed and measured: which view, which window width, what it is compared with.
- **Section 4** gives 19 guidelines. Each gives a pass criterion, where it comes from and how to check it, and, where a setting is involved, the global2 setting that produces it. Pictures show accepted and not accepted results wherever the wording could be read in more than one way.
- **Section 5** settles the layout and content points raised in review: what is decided (applied to pages) and what is still open.
- **Section 6** covers how review and page acceptance work.

What this document is for. The guidelines in Section 4 and the decisions in Section 5 are the criteria every page is accepted against; each review comment points to the guideline or decision it concerns.

2. How a migrated page is built

P1 **Content comes from the original GWI page.** The text, images, links, tables, videos, downloads, page title and page description of a global2 page are those of its GWI page, in the same order. We do not rewrite, add or remove content; the only differences allowed are listed in G1. Any change to the content of a page is a decision for Macnica Americas (question M1).

P2 **Layout follows GWI, adapted to global2.** Each page keeps GWI's arrangement: what sits beside, above or below what. Where GWI's layout cannot be reproduced with global2's components, or where a guideline in Section 4 asks for a different arrangement (for example, an image on the left of its text), the layout differs from GWI and the content stays the same.

P3 **Only global2 components and their settings.** Pages are authored in the AEM author with the components and style options that global2 provides; page authors do not edit HTML or CSS. Each guideline names the settings that meet it. Where a component has a fixed space or size that no setting changes, the guideline's numbers allow for it, or list it under *"Not counted"*.

3. How a page is reviewed

These conditions apply to every review, so that two reviewers looking at the same page reach the same result.

R1 **View the page as visitors see it** (called *"view mode"* in this document): add `?wcmmode=disabled` to the page address, or use *"View as Published"*. Spacing, section links and forms are judged outside the page editor, because the editor adds empty drop zones (about 29px each) that enlarge every gap, section links do not scroll inside it, and form messages appear under the form.

R2 **Desktop:** a page area 1,400px wide at zoom 100% (the browser's responsive mode at 1,400 × 900 gives exactly that). **Phone:** 390 × 844, when the phone view is reviewed (question A9).

R3 **Compare with the original GWI page**, opened the same way, side by side. The GWI page has the same address under `/content/macnicagwi/americas/mai/en`, except that the global2 `/solutions` pages are under `/technology` on GWI, GWI names written with capitals are lowercase on global2, with repeated or trailing hyphens reduced to one, and one page was renamed: `/products/boards-modules/ibase/embedded-computing/ibase-mi991-mini-itx-motherboard-for-sale` is `…/embedded-computing/mi991` on GWI. global2 pages use the full window width, so they are wider than GWI by design: compare content and arrangement, not width.

R4 **Open every tab** on both pages. Each tab is reviewed as a separate part of the page.

R5 **The site header, navigation, breadcrumb, footer and the buttons fixed to the window** (such as *"Page Top"*) belong to the site template, not to the page. They are not part of page acceptance: nothing inside them, including their headings and their width, counts for or against a page.

R6 **We ask that each review comment name** the page, the block (its title or first words), the guideline it does not meet (for example *“G8”*), and the expected result (question J1).

R7 **Measuring.** Values are CSS pixels, read with the browser's own inspector (right-click, *“Inspect”*) or on a screenshot taken in responsive mode at a device pixel ratio of 1. A space is measured from the lowest visible pixel of the upper block (the bottom of its letters, image, table or button) to the highest visible pixel of the lower block. A **block** is one component as it appears on the page: a title, a text, an image, a Text with Image, a table, a row of buttons, a video or a list. A grey band edge ends a space: the grey side is judged by G9 (30 to 60px), and the white side by G8. A **top-level section** is a Container placed directly in the page content, not inside another container (on a page with Sticky Tabs, the sections inside the Sticky Tabs container). Scroll to the bottom of the page once before measuring, so that every image and video has loaded. A value within 2px of a limit passes.

4. Page acceptance guidelines

Each guideline gives the criterion a page must meet (**Pass when**), how a reviewer checks it, the global2 setting that produces it, and where it comes from. Pictures show accepted and not accepted results wherever words alone could be read in more than one way. All measurements follow R7 (view mode, 1,400px page area).

Migration principle marks a guideline that follows from Section 2. From review marks a guideline that restates what Anion's review comments ask for. Proposed marks a measurement or a choice that we propose and ask you to confirm (Section 6).

A. Content

G1 Content matches the original GWI page

Migration principle · question M1

Pass when

- Every text block, image, link, table, video and download shown on the GWI page is on the global2 page, with the same words, and the blocks are in the same order.
- Nothing that GWI does not show is added, except the differences listed below.
- The page title and page description in the page properties are those of the GWI page.
- On a page with tabs, each tab holds what the matching GWI tab holds.

Allowed differences

- Changes that another guideline requires, with the words, images and links of each block unchanged: an image placed on the left of its text (G10) or beside it (G11), a video paired with its text (G12), heading levels (G5), end-of-page contact buttons shown through the Experience Fragment with the same labels and links (G14).
- Empty lines that GWI uses only as spacing are removed. A GWI download box becomes a download button with GWI's label (G4). An in-page menu that only links to an event's website becomes a button with GWI's text and address.
- Links decided in question M4.
- Image and Title links open in the same tab: the author dialog of these components offers no *"open in a new tab"* option.

How to check

Open both pages (R1, R3) and read them block by block; open every tab on both (R4).

Basis

The migration principle (Section 2, P1). A review comment about content names the block, so it can be compared with its GWI page (J1).

G2 Links

Migration principle

Pass when

- Every link has the same destination as on GWI, except the links decided in question M4. Links to other Macnica Americas pages open the global2 page.
- Every link opens without an error when clicked in view mode.
- A link in a Text, Button or Text with Image opens in a new tab only where GWI opens it in a new tab.
- No link is written with a full author address (`https://author-…adobeaemcloud.com/…`) or with `editor.html`, and none points to a GWI page (`/content/macnicagwi`) or to a file stored on GWI. While pages are reviewed on the author, internal links open on the author: that is expected.

Not counted

A link to a Macnica page that is outside this migration and not yet on global2: it is kept as on GWI.

How to check

Click each link in view mode and compare its destination with the same link on GWI.

In global2

The link field of Text, Title, Button, Image and Text with Image. Text, Button and Text with Image links have an *“open in a new tab”* option.

Basis

The migration principle (Section 2, P1): every link as on GWI, pointing to the global2 page.

G3 Images

From review · limits proposed

Pass when

- Every image loads, shows the whole picture (nothing cut off) and is stored in the global2 asset library (DAM), not on GWI.
- An image is never shown wider than its file, except an image that fills the content width under G11 or an image in a row or grid under the next point, each enlarged at most 1.5 times its file width.
- Images side by side in one row or grid have the same displayed width: each uses *“Size: Expand to Fit Width”* in equal Flex Container items. Where a file would have to be enlarged more than 1.5 times, the images are shown at their file widths, centred in equal columns. Heights match only when the files have the same proportions.
- The alternative text is the GWI image's alternative text. Where GWI has none: as decided in question M3.

Not counted

Card List images, which the Card List always crops to a 2:1 frame (G16).

How to check


View mode. Right-click the image, *“Inspect”*: the browser shows its displayed size and the file's own size. In the author, the image's *“Alternative Text”* field, with *“Get alternative text from DAM”* unchecked so that the page's own text is used.

In global2


Image and Text with Image components. Images in a row: equal Flex Container items with the same Image settings. The Image style *“Size: Expand to Fit Width”* only where G11 applies.

Basis

Anion, 23 Sep: *“Images are bigger in size, no alignment”* (IBASE IB836, EC-7100; IEI AFL3-W19C-ULT5, FLEX AIoT Developer Kit Gen II, KINO-DH420).



Images side by side in one row have the same displayed width.



Images in one row shown at different widths.

Figure 1. Images in a row (G3).

G4 Downloads

From review

Pass when

- Each downloadable document shows its title: either the button or link text names the document, or the document's title is the line directly above the button (G14).
- A single-file download is a download button placed as described in G14.
- Files are stored in the global2 asset library (DAM).

How to check

View mode: read the label of each download, or the line directly above it.

In global2

A Button linked to a file takes the download style by itself. A table of document names and links. The Download List component for a folder of documents, only where the files' titles in the DAM match GWI's labels; it needs *“Build List Using: Child assets”* set, or it renders an empty list even with its root directory filled in.

Basis

Anion, 23 Sep: *“PDF titles missing”*; 28 Sep: *“Missing titles for pdfs”* (NVIDIA Jetson AGX Xavier). Download buttons: see G14.

B. Page structure

G5 Headings

From review · levels in question A2

Pass when

- The page has exactly one H1: the page title, at the top of the content.
- A title that sits directly in a top-level section is an H2. A title inside a card, a Flex Container item or a tab panel under an H2, or a title that follows an H2 in the same section and introduces part of its content (typed as the first line of a Text with Image or Text, or as a separate Title component), is an H3; a title that in turn follows an H3 the same way is an H4. A tab-panel title, or a title inside a Flex Container item that sits under a heading, is one level below the nearest heading above it. A section title stays an H2 when it sits in a Flex Container item beside a video (G12) or opens a Text with Image (A3).
- No level is skipped going down: H1 directly followed by H3 fails.
- A section title is always a heading. A paragraph whose whole text is bold, stands on its own line and introduces the text below it is a title, and it is formatted as a heading.
- No empty headings.

Not counted

Headings in the site header and footer (R5).

How to check

In the author: the heading level set on each Title component (a Title whose level was never set is an H1), and the paragraph format (Heading 2, Heading 3…) of headings typed inside Text or Text with Image. In view mode, right-click a title, *"Inspect"*: the tag shows its level (h1, h2…).

In global2

Title component (heading level H1 to H6); paragraph formats Heading 1 to Heading 6 in Text and Text with Image. Our reading of the review comment and the size of headings: question A2. A title placed beside an image: question A3.

Basis

Anion, 27 Sep: *"Subtitles should not be H1. Only main title should be H1."* (MB991). Anion, 28 Sep: *"only main title should be h1/h2, remaining titles should not be h1"* (Hitek pages, news items, IEI Embedded Systems, IBASE MB995, SiTime Clock Buffers, Japan Innovation Showcase, Contact download page, error page); *"Titles are kept as para"* (IBASE IB836); *"Title issue"* (EC-7100, AFL3-W19C-ULT5).



One H1 (the page title), H2 for each section, H3 inside a section.

Several H1s, a section title typed as bold text, and a skipped level.

Figure 2. Heading hierarchy.

G6 Text formatting

From review

Pass when

- Body text uses the default paragraph format. No body text is enlarged or reduced with the Text *"Font Size"* styles (the size of titles: question A2).
- Bold, italic and lists are as on GWI.
- Lines that GWI shows with no blank space between them (an address, a phone and e-mail block) are one paragraph with line breaks. Lines that GWI separates with a blank space are separate paragraphs.
- No empty paragraph between a title and its text, or between two paragraphs.

How to check


View mode, side by side with GWI. In the author's text editor, Shift+Enter makes a line break (lines 30px apart); Enter starts a new paragraph (a paragraph gap is added).

In global2


Text and Text with Image editors: paragraph format *"Paragraph"*; Shift+Enter for a line break.

Basis

Anion, 27 Sep: *"there's gap between title and description. Press Shift+Enter after Title to avoid space."* (MB991); *"Fonts are not consistent"* (Terms & Conditions); *"Spaces"* (Tariff Pass-Through Policy Notification). Anion, 28 Sep: *"Spaces at content in paragraphs"* (FLEX AIoT Developer Kit Gen II).



Lines that GWI shows with no space between them (an address, a contact block) are one paragraph with line breaks.



The same lines typed as separate paragraphs: a paragraph gap appears that GWI does not show.

Figure 3. Lines that GWI shows together (address, phone and e-mail).

G7 Page width and side padding

Proposed · question A1

Pass when

- Content uses the full window width; no section uses the fixed 1,000px column.
- Every top-level section has the left and right padding decided in question A1. **Recommended:** 50px each side (*"Padding - Left/Right: Large"*), which leaves the content 1,300px wide in a 1,400px page area.
- No text, image or table touches the window edge.

Not counted

Content inside the end-of-page contact Experience Fragment, which brings its own padding and starts 25px further in.

How to check


View mode: the text, images and tables of every section start and end at the chosen distance from the window edges (measure the content, not the grey band).

In global2


Container style *"Padding - Left/Right"* on each top-level section: Large 50px, Medium (the default) 25px, Small 15px, No Padding 0. Tab panels and containers nested inside a section use *"No Padding"*, so the section's padding applies once. The *"1000px"* width style is not used.

Basis


Anion, 27 Sep: *"Need to give Padding Left/Right for all Altera, Anlog, microchip, on-semiconductor, sitime pages"*. Anion, 28 Sep: *"L/R Padding - should be large"* (Smart City & Mobility, Terasic Apollo S10 SOM, Transcend).



Container Padding Left/Right: Large — 50px each side; content 1,300px wide in a 1,400px page area (R2).



Default padding (Medium) — 25px each side; content 1,350px wide.



Content touching the window edge (no padding) is never accepted.

Figure 4. Side padding: the space between the content and the edge of the window (question A1).

G8 Vertical spacing

Proposed · numbers to confirm

Pass when

- Title to the first line of its text, with no empty line between them: **45px or less** when a Title component is followed by a Text; **70px or less** when the text is in a Text with Image, either typed as its first line or placed below a Title component (the Text with Image adds 30px above itself, and the editor adds a paragraph gap after a heading).
- Paragraph to paragraph: the standard paragraph gap only (30px between line boxes). No empty paragraphs used as spacers.
- Block to next block, inside a section or between sections: **125px or less**.
- Above the end-of-page contact buttons: **150px or less**, because about 90px of that space is part of the Experience Fragment itself.
- Blocks never touch: **at least 20px** between an image, table or button and the next block.
- Bottom of the tab labels to the first line of the tab's content: **60px or less** (G15).

Not counted

The space below a form, which the form component sets.

How to check


R7, on the whole page in view mode. As a quick reference, lines of body text are 30px apart.

In global2


Vertical space comes from Container padding (*"Padding - Top/Bottom"*: Large 70px, Medium (the default) 50px, Small 30px, No Padding 0) plus the fixed spacing of each component (Title: H1 and H2 about 12px above and below, H3 20px below only; Table 20px; Text with Image 30px; Button 40px above it; List 55px; video 24px above it). There is no setting for the space between two components. Two default sections in a row leave 100px between their contents (50px + 50px); where a gap passes 125px, one of the two sections uses Small. An Image and a Button have no space below them: when another block follows, it starts in a new Container with Small.

Basis

Anion, 21 Sep: *"white space"*. Anion, 23 Sep: *"Spacing issues"* (IBASE MB995). Anion, 27 Sep: *"Spacing b/w section to section"*, *"Spacing issue"*. Anion, 28 Sep: *"Spacing in the content"* (Design Services, Broadcast & ProAV), *"Lots of spaces in page for images and content."* (Luminous Comet A65), *"Padding issue for Features section"* (TQMLS1028A).



Title to its text ≤ 45px (Title component); block to block ≤ 125px; blocks never touch (≥ 20px).



Empty line under a Title: about 100px from title to text (limit 45px); 180px of empty space between two blocks.




Image touching the next block (0px).

Figure 5. Vertical spacing between headings, text and blocks.

G9 Background bands

Proposed · question A6

Pass when

- The page title and the introduction (everything between the H1 and the first H2) are on white.
- A grey band starts at an H2 and ends before the next white section or before the end-of-page buttons. It holds at least two blocks and is at least 200px tall, from its top grey edge to its bottom grey edge. Which H2 sections are grey is chosen per page.
- Text and images inside a band never touch its edge: 30px to 60px of grey above the first block and below the last.
- Only one grey is used: `rgb(247, 247, 247)`.
- Contact buttons at the end of the page are always on white.
- Pages with no image, video or table (legal notices, policies, glossary) have no grey band, and neither do news, press and event items.
- A page is not rejected for having, or not having, a band when it meets these points.

How to check


View mode, full page; R7 for the 30px to 60px and the 200px.

In global2

Container background colour on a top-level section, so that it spans the full window width. The grey is typed as `rgb(247,247,247)` (it is not one of the colour picker's swatches). A band section uses *"Padding - Top/Bottom: Small"* (30px); a list at the end of a band goes in its own grey section with *"No Padding"*, because the list adds 55px of its own.

Basis

Anion, 27 Sep: *"No need of BG color"* (Tariff Pass-Through Policy Notification, Glossary); *"Adjust BG color"* (eight news items).



White title and introduction; grey band around the main content (two or more blocks, 30–60px inside); contact buttons on white.

A band with one block, under 200px tall; text touching the grey edge (0px); end buttons on grey.

Grey band on a page without images, videos or tables (legal notice, policy, glossary). News, press and event items have no band either.

Figure 6. Background bands: grey around the main content; white for the title, the end buttons, pages without images, videos or tables, and news, press and event items.

C. Components

G10 Image beside its text (Text with Image)

From review · numbers proposed

Pass when

- An image placed beside its text (G11 decides which images) is in one Text with Image, image on the left.
- The empty space between the image and the text is **60px or less**: the component's fixed 40px plus half of any unused part of the image column (the image is centred in its column).
- The image is at most **60px or a quarter of the text's height** taller than the text, whichever is larger. Text height runs from the top of the first line's letters (a heading typed in the text included) to the bottom of the last line's letters.
- Wrap is set when the text would otherwise be taller than the image by more than **120px or half the image's height**, whichever is larger. With Wrap, the two points above do not apply.
- Text with Image blocks that follow each other with only a title between them, or that sit in tabs of the same tab bar, use the same *"Image Width (%)"*.
- The image is never shown wider than its file (G3).
- When these points conflict, they apply in this order: never wider than the file; the 60px space; the same width in a series; the heights. If the text needs Wrap but the file is wider than the width wanted for the image, Wrap is not used and the heights point is not counted.

How to check

View mode, R7. In the author: *"Image Width (%)"* in the Text with Image dialog, and the styles *"Image Position: Left"* and *"Text Wrapping: Wrap"*.

In global2

Text with Image, the component the review comments call *“image with text”*. *“Image Width (%)”* sets the width of the image column; *“Left”* places the image on the left; *“Wrap”* lets the text continue under the image, and the image then keeps its own file width, up to 48% of the block, so Wrap is used only when the file is no wider than the width wanted for the image. The component never enlarges an image: a small file in a wide column leaves empty space, so the width is chosen to fit the file.

Basis

Anion, 22 Sep (Slack): *“Yeah we have to use text wrap if you see lot of white space”*. Anion, 23 Sep: *“Lot of white space around the image – convert them into image with text”*; *“We see images were very big and used flex containers instead of flex conteianer use image with text component.”* (AIoT, Design Services); *“Use image with text component for”* (three Hitek pages; Anion confirmed on 28 Sep: *“mentioned fixes are done”*).






Image on the left fills its column; image to text ≤ 60px; image at most 60px or a quarter of the text height taller than the text, whichever is larger.



Text taller than the image by more than 120px or half the image height, whichever is larger: Wrap, so the text continues under the image.



Small image centred in a wide column (more than 60px to the text); image 160px taller than its text.

Figure 7. Image beside text (Text with Image, image on the left).

G11 Where each image goes

Proposed · question A5


Pass when

Images in a row or grid follow G3: equal Flex Container items, each image centred in its item. Every other image is placed by the first rule that applies:


1. A diagram, chart or screenshot is shown as large as the page allows: at its file width, aligned left with the text of its section, or at the content width if its file is wider. It is not placed in a Text with Image.
2. An image whose file is **at least 900px wide** fills the content width (enlarged at most 1.5 times).
3. An image that GWI shows directly above, below or beside a paragraph of the same section, with no other block between them, sits beside that paragraph in a Text with Image, image on the left (G10).
4. Any other image is shown at its file width, aligned left with the text of its section.

An image is never left alone in the middle of the page with wide empty space on both sides.


How to check	View mode. Right-click the image, *“Inspect”*: the browser shows the file's own width and the displayed width.
In global2	Image style *“Size: Expand to Fit Width”* (fills its column) and *“Display Position: Left”*; Text with Image for rule 3.
Basis	Anion, 28 Sep: *“image component - make image to full width to avoid space left and right”* (Japan Innovation Showcase). Anion, 23 Sep: *“Lot of white space around the image”* (AIoT).



An image narrower than 900px, alone and centred, with wide empty space on both sides.



An image whose file is at least 900px wide fills the content width, enlarged at most 1.5×.



An image that GWI shows next to a paragraph goes beside it (Text with Image, G11 rule 3); without such a paragraph it is shown at its file width, aligned left (rule 4).

Figure 8. Images without text beside them.


G12 Videos

From review · layout proposed

Pass when

- A video never spans the full width. It sits in one of two Flex Container items, side by side, with *“Spacing Between Items: Medium”* (the default). The items are always equal, so the video is 637px wide with side padding Large (A1, option A), or 662px with the default padding.
- The other item holds the title and paragraph that sit directly above, below or beside the video on GWI, with no other block between them: on the side where GWI puts them, or in GWI's reading order when GWI stacks them.
- Where GWI has no text for the video, the other item holds the next video or stays empty, and the video keeps the same width.

How to check	View mode: the video and its text are side by side. Right-click the video, *“Inspect”*: the browser shows its width.
In global2	Flex Container with two Flex Container Items; Embed (style *“YouTube”*) in one of them.
Basis	Anion, 23 Sep: *“Youtube video is completely occupied”* (Broadcast & ProAV Solutions).



Video spanning the full width of the page.

Video in one of two equal Flex Container items (637px), beside its text (order as on GWI).

Figure 9. Videos.

G13 Tables

From review · format in question A4

Pass when

- When the first row of a table holds column labels, it is a header row (header cells). Where the GWI table has no row of labels, no header row is added.
- Every table on a page uses the format decided in question A4: on a two-column table, the first (label) column is 20% or 30% wide, left-aligned; the second column takes the rest, with no width style of its own.
- A row that spans both columns (a group heading inside the table) is a centred header cell with a light grey background (`rgb(247,247,247)`); the normal label cells of the first column have no background colour.
- Tables use the full content width. On phones a table scrolls inside its own box.
- The text in the cells is as on GWI.

How to check


View mode. In the author: the table editor's cell properties (header cell) and the table's Styles; column width and the group-heading background are set on individual cells through the editor's cell style options.

In global2


Table component: header cells through cell properties; cell alignment and background set cell by cell; styles *“No Rounded Corner”*, *“Black”*, *“No Background”*, *“No Frame”*. A table's own width and the width of columns the editor does not expose as cell properties cannot be set from the component dialog.

Basis


Anion, 28 Sep: *“Tables are not formatted”* (TQMLS1028A), *“table headers issue”* (IEI AFL3-W19C-ULT5), *“table formatting”* (IEI KINO-DH420).



The first row holds column labels but is not a header row: the labels look like data.



Header row; body cells left-aligned; 'No Rounded Corner' style.



Header row; all cells centred; 'No Rounded Corner' style.

Figure 10. Tables: a row of column labels is a header row (G13); the two formats offered in question A4.

G14 Buttons

From review

End of page

- A page ends with contact buttons where its GWI page does (question M2).
- A page that ends with *"Contact Us for More Information"* and *"Request a Quote"* uses the Experience Fragment *"products-contact-block"*; one that ends with *"Sign up"* and *"Contact us"* uses *"signup-and-contact-experience-fragment"*. Any other ending (a single Request a Quote, an event's Register button, a supplier's website) stays as buttons on the page, with GWI's labels.
- No title sits above an end-of-page pair of buttons; the buttons stand alone.
- End-of-page buttons sit on white, in a four-item Flex Container (empty, button, button, empty), which centres the pair more than two items alone would; each button of a pair uses *"Fit to Text"* so a long label does not wrap.


Other buttons

- A button is in the same container as the sentence that introduces it, directly below it, with no other block between them. The button's own spacing then applies.
- The buttons of one group are in one container and share one alignment. Two buttons side by side use *"Center"* in each Flex Container item.
- A single *"Request a Quote"* button uses *"Fixed Minimum Width"* and *"Center"*.


Download buttons

- Left-aligned, directly below their title or the line that introduces them, in the same container, with no other block between them; stacked when there are several.
- Never on the same row as another button (a download button is 51px tall, a contact button 57px).


How to check	View mode: the background behind the end buttons, their position in the row, and what sits directly above each button. Right-click a button, *“Inspect”*, to see which container holds it.
In global2	Experience Fragment component; the section that holds it uses *“Padding - Top/Bottom: No Padding”*, because the fragment brings its own space. A pair of buttons placed directly on the page (not through an Experience Fragment) uses a Flex Container with four Flex Container items: an empty item, the two buttons, an empty item. Button styles: *“Width”* (Fixed Minimum Width, Fit to Text) and *“Display Position”* (Center; none means left). *“Right”* is not used for buttons.
Basis	Anion, 28 Sep: *“buttons are not aligned”* (IBASE ET875, ET876, EC-7100; IEI AFL3-W19C-ULT5), *“button alignment issue”* (IEI KINO-DH420); *“download button -align button to left”*, *“add downloads title and button in same container to avoid space”*, *“add 2 buttons and title should be in same container to avoid space”* (news items). Anion, 27 Sep: *“CTAs at bottom not required”*, *“bottom CTAs are not required”* (news items). Anion, 23 Sep: *“CTAs are missing”* (IBASE).



End-of-page contact block (Experience Fragment) on white: both buttons centred in their halves.




Contact buttons placed on the page instead of the Experience Fragment, each pushed to the left of its half instead of centred.




News, press and event items end without the contact block unless GWI has one.


Figure 11. Buttons at the end of the page.



Download buttons left-aligned, stacked, in the same container as their title.



Download button centred and separated from its title.



A download button beside a contact button: different heights, never on one row.

Figure 12. Download buttons.

G15 Tabs and in-page menus

From review · pages in question A7

Pass when

- A page whose GWI version has a menu of links to its own sections uses Sticky Tabs (question A7 sets which pages). Pages that use Tabs (panels) keep Tabs.
- Each Sticky Tabs item, when clicked, scrolls the page to its section.
- From the bottom of the lowest row of tab labels to the first line of content: **60px or less**. Not counted: a List or a Button as the first block of a tab.
- Every tab holds the same content as the matching GWI tab (G1).

How to check

View mode, because section links do not scroll inside the page editor (R1). Click every menu item and every tab.


In global2

Sticky Tabs is placed at the top of the container that holds all the sections it links to, and stays visible while that container is on screen. Each item points to the ID of its section's Title. Tab panels use *"Padding - Top/Bottom: No Padding"* and *"Padding - Left/Right: No Padding"*; the section around the tabs gives the space above and below them and the side padding of G7.

Basis


Anion, 28 Sep: *"Tabs are not visible, tabs should be sticky like in below page."* (Smart City & Mobility, pointing to the Europe Imaging and Vision page); *"Tabs are not visible once clicked they should be sticky."* (Medical & Healthcare Solutions). Anion, 27 Sep: *"Space b/w tabs and content"* (Glossary). Anion, 23 Sep: *"Tabs are not working"* (Smart City & Mobility), *"No Proper alignment of content in tabs"* (Broadcast & ProAV Solutions).

✓ Accepted



Sticky Tabs stay visible while scrolling; content starts ≤ 60px below the tab labels.

✕ Not accepted



An in-page menu (links to sections of this page) that scrolls out of view; 110px between the tab labels and the content.

Figure 13. Tabs and in-page menus.

G16 Lists of child pages

From review · fields in question A8

Pass when

- About Us, News & Events, and the news, events and newsletter archives list their child pages with a Card List whose source is the child pages. Partner with Macnica: as decided in question A8.3.
- Each card shows the fields chosen in question A8.1. Cards are two per row, in the order the Card List gives.
- Every child page that GWI lists appears, and no other page does.

How to check

View mode; count the cards against the list on GWI.


In global2

Card List: *“List settings”* set to child pages; *“Item settings”* for the fields shown. A child page appears only when *“Show in lists”* is set in its page properties. A card's image is the child page's featured image, cropped to a 2:1 frame; two cards per row is the component's own layout.

Basis


Anion, 28 Sep: *“add a card list component, and select child pages dropdown under "list settings", select appropriate options which needs to display for the child pages under "item settings""* (About Us, News & Events, Partner with Macnica). Anion, 27 Sep: *“Tags were missed in al news pages. Like “Year”. “ Article date””*.

✓ Accepted



Card List of child pages, two per row, with the fields chosen in question A8.1 (pictured: a list whose GWI version shows images, so image, title and date).

✕ Not accepted



A list of child pages with different image sizes and uneven gaps.

Figure 14. Lists of child pages.

D. Alignment and page settings

G17 Alignment

Proposed

Pass when

- In each section, titles, text, tables, left-aligned images (Image with *“Display Position: Left”*) and left-aligned buttons start at the same left edge (within 2px).
- Only these are centred: the end-of-page contact buttons, a single Request a Quote button, the buttons of a pair (each in its half), an image inside a Flex Container item, the image of a Text with Image within its column, and the tab labels.
- Blocks side by side (Flex Container items; the image and the text of a Text with Image) start at the same top: the top of the image or video and the top of the text's first line box, as shown by Inspect, are level within 2px. Not counted: the space components add above their content (about 10px above a line of text, about 24px above a heading typed in the text, 24px above a video, 6px above a Wrap image).
- Buttons in one row have their tops on one line (within 2px).

How to check


View mode, R7; a vertical or horizontal guide line on a screenshot shows the shared edge.

In global2


One side padding per section (G7), nested containers with *“No Padding”*, Text with Image with the default top alignment, Button and Image *“Display Position”*.

Basis

Anion, 23 Sep: *“Images are bigger in size, no alignment”*, *“CTAs are missing and alignment of image”*, *“No Proper alignment of content in tabs”*, *“No proper alignment of content”*. Anion, 28 Sep: *“no content alignment”*, *“buttons are not aligned”*.



Title, text, table, image and button share one left edge; image and text start at the same top.



Blocks start at different left edges; text beside the image starts lower; a lone button is centred.

Figure 15. Alignment (G17).

G18 Page properties

From review · page names proposed · navigation in question M5

Pass when

- Pages created in the migration have a lowercase name (the last part of the address), with single hyphens between words and no spaces. Existing page names are not changed as part of page acceptance.
- The page title and description are those of the GWI page (G1).
- On product pages, *"Business Categories"* is the product category of the page's address: `/products/boards-modules/…` is Boards and Modules, `/products/semiconductors/…` is Semiconductors.
- The regional tags under *"Product Hierarchy Details"* are the Macnica Americas (MAI) tags.
- News items carry the *"Year"* tag and the article date (question A8.2).
- *"Hide in Navigation"* is set as decided in question M5.

How to check

Page Properties in the author.

In global2

Page Properties: name, title, description, Business Categories, Product Hierarchy Details tags, Year tag and article date, Hide in Navigation.

Basis

Anion, 27 Sep: *"Business categories field should not be empty. It should be Boards and Modules."* (MB991); *"Tags were missed in al news pages"*. Page title and description: P1.

E. Phone view

G19 Phone view

Proposed · question A9

Pass when

- At 390px wide, no block of the page content is wider than the screen. Only tables scroll, inside their own box (every table is at least 655px wide on phones).
- Blocks that sit side by side on desktop stack one under the other; grids of logos or cards may show two per row.
- Images and videos fit the screen width, and no text is cut off or overlapped.

Not counted

The site header and footer (R5). Buttons keep their minimum width of 345px.

How to check


The browser's responsive mode at 390 × 844, in view mode.

In global2


Flex Container style *"Design for SP: 1 Column"* stacks its items on phones (*"2 Columns"* for logo and card grids). Text with Image stacks by itself. Tables scroll inside their box.

Basis

Anion, 21 Sep, on the phone view.



At 390px, side-by-side blocks stack; images and videos fit the screen.



Columns kept side by side and an image wider than the screen.

Figure 16. Phone view at 390px.

5. Decisions and open points

The points below were questions for Anion in version 1.0 of this document. Anion is not expected to answer them, so each one is now settled: **Decided** marks the rule we have agreed internally and already applied to pages; **Open** marks what is still undecided. A Decided point is a criterion pages are accepted against, the same way as the guidelines in Section 4; an Open point still needs a decision before the pages it affects can be finished.

5.1 Layout

A1 Side padding (G7) Decided

Review of 27 Sep: *"Need to give Padding Left/Right for all Altera, Anlog, microchip, on-semiconductor, sitime pages"*. Review of 28 Sep: *"L/R Padding - should be large"*. The pictures are in Figure 4.


"Padding - Left/Right: Large" (50px each side) on every top-level section of every page. It gives every page the same margins, and it keeps the full-width layout.

A2 Heading levels and sizes (G5) Decided

Review of 28 Sep: *"only main title should be h1/h2, remaining titles should not be h1"*.

A2.1 Levels. The page title is the only H1; section titles are H2; titles inside a section are H3; a title inside that subsection (for example, a title that follows an H3 and introduces part of its content) is H4. No level is skipped going down.

A2.2 Sizes. The theme sizes apply on every heading: H1 25px, H2 29px, H3 22px, H4 18px. A heading level always looks the same, including headings typed inside Text or Text with Image.



Theme sizes: section titles (H2, 29px) are larger than the page title (H1, 25px). Works the same for headings typed inside text.


Title components set one size step down: H2 22px, H3 18px. Headings inside Text with Image cannot take this setting.

Figure 17. Heading sizes (question A2).


A3 A section title next to an image (G5, G10) Decided

Many GWI sections open with a title, an image and a paragraph. Review comments: *"Titles are kept as para"* (IBASE IB836, 28 Sep); *"there's gap between title and description. Press Shift+Enter after Title to avoid space."* (MB991, 27 Sep).

The section title is the first line of the Text with Image text, formatted as a heading at the level A2 gives it (H2 for a section title, H3 or H4 when the title sits deeper), so that it sits beside the image without an extra gap. Where a Title component and a Text with Image already sit side by side as separate components, the Title's text moves into the Text with Image as its first line, and the separate Title component is removed. This also applies where a title needs to move into a Text with Image that currently holds an unrelated image: the image moves into the same Text with Image as the title's text, and the title that introduced the image (if any) is kept as a separate heading above it.



The section title is the first line of the Text with Image text, beside the image.



The section title is a separate Title component above the image and text.

Figure 18. Where the section title goes with an image beside text (question A3).

A4 Table format (G13) Decided

Review of 28 Sep: *"Tables are not formatted"*, *"table headers issue"*, *"table formatting"*. The pictures are in Figure 10.

On a two-column table, the first column (the row's label) is set to a fixed width, left-aligned: 20% by default, or 30% on pages where the label text needs more room. The second column takes the rest of the width, with no width style of its own. A row that spans both columns (a group heading inside the table, such as *"Communication"* or *"I/O Interface"*) is a centred header cell with a light grey background (`rgb(247,247,247)`, the same grey as the page's background bands); the normal label cells of the first column keep no background colour. Where a page's reviewer asks for every cell centred instead of left-aligned, that page's tables are centred throughout, overriding the default left alignment of the first column.

A5 Images without text beside them (G11) Decided

Review of 28 Sep: *"make image to full width to avoid space left and right"* (Japan Innovation Showcase). An image enlarged far beyond its file looks blurred, so the choice depends on the file's width. The pictures are in Figure 8.

A5.1 Placement. As in G11: a diagram, chart or screenshot is shown at its file width (content width if wider); a file at least 900px wide fills the content width (enlarged at most 1.5 times); an image next to a paragraph on GWI goes beside it in a Text with Image; any other image is shown at its file width, aligned left with the text. No blurred images and no image left alone in the middle of the page.

A5.2 Full width. Means the content width (1,300px with the side padding of A1): the image has the same left and right edges as the text.

A6 Grey bands (G9) Decided

Review of 27 Sep: *"No need of BG color"* on Tariff Pass-Through Policy Notification and Glossary, and *"Adjust BG color"* on eight news items. We read *"Adjust BG color"* on those news items as *"remove the grey band"*. The pictures are in Figure 6.

As written in G9: bands group the main sections of a page; no band on pages without images, videos or tables, or on news, press and event items. It follows both comments of 27 Sep and gives every page type one rule.

A7 Pages that get Sticky Tabs (G15) Decided

Review of 28 Sep: *"Tabs are not visible, tabs should be sticky like in below page."* (Smart City & Mobility, pointing to the Europe Imaging and Vision page); *"Tabs are not visible once clicked they should be sticky."* (Medical & Healthcare Solutions). This covers menus of links to sections of the same page; pages that use Tabs (panels) keep Tabs.

Every page whose GWI version has a menu of links to its own sections uses Sticky Tabs. Pages of the same kind get the same navigation.

A8 Lists of child pages (G16, G18) Decided

Review of 28 Sep: *"select appropriate options which needs to display for the child pages under "item settings""*; 27 Sep: *"Tags were missed in al news pages. Like "Year". " Article date""*. A card's image is the child page's featured image, cropped to a 2:1 frame.

A8.1 Card fields. News, events and newsletters: title and date. About Us: title and description. An image only where GWI's list shows one. The cards show what GWI's lists show.

A8.2 Dates on news items. Yes: every news item gets the *"Year"* tag and the article date, both taken from the GWI article, so that the lists can show dates.

A8.3 Partner with Macnica. Keep GWI's grid of partner logos, built with global2 components (four per row, logos the same width, each linked to its page). Visitors keep the logo wall they know.

A9 Phone view in acceptance (G19) Decided

Review of 21 Sep, on the phone view.

Pages are accepted at 1,400px. The phone view is checked against G19 in a separate pass once a page is accepted on desktop. The layout decisions in this document are made and measured on desktop; the phone pass then applies one rule (G19) to every accepted page.

5.2 Open points — layout

These are the same kind of decision as 5.1, but we have not yet settled a position on them. Pages whose remaining issues depend on one of these stay pending until it is resolved.

O1 Image + text layout with a tall image and little text (G8, G10) Open

IEI KINO-DH420: a tall image paired with a short text leaves empty space above or below the text inside the Text with Image, when the image alone would also break the rule against large standalone images.

Not yet decided: whether to shrink the image below its usual width in this situation, pull in more GWI text to fill the height, accept the empty space as unavoidable, or some other rule for this case.

O2 Card List layout for About Us and News & Events (G16) Open

Validated so far: title and description placed below each card's image; cards arranged two per row (the Card List component's own layout, see A8).

Not yet decided: whether this two-column arrangement is the final word for every page that uses a Card List, or whether a different column count is needed on some page to avoid oversized images.

O3 Terms & Conditions: section spacing and font consistency (G6, G8) Open

Review of 27 Sep: *“Fonts are not consistent”*.

Not yet decided: which sections of this page need a spacing adjustment, and which font should be the standard where the page currently diverges.

5.3 Content

M1 Content from GWI (G1) Decided

Confirmed: text, images, links, tables, videos, downloads, page titles and descriptions are migrated as on GWI, with only the differences listed in G1. Content changes are requested separately and are not part of page acceptance.

M2 Which pages end with contact buttons, and how they are built (G14) Decided

Review of 23 Sep: *“CTAs are missing”* (IBASE); review of 27 Sep: *“CTAs at bottom not required”* (news items). On GWI, news, press and event pages end without a Contact / Request a Quote pair; most newsletter issues end

with a single Request a Quote button, and the others end as their GWI pages do.

Every page ends as its GWI page does: the contact pair only where GWI shows it, a single Request a Quote only where GWI shows one, and no end buttons where GWI has none (news, press and event items included). It matches GWI and the review of 27 Sep.

Any title placed above a pair of end-of-page buttons (for example a *"Stay up to date…"* / *"For more information:"* pair) is removed; the buttons stand alone. The pair sits in a four-item Flex Container: an empty item first, the two button items in the middle, an empty item last, which centres the pair more than two items alone would. *"Fit to Text"* is applied to every such button so a long label does not wrap or force the button wider than it needs to be.

M3 Alternative text where GWI has none (G3) Decided

A short alternative text taken from words already on the page: the heading of the block the image belongs to, else the nearest title above it, else the page title. Every image then has a text alternative, using only words that are already on the page.

M4 Links whose destination needed confirmation (G2) Decided

On these pages, a GWI link had a different destination, or no link, on global2 (compared 25 Sep). For each row: **B** use the proposed destination (what global2 opens today); **C** no link, keep the text or image.

Page	Link	On GWI it opens	global2 (decided)	Answer
Macnica Demonstrates Video Transport Over IP Interoperability at VidTrans16 (news, Feb 2016)	*"www.macnica-na.com"*	The Macnica Asia-Pacific site, in Chinese	The Macnica Americas home page	B
Macnica Americas Expands Value-added Services for Displays (news, Feb 2018)	The value-added services address	A page that does not exist on GWI	The Displays page	B
iENSO to Showcase Generative AI at the Edge, CES 2025 (news)	*"submit your request here"*	A page in a test folder (`/test-folder/CES-2025`)	The Contact Us form	B
Macnica Americas Introduces 100 Gbps MEP100 SmartNIC with Mac Compatibility (news)	The MEP100 address	An address that returns an error	The MEP100 page on global2	B
Terasic Apollo S10 SOM	Five product images, each a link	Image files on the retired site www2.macnica.com	The images, without a link	C
Error page	A second *"RETURN TO HOMEPAGE"* link	A Macnica Asia-Pacific site	Not shown; the page's own return link opens the Americas home page	C

B where global2 opens a current Macnica Americas page, C where the GWI destination is on a retired site or on another region's site. Visitors never reach a dead address.

M5 Which pages appear in the site menus (G18) Decided

The setting of the GWI page, except individual news, newsletter and event items, which are hidden. The menus follow GWI's settings; individual news, newsletter and event items are not listed.

M6 Two GWI event pages not yet on global2 (G1) Decided

GWI publishes two event pages that are not on global2: *"Altera Sales Conference - 2026"*, and an *"Infocomm 2019"* page dated 13 June 2019 (the *"Infocomm 2019"* page dated 12 June 2019 is migrated).

Migrate both, as on GWI. The events archive then lists the same pages as on GWI (G16).

6. How review works

J1 Format of review comments Decided

Each comment names the page, the block (title or first words), the guideline it does not meet (G1 to G19), and the expected result. A comment that no guideline covers is marked *"new guideline"*; once agreed, it is added to this document and applies to the pages not yet accepted (J2).

J2 Accepted pages and later changes Decided

A page that meets every guideline is ready for acceptance. Once it is accepted, a guideline added or changed later applies only to pages not yet accepted; accepted pages are changed only on request.

J3 Who accepts each page Decided

Anion reviews each page against this document; Macnica Americas gives the final acceptance. Anion checks each page against the agreed guidelines, and the site owner makes the final decision.

J4 The reference for a page's layout Decided

Review of 23 Sep: *"Compare both MAI and MAE"* (the Americas and the Europe pages).

The reference is the page's GWI arrangement, adapted to global2 as described in Section 2 and the guidelines of this document. A Europe page is an example only where a guideline or a

decision in Section 5 names it. Each Americas page has one reference, its own GWI page, so reviewers judge it the same way.

J5 Pages whose last review raised only headings Decided

On 28 Sep the review of these pages raised only the heading rule: the three Hitek pages, IEI Embedded Systems, IBASE MB995, SiTime Clock Buffers, the Contact download page, the error page, and Japan Innovation Showcase (headings and the full-width image).

Once they meet G5 (and G11 for Japan Innovation Showcase), they are ready for acceptance without a new full review.

Guidelines to confirm

Mark each item as confirmed, or note what should change. Numbers in a guideline (for example 45px, 125px, 60px) are part of what is being confirmed.

Item	Confirmed	Change requested
Section 2: How a migrated page is built (P1 to P3)	☐	
Section 3: How a page is reviewed (R1 to R7)	☐	
G1 Content matches the original GWI page	☐	
G2 Links	☐	
G3 Images	☐	
G4 Downloads	☐	
G5 Headings	☐	
G7 Page width and side padding	☐	
G8 Vertical spacing	☐	
G9 Background bands	☐	
G10 Image beside its text	☐	
G11 Where each image goes	☐	
G12 Videos	☐	
G13 Tables	☐	
G14 Buttons	☐	
G15 Tabs and in-page menus	☐	
G16 Lists of child pages	☐	
G17 Alignment	☐	
G18 Page properties	☐	
G19 Phone view	☐	