## **CRM Final Testing Report**

```
Test documentation
Testing report
   Leads API
      GET - List of all Leads
      GET - Lead by Unique Id
      POST - Create new Lead
      PATCH - Modify Lead data
      PUT - Replace Lead data
      DEL - Delete Lead data
   Magicuser API
      GET - List of all Magicusers
      POST - Create new Magicuser
   Funnels API
      GET - List of all Funnels
      GET - Funnel by Unique Id
      POST - Create new funnel
      PATCH - Modify Funnel data
      PUT - Replace Funnel data
      DELETE - Delete Funnel data
   Stages API
      GET - List of all Stages
      GET - Stage by Unique Id
      POST - Create new Stage
      PATCH - Modify Stage data
      PUT - Replace Stage data
      DELETE - Delete Stage data
   Deals API
      GET - List of all Deals
      GET - Deals by Unique Id
      POST - Create new Deal
      PATCH - Modify Deal data
      PUT - Replace Deal data
      DELETE - Delete a Deal
   Notes API
      GET - List of all Notes
      GET - Notes by Unique Id
      POST - Create new Note
      PATCH - Modify Note data
      PUT - Replace Note data
      DELETE - Delete Note
      Complex flow: Create + Amend + Delete
```

## **Test documentation** *⊘*

**Test cases:** CRM\_Test\_Cases.pdf **Test plan:** CRM\_Test\_Plan.pdf

**Bug report:** CRM\_Bug\_Report\_List.csv

**Postman Collection:** CRM\_API.postman\_collection.json

## **Testing report** *⊘*

Squad Jira board: T12. CRM APP | Board

API method or Test cases	Team member	Birgit Tikk	Team member
	Postman: Version 11.11.1	<b>Postman:</b> Version 11.11.1	Postman: Version 11.11.1
	<b>OS:</b> MacOS Moneterey 12.7.5	<b>OS:</b> Windows 11 Home 23H2 22631.4037	<b>OS:</b> Windows 11 Home 22631.4112
	Date of retesting: 13.09.2024	Date of retesting: 13.09.2024	Date of retesting: 13.09.2024
Leads API 🔗			
GET - List of all Leads ⊘			
Get list of all Leads	→ Passed	Passed	Passed
Get list of all Leads - no authorization	Failed  T12CA-5: Leads API, Get the list of all Leads - works with no authorization	Failed  T12CA-5: Leads API, Get the list of all  Leads - works with no authorization	Railed T12CA-5: Leads API, Get the list of all Leads - works with no authorization
Get list of all Leads - limit default value 50	₹ Failed  T12CA-21: Leads API, Get the list of all Leads - default limit 50 not working	Failed  T12CA-21: Leads API, Get the list of all Leads - default limit 50 not working	Failed  T12CA-21: Leads API, Get the list of all Leads - default limit 50 not working
Get list of all Leads - limit 102	Passed	Passed	Passed
Get list of all Leads - limit data type string	₹ Failed  T12CA-181: Leads API, Get the list of all Leads - limit data type string no error message shown	₹ Failed  T12CA-181: Leads API, Get the list of all Leads - limit data type string no error message shown	Failed  T12CA-181: Leads API, Get the list of all Leads - limit data type string no error message shown
Get list of all Leads - cursor default value 0			Passed
Get list of all Leads - cursor 50	Passed	Passed	Passed
Get list of all Leads - cursor negative value -10	₹ Failed  T12CA-20: Leads API, Get the list of all Leads - cursor negative value wrong error	₹ Failed  T12CA-20: Leads API, Get the list of all Leads - cursor negative value wrong error	₹ Failed  T12CA-20: Leads API, Get the list of all Leads - cursor negative value wrong error
Get list of all Leads - cursor data type string	₹ Failed  T12CA-184: Leads API, Get the list of all Leads - cursor data type string no error message shown	T12CA-184: Leads API, Get the list of all Leads - cursor data type string no error message shown	T12CA-184: Leads API, Get the list of all Leads - cursor data type string no error message shown
Get list of all Leads - cursor data type boolean	₹ Failed  T12CA-185: Leads API, Get the list of all Leads - cursor data type boolean no error message shown	₹ Failed T12CA-185: Leads API, Get the list of all Leads - cursor data type boolean no error message shown	T12CA-185: Leads API, Get the list of all Leads - cursor data type boolean no error message shown
Get list of all Leads - sort_field email_text			Passed
Get list of all Leads - sort_field company_text			

Get list of all Leads - sort_field full_name_text	<b>⊘</b> Passed		<b>⊘</b> Passed
Get list of all Leads - sort_field data type boolean	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - descending true	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - descending false	<b>⊘</b> Passed		<b>⊘</b> Passed
Get list of all Leads - descending data type integer	➤ Failed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown	➤ Failed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown	▼ Failed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown  ▼ Tailed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown  ▼ Tailed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown  ▼ Tailed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown  ■ Tailed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown  ■ Tailed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown  ■ Tailed  T12CA-186: Leads API, Get the list of all Leads - descending data type integer no error message shown  ■ Tailed  T12CA-186: Leads - descending data type integer no error message shown  ■ Tailed  T12CA-186: Leads - descending data type integer no error message shown  ■ Tailed  T12CA-186: Leads - descending data type integer no error message shown  ■ Tailed  T12CA-186: Leads - descending data type integer no error message shown  ■ T12CA-186: Leads - descending data type integer no error message shown  ■ T12CA-186: Leads - descending data type integer no error message shown  ■ T12CA-186: Leads - descending data type integer no error message shown  ■ T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no error message shown  T12CA-186: Leads - descending data type integer no
Get list of all Leads - constraints company_text equals existing value			
Get list of all Leads - constraints email_text equals existing value	<b>⊘</b> Passed		<b>⊘</b> Passed
Get list of all Leads - constraints full_name_text equals existing value	<b>⊘</b> Passed		<b>⊘</b> Passed
Get list of all Leads - constraints company_text equals non-existent value	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - constraints company_text not equal existing value	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - constraints company_text field text contains			
Get list of all Leads - constraints full_name_text field text contains			<b>⊘</b> Passed
Get list of all Leads - constraints company_text field not text contains		<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - constraints company_text field is_empty	<b>⊘</b> Passed	<b>⊘</b> Passed	Passed
Get list of all Leads - constraints full_name_text field is_empty	<b>⊘</b> Passed	<b>⊘</b> Passed	Passed
Get list of all Leads - constraints email_text field is_empty	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - constraints company_text field is_not_empty	<b>⊘</b> Passed		<b>⊘</b> Passed

Get list of all Leads - constraints email_text equals non-existent value	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - constraints email_text not equal existing value		<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - constraints email_text field is_not_empty	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - multiple constraints together		✔ Passed	<b>⊘</b> Passed
Get list of all Leads - constraints Created Date greater than		<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of all Leads - constraints Created Date less than		<b>⊘</b> Passed	<b>⊘</b> Passed
GET - Lead by Unique Id ♂			
Get Lead by ID	Passed	Passed	<b>⊘</b> Passed
Get Lead by ID - no	<b>⊗</b> Failed	Failed	Failed
authorization	T12CA-238: Leads API, Get Lead by ID - works with no authorization	T12CA-238: Leads API, Get Lead by ID - works with no authorization	T12CA-238: Leads API, Get Lead by ID - works with no authorization
Get Lead by ID - partly missing id	<b>⊘</b> Passed		
Get Lead by ID - longer string id	Passed	Passed	Passed
Get Lead by ID - non-existent id	Passed	Passed	Passed
Get Lead by ID - empty field	Passed	Passed	Passed
POST - Create new Lead ⊘			
Create new Lead - all criteria are met	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Create new Lead - no authorization		<b>⊘</b> Passed	<b>⊘</b> Passed
Create new Lead - company name is required	▼ Failed T12CA-15: Leads API, Create new Lead - company text field is not mandatory	▼ Failed  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field text field text field is not mandatory  T12CA-15: Leads API, Create new Lead - company text field text fiel	
Create new Lead - email is required		☼ Failed T12CA-16: Leads API, Create new Lead - email field is not mandatory	☼ Failed T12CA-16: Leads API, Create new Lead - email field is not mandatory
Create new Lead - full name text is NOT required	<b>⊘</b> Passed	<b>⊘</b> Passed	Passed
Create new Lead - company name should not be more than	Failed T12CA-17: Leads API, Create new Lead -	₹ Failed T12CA-17: Leads API, Create new Lead -	₹ Failed T12CA-17: Leads API, Create new Lead -
50 symbols	company text field allows more than 50 symbols	company text field allows more than 50 symbols	company text field allows more than 50 symbols
Create new Lead - email should	<b>⊗</b> Failed	<b>☼</b> Failed	▼ Failed
not be more than 100 symbols	T12CA-18: Leads API, Create new Lead - more than 100 symbols allowed in email field	T12CA-18: Leads API, Create new Lead - more than 100 symbols allowed in email field	T12CA-18: Leads API, Create new Lead - more than 100 symbols allowed in email field

Create new Lead - full name should not be more than 50 symbols			
PATCH - Modify Lead data ∂			
Modify Lead data - all fields	Passed	<b>⊘</b> Passed	Passed
Modify Lead data - no authorization		<b>⊘</b> Passed	<b>⊘</b> Passed
Modify Lead data - with empty body	₹ Failed T12CA-242: Leads API, Modify Lead data - modifying with empty body allowed	★ Failed     T12CA-242: Leads API, Modify Lead data     modifying with empty body allowed	₹ Failed T12CA-242: Leads API, Modify Lead data - modifying with empty body allowed
Modify Lead data - with invalid id	Passed	<b>⊘</b> Passed	Passed
Modify Lead data - company_text	<b>⊘</b> Passed	<b>⊘</b> Passed	
Modify Lead data - email_text	Passed	Passed	Passed
Modify Lead data - full_name_text	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Modify Lead data - with a non- existent field	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
PUT - Replace Lead data ⊘			
Replace Lead data	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Replace Lead data - no authorization			<b>⊘</b> Passed
Replace Lead data - with empty			★ Failed
fields	T12CA-248: Leads API, Replace Lead data - replacing lead data with empty body allowed	T12CA-248: Leads API, Replace Lead data - replacing lead data with empty body allowed	T12CA-248: Leads API, Replace Lead data - replacing lead data with empty body allowed
Replace Lead data - company	★ Failed	★ Failed	
text exceeding 50 symbols	T12CA-281: Leads API, Replace Lead data - replacing company text with over 50 symbols is allowed	T12CA-281: Leads API, Replace Lead data - replacing company text with over 50 symbols is allowed	T12CA-281: Leads API, Replace Lead data - replacing company text with over 50 symbols is allowed
Replace Lead data - email with	× Failed	× Failed	× Failed
over 100 symbols	T12CA-282: Leads API, Replace Lead data - replacing email text with over 100 symbols is allowed	T12CA-282: Leads API, Replace Lead data - replacing email text with over 100 symbols is allowed	T12CA-282: Leads API, Replace Lead data - replacing email text with over 100 symbols is allowed
Replace Lead data - full name	× Failed	× Failed	<b>⊗</b> Failed
exceeding 50 symbols	T12CA-283: Leads API, Replace Lead data - replacing full name with over 50 symbols is allowed	T12CA-283: Leads API, Replace Lead data - replacing full name with over 50 symbols is allowed	T12CA-283: Leads API, Replace Lead data - replacing full name with over 50 symbols is allowed
Replace Lead data - non- existent lead	<b>⊘</b> Passed	<b>⊘</b> Passed	Passed
Replace Lead data - no company	<b>⊗</b> Failed	× Failed	× Failed
name	T12CA-285: Leads API, Replace Lead data - replacing data without company name is allowed	T12CA-285: Leads API, Replace Lead data - replacing data without company name is allowed	T12CA-285: Leads API, Replace Lead data - replacing data without company name is allowed
Replace Lead data - no email			
text	T12CA-286: Leads API, Replace Lead data - replacing data without email text is allowed	T12CA-286: Leads API, Replace Lead data - replacing data without email text is allowed	T12CA-286: Leads API, Replace Lead data - replacing data without email text is allowed

DEL - Delete Lead data ℰ				
Delete Lead by ID	<b>⊘</b> Passed	<b>⊘</b> Passed	Passed	
Delete Lead by ID - no authorization	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Delete Lead by ID - non-existent lead	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Delete Lead by ID - existing lead with partial id	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Delete Lead by ID - existing lead with longer id	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Magicuser API ⊘				
GET - List of all Magicusers ℰ				
Get list of Magicusers	Passed	Passed	Passed	
Get list of Magicusers - no authorization	₹ Failed  T12CA-40: Magicuser API, Get the list of all Magicusers - works with no authorization	₹ Failed  T12CA-40: Magicuser API, Get the list of all Magicusers - works with no authorization	₹ Failed  T12CA-40: Magicuser API, Get the list of all Magicusers - works with no authorization	
Get list of Magicusers - cursor -20	☼ Failed T12CA-261: Magicuser API, Get the list of all Magicusers - cursor negative value wrong error	☼ Failed T12CA-261: Magicuser API, Get the list of all Magicusers - cursor negative value wrong error	☼ Failed T12CA-261: Magicuser API, Get the list of all Magicusers - cursor negative value wrong error	
Get list of Magicusers - cursor 50		<b>⊘</b> Passed	<b>⊘</b> Passed	
Get list of Magicusers - sort_field Created Date	◆ Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Get list of Magicusers - sort_field Created Date desc	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Get list of Magicusers - sort_field is limit				
Get list of Magicusers - constraints email_text empty	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Get list of Magicusers - limit is text	▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message  ▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message  ▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message  ▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message  ▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message  ▼ Failed  ▼ Fai	▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message	▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message       ★ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message  **Total Control of the Cont	
Get list of Magicusers - limit is 105	▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message	➤ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message	➤ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message	
Get list of Magicusers - limit is -10	▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message	▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message	▼ Failed  T12CA-220: Magicuser API, Get the list of all Magicusers - invalid limit data type shows no error message	
POST - Create new Magicuser ⋄				
Create a new Magicuser	Passed	Passed	Passed	

Create a new Magicuser - no authorization	<b>⊘</b> Passed		<b>⊘</b> Passed
Create a new Magicuser - email only	Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Create a new Magicuser - email	× Failed		× Failed
contains over 100 characters	T12CA-173: Magicuser API, Create new Magicuser - creating email text with over 100 symbols is allowed	T12CA-173: Magicuser API, Create new Magicuser - creating email text with over 100 symbols is allowed	T12CA-173: Magicuser API, Create new Magicuser - creating email text with over 100 symbols is allowed
Create a new Magicuser -	X Failed		X Failed
without email	T12CA-171: Magicuser API, Create new Magicuser - creating Magicuser without email works	T12CA-171: Magicuser API, Create new Magicuser - creating Magicuser without email works	T12CA-171: Magicuser API, Create new Magicuser - creating Magicuser without email works
Funnels API 🔗			
GET - List of all Funnels ∂			
Get list of Funnels	Passed	Passed	Passed
Get list of Funnels - no	★ Failed	★ Failed	
authorization	T12CA-71: Funnels API, Get the list of all Funnels - works with no authorization	T12CA-71: Funnels API, Get the list of all Funnels - works with no authorization	T12CA-71: Funnels API, Get the list of all Funnels - works with no authorization
Get list of Funnels - constraints members_list_user not empty	<b>⊘</b> Passed		<b>⊘</b> Passed
Get list of Funnels - constraints name_text empty	Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of Funnels - limit is -10	× Failed	<b>⊗</b> Failed	× Failed
	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error
Get list of Funnels - limit is 105	★ Failed	★ Failed	× Failed
occuse of runners annuers 103	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error
Get list of Funnels - limit is text		<b>⊗</b> Failed	Failed
Cet list of runnels militers text	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error	T12CA-69: Funnels API, Get the list of all Funnels - invalid limit parameter shows no error
Get list of Funnels - cursor is -5		★ Failed	x Failed
declise of runnels edison is 3	T12CA-263: Funnels API, Get the list of all Funnels - cursor negative value wrong error	T12CA-263: Funnels API, Get the list of all Funnels - cursor negative value wrong error	T12CA-263: Funnels API, Get the list of all Funnels - cursor negative value wrong error
Get list of Funnels - cursor is 0	Passed	Passed	Passed
Get list of Funnels - cursor is 50	Passed	Passed	Passed
Get list of Funnels - sort_field name_text			
Get list of Funnels - sort_field name_text asc	◆ Passed		<ul><li>Passed</li></ul>
Get list of Funnels - sort_field is limit	Passed	<b>⊘</b> Passed	Passed

<b>GET</b> - Funnel by Unique Id $\mathscr D$			
Get Funnels by ID	✔ Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Get Funnels by ID - no authorization			
Get Funnels by ID - shorter id	Passed	Passed	Passed
Get Funnels by ID - longer id	Passed	<b>⊘</b> Passed	Passed
POST - Create new funnel ℰ			
Create a new Funnel - all fields	Passed	◆ Passed	Passed
Create a new Funnel - no authorization	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Create a new Funnel - no stage_list_custom_stage	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation
Create a new Funnel - no members_list_user	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation
Create a new Funnel - no name_text	₹ Failed  T12CA-187: Funnels API, Create a new Funnel - possible to create a new funnel without name text	➤ Failed  T12CA-187: Funnels API, Create a new Funnel - possible to create a new funnel without name text	₹ Failed  T12CA-187: Funnels API, Create a new Funnel - possible to create a new funnel without name text
Create a new Funnel - empty fields	T12CA-188: Funnels API, Create a new Funnel - possible to create a new funnel with empty fields	➤ Failed  T12CA-188: Funnels API, Create a new Funnel - possible to create a new funnel with empty fields	₹ Failed  T12CA-188: Funnels API, Create a new Funnel - possible to create a new funnel with empty fields
Create a new Funnel - empty body	T12CA-189: Funnels API, Create a new Funnel - possible to create a new funnel with empty body	★ Failed T12CA-189: Funnels API, Create a new Funnel - possible to create a new funnel with empty body	₹ Failed  T12CA-189: Funnels API, Create a new Funnel - possible to create a new funnel with empty body
PATCH - Modify Funnel data <i>⊘</i>			
Modify Funnel data	✔ Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Modify Funnel data - no authorization			
Modify Funnel data - empty members_list_user	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation
Modify Funnel data - empty name_text	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation
Modify Funnel data - empty stage_list	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation
Modify Funnel data - wrong id	Passed	<b>⊘</b> Passed	Passed

Replace Funnel data	Passed	<b>⊘</b> Passed	Passed
Replace Funnel data - no authorization	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
Replace Funnel data - empty members_list_user	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	Documentation bug  T12CA-256: Funnels API, Stages API - n validations in the documentation
Replace Funnel data - empty name_text	Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - n validations in the documentation
Replace Funnel data - empty stage_list	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	▲ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - n validations in the documentation
DELETE - Delete Funnel data ∂			
Delete Funnel by ID	→ Passed	◆ Passed	Passed
Delete Funnel by ID - no authorization		<b>⊘</b> Passed	Passed
Delete Funnel by ID - incorrect value		<b>⊘</b> Passed	◆ Passed
Delete Funnel by ID - short string value			
Delete Funnel by ID - long string value	<b>⊘</b> Passed	<b>⊘</b> Passed	
Delete Funnel by ID - empty value	<b>⊘</b> Passed	<b>⊘</b> Passed	Passed
Stages API 🔗			
GET - List of all Stages ♂			
Get list of Stages	Passed	Passed	Passed
Get list of Stages - no authorization			★ Failed T12CA-182: Stages API, Get the list of all Stages - works with no authorization.
Get list of Stages - limit parameter applied	<b>⊘</b> Passed	<b>⊘</b> Passed	
Get list of Stages - cursor parameter applied		<b>⊘</b> Passed	Passed
Get list of Stages - sorting by name_text		<b>⊘</b> Passed	<b>⊘</b> Passed
Get list of Stages - sorting by Created Date	Passed		<b>⊘</b> Passed

Get list of Stages - sorting by Modified Date	Passed	Passed	Passed
Get list of Stages - descending order applied	Passed	Passed	Passed
Get list of Stages - descending + sort field - name	Passed	Passed	Passed
Get list of Stages - descending + sort field - Created Date	Passed	Passed	Passed
Get list of Stages - descending + sort field - color	Passed	Passed	Passed
Get list of Stages - constraints equals id	Passed	Passed	Passed
Get list of Stages - constraints equals name text	Passed	Passed	Passed
Get list of Stages - constraints equals Created Date	Passed	Passed	Passed
Get list of Stages - constraints equals color	Passed	Passed	Passed
Get list of Stages - constraints greater than Created Date	Passed	Passed	Passed
Get list of Stages - constraints is_empty color option	Passed	Passed	Passed
Get list of Stages - constraints is_empty name_text	Passed	Passed	Passed
GET - Stage by Unique Id			
Get Stages by ID	✔ Passed	✔ Passed	✔ Passed
Get Stages by ID - no authorization	Failed T12CA-183: Stages API, Get Stages by ID - works with no authorization	Failed T12CA-183: Stages API, Get Stages by ID - works with no authorization	T12CA-183: Stages API, Get Stages by ID - works with no authorization
POST - Create new Stage ∅			
Create new Stage	Passed	Passed	Passed
Create new Stage - no authorization	Passed	Passed	Passed
Create new Stage - with incorrect color	Passed	Passed	Passed
Create new Stage - with non- existent deal	Passed	Passed	Passed
Create new Stage - with invalid funnel id	Passed	Passed	Passed

PATCH - Modify Stage data ♂				
Modify Stage data	<b>⊘</b> Passed	Passed	Passed	
Modify Stage data - no authorization				
Modify Stage data - empty body	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked  Documentation bug  T12CA-256: Funnels API, Stages API - no validations in the documentation	
Modify Stage data - without text	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	Blocked Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	⚠ Blocked Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	
PUT - Replace Stage data ℰ				
Replace Stage data	<b>⊘</b> Passed	Passed	Passed	
Replace Stage data - no authorization	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Replace Stage data - empty body	✔ Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Replace Stage data - without text	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	Documentation bug T12CA-256: Funnels API, Stages API - no validations in the documentation	
DELETE - Delete Stage data ℰ				
Delete Stage by ID	<b>⊘</b> Passed	Passed	Passed	
Delete Stage by ID - no authorization		◆ Passed		
Delete Stage by ID - incorrect value	◆ Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Delete Stage by ID - short string value	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed	
Delete Stage by ID - long string value		<b>⊘</b> Passed	<b>⊘</b> Passed	
Delete Stage by ID - empty value	✔ Passed	✔ Passed	✔ Passed	
Deals API ⊘				
GET - List of all Deals ⊘				
DG001: Get the list of all Deals	Passed	Passed	Passed	
DG002: Get the list of all Deals - no authorization				
DG003: Get the list of all Deals - limit default 50		₹ Failed T12CA-244: Deals API, Get the list of all Deals- default limit 50 not working		

DG004: Get the list of all Deals - limit 5	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
DG005: Get the list of all Deals - limit 150			
DG006: Get the list of all Deals - cursor default 0			
DG007: Get the list of all Deals - cursor 0			
DG008: Get the list of all Deals - cursor 20	<b>⊘</b> Passed	<b>⊘</b> Passed	Passed
DG009: Get the list of all Deals - cursor -1	▼ Failed     T12CA-264: Deals API, Get the list of all     Deals - cursor negative value wrong     error	★ Failed     T12CA-264: Deals API, Get the list of all     Deals - cursor negative value wrong     error	₹ Failed T12CA-264: Deals API, Get the list of all Deals - cursor negative value wrong error
DG010: Get the list of all Deals - company_name_text sorted by descending or ascending		<b>⊘</b> Passed	<b>⊘</b> Passed
DG011: Get the list of all Deals - name_text sorted by descending or ascending			<b>⊘</b> Passed
DG012: Get the list of all Deals - constraints description_text is_empty	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
DG013: Get the list of all Deals - constraints status_option_status equals	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
DG014: Get the list of all Deals - constraints company_name_text equals	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
GET - Deals by Unique Id ∂			
DGbyl001: Get Deals by ID	Passed	<b>⊘</b> Passed	Passed
DGbyl002: Get Deals by ID -no authorization	₹ Failed T12CA-245: Deals API, Get Deals by ID - allowed without authorization	₹ Failed T12CA-245: Deals API, Get Deals by ID - allowed without authorization	Failed T12CA-245: Deals API, Get Deals by ID - allowed without authorization
DGbyl003: Get Deals by ID - non-existent id	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
POST - Create new Deal ⊘			
DP001: Create new Deal	Passed	Passed	Passed
DP002: Create new deal - minimum dataset	<b>⊘</b> Passed		Passed
DP003: Create new Deal - missing required field	₹ Failed  T12CA-217: Deals API, Create new Deal - possible to create a new Deal with missing mandatory field	₹ Failed  T12CA-217: Deals API, Create new Deal - possible to create a new Deal with missing mandatory field	Failed  T12CA-217: Deals API, Create new Deal - possible to create a new Deal with missing mandatory field

DP004: Create new Deal - invalid data	✔ Passed	<b>⊘</b> Passed	✔ Passed
DP005: Create new Deal - no authorization	✔ Passed	<b>⊘</b> Passed	✔ Passed
DP005: Create new Deal - empty body	₹ Failed  T12CA-215: Deals API, Create new Deal - possible to create a new Deal with empty body	T12CA-215: Deals API, Create new Deal - possible to create a new Deal with empty body	☼ Failed T12CA-215: Deals API, Create new Deal - possible to create a new Deal with empty body
PATCH - Modify Deal data ℰ			
DPA001: Modify Deal Data - all fields			
DPA002: Modify Deal Data - non- existent id			
DPA003: Modify Deal data - no authorization	✓ Passed		
DPA004: Modify Deal data - empty strings			
DPA005: Modify Deal data - empty body	₹ Failed  T12CA-216: Deals API, modify Deals - possible to modify a Deal with empty body	Failed T12CA-216: Deals API, modify Deals - possible to modify a Deal with empty body	☼ Failed T12CA-216: Deals API, modify Deals - possible to modify a Deal with empty body
DPA006: Modify Deal data - status_option_status	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
DPA007: Modify Deal data - name_text	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
DPA008: Modify Deal data - company_name_text	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
DPA009: Modify Deal data - deal_value_estimation_number	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
DPA010: Modify Deal data - funnel_custom_funnel1	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed
PUT - Replace Deal data ⊘			
DPU001: Replace Deal data	Passed	Passed	Passed
DPU002: Replace Deal data - with non-existent id	✔ Passed	✔ Passed	✔ Passed
DPU003: Replace Deal data - with incorrect value type			
DPU004: Replace Deal data - no authorization	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed

DELETE - Delete a Deal ♂					
DDEL001 Delete Deal by ID - delete deal and check if it is deleted	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed		
DDEL002 Delete Deal by ID - non-existent deal	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed		
DDEL003 Delete Deal by ID - no authorization	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed		
Notes API ⊘					
GET - List of all Notes   Ø					
NG001: Get the list of all Notes	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed		
NG002: Get the list of all Notes - no authorization	T12CA-247: Notes API, Get the list of all Notes - allowed without authorization	T12CA-247: Notes API, Get the list of all Notes - allowed without authorization	Failed T12CA-247: Notes API, Get the list of all Notes - allowed without authorization		
NG003: Get the list of all Notes - Modified Date sorted by descending or ascending	<b>⊘</b> Passed	<b>⊘</b> Passed			
NG004: Get the list of all Notes - Created Date sorted by descending or ascending	<b>⊘</b> Passed	<b>⊘</b> Passed			
NG005: Get the list of all Notes - content_text sorted by descending or ascending	<b>⊘</b> Passed	<b>⊘</b> Passed			
NG006: Get the list of all Notes - limit default 50	T12CA-266: Notes API, Get the list of all Notes - default limit 50 not working	₹ Failed T12CA-266: Notes API, Get the list of all Notes - default limit 50 not working	₹ Failed T12CA-266: Notes API, Get the list of all Notes - default limit 50 not working		
NG007: Get the list of all Notes - limit 100	<b>⊘</b> Passed	<b>⊘</b> Passed	◆ Passed		
NG008: Get the list of all Notes - limit 101	→ Passed	→ Passed	→ Passed		
NG009: Get the list of all Notes - limit -1	→ Passed	→ Passed			
NG010: Get the list of all Notes - cursor 5	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed		
NG011: Get the list of all Notes - cursor 0	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed		
NG012: Get the list of all Notes - cursor default 0	<b>⊘</b> Passed	<b>⊘</b> Passed	<b>⊘</b> Passed		
NG013: Get the list of all Notes - cursor -1	₹ Failed  T12CA-265: Notes API, Get the list of all  Notes - cursor negative value wrong  error		₹ Failed  T12CA-265: Notes API, Get the list of all  Notes - cursor negative value wrong  error		

NGby1001: Get Note by ID  NGby1002: Get Note by ID - no authorization  NGby1003: Get Note by ID - non- existent id  Passed  Passed  Passed  Passed  Fassed  Passed  Fassed  Passed  Passed  Passed  Fassed  Passed  NPO001: Create new Note - no authorization  NPO002: Create new Note - no authorization  NPO003: Create new Note - may represent the empty field (string validation)  NPO004: Create new Note - may represent the empty field (string validation)  NPO004: Create new Note - may represent the empty body (content_text validation)  NPO005: Create new Note - may represent the empty body (content_text validation)  NPO005: Create new Note - may represent the empty body (content_text validation)  NPO005: Create new Note - may represent the empty body  NPO005: Create new Note - may represent the empty body  NPO005: Create new Note - may represent the empty body  NPO005: Create new Note - may represent the empty body  NPO005: Create new Note - may represent the empty body  NPO005: Create new Note - may represent the empty body  NPO005: Create new Note - may represent the empty body  NPO005: Create new Note - may represent the empty representation the empty body  NPO005: Create new Note - may represent the empty body  NPO005: Create new Note - may represent the empty representation the empty body  NPO005: Create new Note - may represent the empty representation the empty body  NPO005: Create new Note - may represent the empty representation the empty body  NPO005: Create new Note - may represent the empty representation the e					
authorization  T12CA-249: Notes API, Get a Note by Id -allowed without authorization  T12CA-249: Notes API, Get a Note by Id -allowed without authorization  NGbyI003: Get Note by ID - non-existent id  Passed					
POST - Create new Note  Passed					
NPO001: Create new Note  NPO002: Create new Note - no authorization  NPO003: Create new Note - empty field (string validation)  NPO004: Create new Note - empty biddy (content_text validation)  NPO005: Create new Note - empty body (content_text validation)  NPO005: Create new Note - invalid type boolean (string validation)  NPO005: Create new Note - invalid type boolean (string validation)  NPO006: Create new Note - invalid type boolean works  NPO007: Modify Note data  NPO008: Modify Note data  NPO008: Modify Note data - no authorization  NPO008: Modify Note data - shorter string id  NPO008: Create new Note - invalid Note data - shorter string id  NPO009: Create new Note - invalid Note data - shorter string id  NPO009: Create new Note - invalid Note data - no authorization  NPO009: Create new Note - invalid Note data - no authorization  NPO009: Create new Note - invalid Note data - no authorization  NPO009: Create new Note - invalid Note data - no authorization  NPO009: Create new Note data - no authorization  NPO009: Create new Note - invalid Note data - no authorization  NPO009: Create new Note - invalid Note data - no authorization  NPO009: Passed					
NPO002: Create new Note - no authorization  NPO003: Create new Note - mo authorization  NPO003: Create new Note - mo authorization  NPO003: Create new Note - mother field (string validation)  NPO004: Create new Note - mother mother field (string validation)  NPO004: Create new Note - mother field (string validation)  NPO005: Create new Note - mother field (string validation)  NPO005: Create new Note - invalid type boolean (string validation)  NPO005: Create new Note - invalid type boolean works  NPO006: Passed  NPO006: Passed  NPO006: Passed  NPO07: Passed  NPO07: Passed					
authorization  NPO003: Create new Note - empty field (string validation)  T12CA-211: Notes API, Create new Note - possible to create a new note with empty mandatory field  NPO004: Create new Note - empty body (content_text validation)  NPO005: Create new Note - invalid type boolean (string validation)  PATCH - Modify Note data  NPA002: Modify Note data - NPA003: Modify Note data - Salied  Salied  Salied  Salied  T12CA-212: Notes API, Create new Note - possible to create a new note with empty mandatory field empty mandatory field  Salied  T12CA-212: Notes API, Create new Note - possible to create a new note with empty body empty mandatory field  Salied  T12CA-212: Notes API, Create new Note - possible to create a new note with empty mandatory field  Salied  T12CA-210: Notes API, Create new Note - possible to create a new note with empty mandatory field  Salied  T12CA-210: Notes API, Create new Note - possible to create a new note with empty mandatory field  Salied  T12CA-210: Notes API, Create new Note - possible to create a new note with empty mandatory field  Salied  T12CA-210: Notes API, Create new Note - possible to create a new note with empty mandatory field  Salied  T12CA-210: Notes API, Create new Note - possible to create a new note with empty mandatory field  Salied  T12CA-210: Notes API, Create new Note - possible to create a new note with empty mandatory field  Salied  T12CA-210: Notes API, Create new Note - possible to create a new note with empty mandatory field  Salied  T12CA-210: Notes					
empty field (string validation)  T12CA-211: Notes API, Create new Note - possible to create a new note with empty mandatory field  NPO004: Create new Note - empty body (content_text validation)  NPO005: Create new Note - invalid type boolean (string validation)  NPO005: Create new Note - invalidation)  NPO005: Create new Note - invalidation)  NPO006: Create new Note - invalidation)  NPO007: Create new Note - invalidation)  NPO008: Create new Note - invalidation)  NPO009: Create new Note - invalidation (Salidation)  PATCH - Modify Note data &  NPA001: Modify Note data  Passed  NPA002: Modify Note data - no authorization  NPA003: Modify Note data - shorter string id  NPA003: Modify Note data - shorter string id					
mpty body (content_text validation)  T12CA-212: Notes API, Create new Note - possible to create a new note with empty body  NPO005: Create new Note - invalid type boolean (string validation)  PATCH - Modify Note data   NPA001: Modify Note data   NPA002: Modify Note data - no authorization  NPA003: Modify Note data - shorter string id  T12CA-212: Notes API, Create new Note - possible to create a new note with empty body  T12CA-212: Notes API, Create new Note - possible to create a new note with empty body  T12CA-212: Notes API, Create new Note - possible to create a new note with empty body  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - possible to create a new note with empty body  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - possible to create a new note with empty body  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid t					
invalid type boolean (string validation)  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works  T12CA-210: Notes API, Create new Note - invalid type boolean works					
NPA001: Modify Note data  Passed					
NPA001: Modify Note data - no authorization  NPA003: Modify Note data - shorter string id  Passed  Passed  Passed  Passed  Passed  Passed  Passed  Passed					
authorization  NPA003: Modify Note data -  NPA003: Modify Note data -  shorter string id  Passed  Passed  Passed					
shorter string id					
Dassard Dassard					
NPA004: Modify Note data - longer string id					
NPA005: Modify Note data - non-existent unique id  Passed  Passed  Passed					
NPA006: Modify Note data - no unique id Passed Passed					
NPA007: Modify Note data - empty field  T12CA-213: Notes API, Modify Note data - possible to modify a note with an empty mandatory field  ** Failed  T12CA-213: Notes API, Modify Note data - possible to modify a note with an empty mandatory field  ** Failed  T12CA-213: Notes API, Modify Note data - possible to modify a note with an empty mandatory field  ** Failed  T12CA-213: Notes API, Modify Note data - possible to modify a note with an empty mandatory field					
NPA008: Modify Note data - empty body  T12CA-214: Notes API, Modify Note data - possible to modify a note with empty body  Pailed  T12CA-214: Notes API, Modify Note data - possible to modify a note with empty body  T12CA-214: Notes API, Modify Note data - possible to modify a note with empty body  T12CA-214: Notes API, Modify Note data - possible to modify a note with empty body					
PUT - Replace Note data <i>⊗</i>					
NPU001: Replace Note data					

NPU002: Replace Note data - invalid id	Passed	Passed	Passed		
NPU003: Replace Note data - no authorization	Passed	Passed	Passed		
NPU004: Replace Note data - edit note without changes	Passed	Passed	Passed		
NPU005: Replace Note data - empty body	T12CA-275: Notes API, Replace Note data - possible to replace a note with empty body	T12CA-275: Notes API, Replace Note data - possible to replace a note with empty body	T12CA-275: Notes API, Replace Note data - possible to replace a note with empty body		
DELETE - Delete Note ℰ					
ND001: Delete Note by ID	<b>⊘</b> Passed	✔ Passed	✔ Passed		
ND002: Delete Note by ID - invalid id	Passed	Passed	Passed		
ND003: Delete Note by ID - delete already deleted note	Passed	Passed	Passed		
ND004: Delete Note by ID - delete with invalid API version	Passed	Passed	Passed		
ND005: Delete Note by ID - empty id	Passed	Passed	Passed		
ND006: Delete Note by ID - no authorization	Passed	Passed	Passed		
Complex flow: Create + Amend + Delete ℰ					
CF001: Create a new note and check if it has been created	Passed	Passed	Passed		
CF002: Modify a note and check if it has been modified	Passed	Passed	Passed		
CF003: Delete a note and check if it has been deleted	Passed	Passed	Passed		