


2244 - Union

BSPP 60° Cone end




Thread BSPP T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	1/8-28	2244-02-02	2HMK4S	2244-02-02RVS	2HMK4SS
1/4-19	1/8-28	2244-02-04	4-2HMK4S	2244-02-04RVS	4-2HMK4SS
1/4-19	1/4-19	2244-04-04	4HMK4S	2244-04-04RVS	4HMK4SS
3/8-19	1/4-19	2244-04-06	6-4HMK4S	2244-04-06RVS	6-4HMK4SS
3/8-19	3/8-19	2244-06-06	6HMK4S	2244-06-06RVS	6HMK4SS
1/2-14	1/4-19	2244-04-08	8-4HMK4S	2244-04-08RVS	8-4HMK4SS
1/2-14	3/8-19	2244-06-08	8-6HMK4S	2244-06-08RVS	8-6HMK4SS
1/2-14	1/2-14	2244-08-08	8HMK4S	2244-08-08RVS	8HMK4SS
5/8-14	1/2-14	2244-08-10	10-8HMK4S	2244-08-10RVS	10-8HMK4SS
5/8-14	5/8-14	2244-10-10	10HMK4S	2244-10-10RVS	10HMK4SS
3/4-14	1/4-19	2244-04-12	12-4HMK4S	2244-04-12RVS	12-4HMK4SS
3/4-14	3/8-19	2244-06-12	12-6HMK4S	2244-06-12RVS	12-6HMK4SS
3/4-14	1/2-14	2244-08-12	12-8HMK4S	2244-08-12RVS	12-8HMK4SS
3/4-14	5/8-14	2244-10-12	12-10HMK4S	2244-10-12RVS	12-10HMK4SS
3/4-14	3/4-14	2244-12-12	12HMK4S	2244-12-12RVS	12HMK4SS
1-11	1/2-14	2244-08-16	16-8HMK4S	2244-08-16RVS	16-8HMK4SS
1-11	5/8-14	2244-10-16	16-10HMK4S	2244-10-16RVS	16-10HMK4SS
1-11	3/4-14	2244-12-16	16-12HMK4S	2244-12-16RVS	16-12HMK4SS
1-11	1-11	2244-16-16	16HMK4S	2244-16-16RVS	16HMK4SS
1 1/4-11	3/4-14	2244-12-20	20-12HMK4S	2244-12-20RVS	20-12HMK4SS
1 1/4-11	1-11	2244-16-20	20-16HMK4S	2244-16-20RVS	20-16HMK4SS
1 1/4-11	1 1/4-11	2244-20-20	20HMK4S	2244-20-20RVS	20HMK4SS
1 1/2-11	3/4-14	2244-12-24	24-12HMK4S	2244-12-24RVS	24-12HMK4SS
1 1/2-11	1-11	2244-16-24	24-16HMK4S	2244-16-24RVS	24-16HMK4SS
1 1/2-11	1 1/4-11	2244-20-24	24-20HMK4S	2244-20-24RVS	24-20HMK4SS
1 1/2-11	1 1/2-11	2244-24-24	24HMK4S	2244-24-24RVS	24HMK4SS
2-11	1 1/2-11	2244-24-32	32-24HMK4S	2244-24-32RVS	32-24HMK4SS
2-11	2-11	2244-32-32	32HMK4S	2244-32-32RVS	32HMK4SS
2-11	2 1/2-11	2244-32-40	-	2244-32-40RVS	-
2-11	3-11	2244-32-48	-	2244-32-48RVS	-
2 1/2-11	2 1/2-11	2244-40-40	-	2244-40-40RVS	-
2 1/2-11	3-11	2244-40-48	-	2244-40-48RVS	-
3-11	3-11	2244-48-48	-	2244-48-48RVS	-

Adapters

2644 - Union elbow


BSPP 60° Cone end



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	2644-02-02	2EMK4S	2644-02-02RVS	2EMK4SS
1/4-19	2644-04-04	4EMK4S	2644-04-04RVS	4EMK4SS
3/8-19	2644-06-06	6EMK4S	2644-06-06RVS	6EMK4SS
1/2-14	2644-08-08	8EMK4S	2644-08-08RVS	8EMK4SS
5/8-14	2644-10-10	10EMK4S	2644-10-10RVS	10EMK4SS
3/4-14	2644-12-12	12EMK4S	2644-12-12RVS	12EMK4SS
1-11	2644-16-16	16EMK4S	2644-16-16RVS	16EMK4SS
1 1/4-11	2644-20-20	20EMK4S	2644-20-20RVS	20EMK4SS
1 1/2-11	2644-24-24	24EMK4S	2644-24-24RVS	24EMK4SS

2744 - Union tee


BSPP 60° Cone end



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	2744-02-02	2JMK4S	2744-02-02RVS	2JMK4SS
1/4-19	2744-04-04	4JMK4S	2744-04-04RVS	4JMK4SS
3/8-19	2744-06-06	6JMK4S	2744-06-06RVS	6JMK4SS
1/2-14	2744-08-08	8JMK4S	2744-08-08RVS	8JMK4SS
5/8-14	2744-10-10	10JMK4S	2744-10-10RVS	10JMK4SS
3/4-14	2744-12-12	12JMK4S	2744-12-12RVS	12JMK4SS
1-11	2744-16-16	16JMK4S	2744-16-16RVS	16JMK4SS
1 1/4-11	2744-20-20	20JMK4S	2744-20-20RVS	20JMK4SS
1 1/2-11	2744-24-24	24JMK4S	2744-24-24RVS	24JMK4SS

2448 - Adjustable elbow 45°


BSP male x BSP Adjustable Male



Thread BSPP T1	Thread BSPP T2	Order code Steel	Order code Stainless Steel
1/4-19	1/4-19	2448-04-04	2448-04-04RVS
3/8-19	3/8-19	2448-06-06	2448-06-06RVS
1/2-14	1/2-14	2448-08-08	2448-08-08RVS
3/4-14	3/4-14	2448-12-12	2448-12-12RVS
1-11	1-11	2448-16-16	2448-16-16RVS
1 1/4-11	1 1/4-11	2448-20-20	2448-20-20RVS

2648 - Adjustable elbow 90°

BSP male x BSP Adjustable Male




Thread BSPP T1	Thread BSPP T2	Order code Steel	Order code Stainless Steel
1/4-19	1/4-19	2648-04-04	2648-04-04RVS
3/8-19	3/8-19	2648-06-06	2648-06-06RVS
1/2-14	1/2-14	2648-08-08	2648-08-08RVS
3/4-14	3/4-14	2648-12-12	2648-12-12RVS
1-11	1-11	2648-16-16	2648-16-16RVS
1 1/4-11	1 1/4-11	2648-20-20	2648-20-20RVS

Adapters

8248 - Bulkhead union


BSPP 60° Cone end
Supplied with locknut



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/4-19	8248-04-04	4WMK4WL4NMS	8248-04-04RVS	4WMK4WL4NMSS
3/8-19	8248-06-06	6WMK4WL4NMS	8248-06-06RVS	6WMK4WL4NMSS
1/2-14	8248-08-08	8WMK4WL4NMS	8248-08-08RVS	8WMK4WL4NMSS
5/8-14	8248-10-10	10WMK4WL4NMS	8248-10-10RVS	10WMK4WL4NMSS
3/4-14	8248-12-12	12WMK4WL4NMS	8248-12-12RVS	12WMK4WL4NMSS
1-11	8248-16-16	16WMK4WL4NMS	8248-16-16RVS	16WMK4WL4NMSS
1 1/4-11	8248-20-20	20WMK4WL4NMS	8248-20-20RVS	20WMK4WL4NMSS
1 1/2-11	8248-24-24	24WMK4WL4NMS	8248-24-24RVS	24WMK4WL4NMSS
2-11	8248-32-32	-	8248-32-32RVS	-
2 1/2-11	8248-40-40	-	-	-

2142 - Hexagon head plug


Male BSPT thread



Thread BSPT	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	2142-02	1/8HP3MS	2142-02RVS	1/8HP3MSS
1/4-19	2142-04	1/4HP3MS	2142-04RVS	1/4HP3MSS
3/8-19	2142-06	3/8HP3MS	2142-06RVS	3/8HP3MSS
1/2-14	2142-08	1/2HP3MS	2142-08RVS	1/2HP3MSS
3/4-14	2142-12	3/4HP3MS	2142-12RVS	3/4HP3MSS
1-11	2142-16	1HP3MS	2142-16RVS	1HP3MSS
1 1/4-11	2142-20	-	2142-20RVS	-

2140 - Plug


BSPP 60° blanking plug



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	2140-02	2PNMK4S	2140-02RVS	2PNMK4SS
1/4-19	2140-04	4PNMK4S	2140-04RVS	4PNMK4SS
3/8-19	2140-06	6PNMK4S	2140-06RVS	6PNMK4SS
1/2-14	2140-08	8PNMK4S	2140-08RVS	8PNMK4SS
5/8-14	2140-10	10PNMK4S	2140-10RVS	10PNMK4SS
3/4-14	2140-12	12PNMK4S	2140-12RVS	12PNMK4SS
1-11	2140-16	16PNMK4S	2140-16RVS	16PNMK4SS
1 1/4-11	2140-20	20PNMK4S	2140-20RVS	20PNMK4SS
1 1/2-11	2140-24	24PNMK4S	2140-24RVS	24PNMK4SS
2-11	2140-32	32PNMK4S	2140-32RVS	32PNMK4SS
2 1/2-11	2140-40	-	-	-
3-11	2140-48	-	-	-
3 1/2-11	2140-56	-	-	-

2113 - Cap


BSPP 60° blanking cap



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	2113-02	2FNMK4S	2113-02RVS	2FNMK4SS
1/4-19	2113-04	4FNMK4S	2113-04RVS	4FNMK4SS
3/8-19	2113-06	6FNMK4S	2113-06RVS	6FNMK4SS
1/2-14	2113-08	8FNMK4S	2113-08RVS	8FNMK4SS
5/8-14	2113-10	10FNMK4S	2113-10RVS	10FNMK4SS
3/4-14	2113-12	12FNMK4S	2113-12RVS	12FNMK4SS
1-11	2113-16	16FNMK4S	2113-16RVS	16FNMK4SS
1 1/4-11	2113-20	20FNMK4S	2113-20RVS	20FNMK4SS
1 1/2-11	2113-24	24FNMK4S	2113-24RVS	24FNMK4SS
2-11	2113-32	-	2113-32RVS	-

8244 - Female thread coupling


Female BSPP thread



Thread BSPP T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	1/8-28	8244-02-02	1/8GG44MS	8244-02-02RVS	1/8GG44MSS
1/8-28	1/4-19	8244-02-04	-	8244-02-04RVS	-
1/4-19	1/4-19	8244-04-04	1/4GG44MS	8244-04-04RVS	1/4GG44MSS
1/4-19	3/8-19	8244-04-06	-	8244-04-06RVS	-
3/8-19	3/8-19	8244-06-06	3/8GG44MS	8244-06-06RVS	3/8GG44MSS
3/8-19	1/2-14	8244-06-08	-	8244-06-08RVS	-
3/8-19	3/4-14	8244-06-12	-	8244-06-12RVS	-
1/4-19	1/2-14	8244-04-08	-	8244-04-08RVS	-
3/8-16	1/2-14	8244-06-08	-	8244-06-08RVS	-
1/2-14	1/2-14	8244-08-08	1/2GG44MS	8244-08-08RVS	1/2GG44MSS
1/2-14	5/8-14	8244-08-10	-	8244-08-10RVS	-
1/2-14	3/4-14	8244-08-12	-	8244-08-12RVS	-
1/2-14	1-11	8244-08-16	-	8244-08-16RVS	-
5/8-14	5/8-14	8244-10-10	-	8244-10-10RVS	-
5/8-14	3/4-14	8244-10-12	-	8244-10-12RVS	-
3/4-14	3/4-14	8244-12-12	3/4GG44MS	8244-12-12RVS	3/4GG44MSS
3/4-14	1-11	8244-12-16	-	8244-12-16RVS	-
1-11	1-11	8244-16-16	1GG44MS	8244-16-16RVS	1GG44MSS
1-11	1 1/4-11	8244-16-20	-	8244-16-20RVS	-
1 1/4-11	1 1/4-11	8244-20-20	-	8244-20-20RVS	-
1 1/4-11	1 1/2-11	8244-20-24	-	8244-20-24RVS	-
1 1/2-11	1 1/2-11	8244-24-24	-	8244-24-24RVS	-
1 1/2-11	2-11	8244-24-32	-	8244-24-32RVS	-
2-11	2-11	8244-32-32	-	8244-32-32RVS	-

8284 - Heavy welding socket

Female BSPP thread



Thread BSPP	ØD (mm)	H (mm)	Order code Steel
1/4-19	22	37	8284-04-04
3/8-19	22	38	8284-06-06
1/2-14	29	48	8284-08-08
3/4-14	35	51	8284-12-12
1-11	45	60	8284-16-16
1 1/4-11	60	67	8284-20-20
1 1/2-11	65	79	8284-24-24
2-11	70	90	8284-32-32


Adapters

Triple-Lok®

O-Lok®

2213 - Swivel nut union


BSPP 60° Female swivel ends



Thread BSPP T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/4-19	1/4-19	2213-04-04	4H6MK4S	2213-04-04RVS	4H6MK4SS
3/8-19	1/4-19	2213-04-06	6-4H6MK4S	2213-04-06RVS	6-4H6MK4SS
3/8-19	3/8-19	2213-06-06	6H6MK4S	2213-06-06RVS	6H6MK4SS
1/2-14	1/4-19	2213-04-08	8-4H6MK4S	2213-04-08RVS	8-4H6MK4SS
1/2-14	3/8-19	2213-06-08	8-6H6MK4S	2213-06-08RVS	8-6H6MK4SS
1/2-14	1/2-14	2213-08-08	8H6MK4S	2213-08-08RVS	8H6MK4SS
5/8-14	5/8-14	2213-10-10	10H6MK4S	2213-10-10RVS	10H6MK4SS
3/4-14	1/2-14	2213-08-12	12-8H6MK4S	2213-08-12RVS	12-8H6MK4SS
3/4-14	3/4-14	2213-12-12	12H6MK4S	2213-12-12RVS	12H6MK4SS
1-11	1-11	2213-16-16	16H6MK4S	2213-16-16RVS	16H6MK4SS
1 1/4-11	1 1/4-11	2213-20-20	20H6MK4S	2213-20-20RVS	20H6MK4SS
1 1/2-11	1 1/2-11	2213-24-24	24H6MK4S	2213-24-24RVS	24H6MK4SS
2-11	2-11	2213-32-32	-	2213-32-32RVS	-

2813 - Swivel nut swept elbow 45°


BSPP 60° Female swivel ends



Thread BSPP	Order code Steel	Order code Stainless Steel
1/8-28	2813-02-02	2813-02-02RVS
1/4-19	2813-04-04	2813-04-04RVS
3/8-19	2813-06-06	2813-06-06RVS
1/2-14	2813-08-08	2813-08-08RVS
3/4-14	2813-12-12	2813-12-12RVS
1-11	2813-16-16	2813-16-16RVS
1 1/4-11	2813-20-20	2813-20-20RVS
1 1/2-11	2813-24-24	2813-24-24RVS
2-11	2813-32-32	2813-32-32RVS

2913 - Swivel nut swept elbow 90°


BSPP 60° Female swivel ends



Thread BSPP	Order code Steel	Order code Stainless Steel
1/8-28	2913-02-02	2913-02-02RVS
1/4-19	2913-04-04	2913-04-04RVS
3/8-19	2913-06-06	2913-06-06RVS
1/2-14	2913-08-08	2913-08-08RVS
3/4-14	2913-12-12	2913-12-12RVS
1-11	2913-16-16	2913-16-16RVS
1 1/4-11	2913-20-20	2913-20-20RVS
1 1/2-11	2913-24-24	2913-24-24RVS
2-11	2913-32-32	2913-32-32RVS

2242 - Male nipple


Male BSPT thread



Thread BSPT T1	Thread BSPT T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	1/8-28	2242-02-02	1/8FF33MS	2242-02-02RVS	1/8FF33MSS
1/4-19	1/8-28	2242-02-04	1/4X1/8FF33MS	2242-02-04RVS	1/4X1/8FF33MSS
1/4-19	1/4-19	2242-04-04	1/4FF33MS	2242-04-04RVS	1/4FF33MSS
3/8-19	1/4-19	2242-04-06	3/8X1/4FF33MS	2242-04-06RVS	3/8X1/4FF33MSS
3/8-19	3/8-19	2242-06-06	3/8FF33MS	2242-06-06RVS	3/8FF33MSS
1/2-14	1/4-19	2442-04-08	1/2X1/4FF33MS	2442-04-08RVS	1/2X1/4FF33MSS
1/2-14	3/8-19	2242-06-08	3/8X1/2FF33MS	2242-06-08RVS	3/8X1/2FF33MSS
1/2-14	1/2-14	2242-08-08	1/2FF33MS	2242-08-08RVS	1/2FF33MSS
3/4-14	1/2-14	2442-08-12	3/4X1/2FF33MS	2442-08-12RVS	3/4X1/2FF33MSS
3/4-14	3/4-14	2242-12-12	3/4FF33MS	2242-12-12RVS	3/4FF33MSS
1-11	3/4-14	2242-12-16	1X3/4FF33MS	2242-12-16RVS	1X3/4FF33MSS
1-11	1-11	2242-16-16	1FF33MS	2242-16-16RVS	1FF33MSS
1-11	1 1/4-11	2242-16-20	-	2242-16-20RVS	-
1-11	1 1/2-11	2242-16-24	-	2242-16-24RVS	-
1-11	2-11	2242-16-32	-	2242-16-32RVS	-
1 1/4-11	1 1/4-11	2242-20-20	-	2242-20-20RVS	-
1 1/4-11	1 1/2-11	2242-20-24	-	2242-20-24RVS	-
1 1/2-11	1 1/2-11	2242-24-24	-	2242-24-24RVS	-
1 1/2-11	2-11	2242-24-32	-	2242-24-32RVS	-
2-11	2-11	2242-32-32	-	2242-32-32RVS	-

2243 - Swivel male stud


BSPP 60° cone end / BSPP 60° Female swivel end



Thread BSPP T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	1/8-28	2243-02-02	-	2243-02-02RVS	-
1/8-28	1/4-19	2243-02-04	-	2243-02-04RVS	-
1/4-19	1/4-19	2243-04-04	4-4F6MK4S	2243-04-04RVS	4-4F6MK4SS
1/4-19	1/8-28	2243-04-02	-	2243-04-02RVS	-
1/4-19	3/8-19	2243-04-06	6-4F6MK4S	2243-04-06RVS	6-4F6MK4SS
1/4-19	1/2-14	2243-04-08	4-8F6MK4S	2243-04-08RVS	4-8F6MK4SS
3/8-19	3/8-19	2243-06-06	6-6F6MK4S	2243-06-06RVS	6-6F6MK4SS
3/8-19	1/8-28	2243-06-02	-	2243-06-02RVS	-
3/8-14	1/4-19	2243-06-04	4-6F6MK4S	2243-06-04RVS	4-6F6MK4SS
3/8-19	1/2-14	2243-06-08	8-6F6MK4S	2243-06-08RVS	8-6F6MK4SS
1/2-14	1/2-14	2243-08-08	8-8F6MK4S	2243-08-08RVS	8-8F6MK4SS
1/2-14	1/4-19	2243-08-04	4-8F6MK4S	2243-08-04RVS	4-8F6MK4SS
1/2-14	3/8-19	2243-08-06	6-8F6MK4S	2243-08-06RVS	6-8F6MK4SS
1/2-14	5/8-14	2243-08-10	-	2243-08-10RVS	-
1/2-14	3/4-14	2243-08-12	12-8F6MK4S	2243-08-12RVS	12-8F6MK4SS
1/2-14	1-11	2243-08-16	-	2243-08-16RVS	-
5/8-14	5/8-14	2243-10-10	-	2243-10-10RVS	-
5/8-14	1/2-14	2243-10-08	-	2243-10-08RVS	-
5/8-14	3/4-14	2243-10-12	-	2243-10-12RVS	-
3/4-14	3/4-14	2243-12-12	12-12F6MK4S	2243-12-12RVS	12-12F6MK4SS
3/4-14	1/2-14	2243-12-08	8-12F6MK4S	2243-12-08RVS	8-12F6MK4SS
3/4-14	5/8-14	2243-12-10	-	2243-12-10RVS	-
3/4-14	1-11	2243-12-16	16-12F6MK4S	2243-12-16RVS	16-12F6MK4SS
3/4-14	1 1/4-11	2243-12-20	-	2243-12-20RVS	-
1-11	1-11	2243-16-16	16-16F6MK4S	2243-16-16RVS	16-16F6MK4SS
1-11	5/8-14	2243-16-10	-	2243-16-10RVS	-
1-11	3/4-14	2243-16-12	12-16F6MK4S	2243-16-12RVS	12-16F6MK4SS
1-11	1 1/4-11	2243-16-20	-	2243-16-20RVS	-
1 1/4-11	1 1/4-11	2243-20-20	20-20F6MK4S	2243-20-20RVS	20-20F6MK4SS
1 1/4-11	3/4-14	2243-20-12	-	2243-20-12RVS	-
1 1/4-11	1-11	2243-20-16	-	2243-20-16RVS	-
1 1/4-11	1 1/2-11	2243-20-24	-	2243-20-24RVS	-
1 1/2-11	1 1/2-11	2243-24-24	-	2243-24-24RVS	-
1 1/2-11	2-11	2243-24-32	-	2243-24-32RVS	-
2-11	1 1/2-11	2243-32-24	-	2243-32-24RVS	-
2-11	2-11	2243-32-32	-	2243-32-32RVS	-

RI - Male / female connector


BSPP 60° Cone end / Female BSPP thread



Thread BSPP T1	Thread BSPP T2	Order code Steel	H (mm)	Order code Stainless Steel	H (mm)
1/8-28	1/8-28	RI1/8X1/8	26	RI1/8X1/8RVS	23.5
1/4-19	1/4-19	RI1/4X1/4	33	RI1/4X1/4RVS	32
1/4-19	1/4-19	RI1/4X1/4H42	42		
1/4-19	1/4-19	RI1/4X1/4H55	55		
3/8-19	3/8-19	RI3/8X3/8	35	RI3/8X3/8RVS	36
3/8-19	3/8-19	RI3/8X3/8H54	54		
1/2-14	1/2-14	RI1/2X1/2	35	RI1/2X1/2RVS	39
1/2-14	1/2-14	RI1/2X1/2H60	60		
1/2-14	1/2-14	RI1/2X1/2H80	80		
3/4-14	3/4-14	RI3/4X3/4	48	RI3/4X3/4RVS	45
3/4-14	3/4-14	RI3/4X3/4H75	75		
1-11	1-11	RI1X1	50	RI1X1RVS	49.5
1-11	1-11	RI1X1H90	90		
1 1/4-11	1 1/4-11	RI11/4X11/4	62	RI11/4X11/4RVS	58
1 1/2-11	1 1/2-11	RI11/2X11/2	62	RI11/2X11/2RVS	58
2-11	2-11	RI2X2	62	RI2X2RVS	64.5

2443 - Swivel nut elbow 45°


BSPP 60° cone end / BSPP 60° Female swivel end



Thread BSPP	Adapter Steel	Adapter Stainless Steel
1/8-28	2443-02-02	2443-02-02RVS
1/4-19	2443-04-04	2443-04-04RVS
3/8-19	2443-06-06	2443-06-06RVS
1/2-14	2443-08-08	2443-08-08RVS
5/8-14	2443-10-10	2443-10-10RVS
3/4-14	2443-12-12	2443-12-12RVS
1-11	2443-16-16	2443-16-16RVS
1 1/4-11	2443-20-20	2443-20-20RVS
1 1/2-11	2443-24-24	2443-24-24RVS
2-11	2443-32-32	2443-32-32RVS

2643 - Swivel nut elbow 90°


BSPP 60° cone end / BSPP 60° Female swivel end



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	2643-02-02	2C6MK4S	2643-02-02RVS	2C6MK4SS
1/4-19	2643-04-04	4C6MK4S	2643-04-04RVS	4C6MK4SS
3/8-19	2643-06-06	6C6MK4S	2643-06-06RVS	6C6MK4SS
1/2-14	2643-08-08	8C6MK4S	2643-08-08RVS	8C6MK4SS
5/8-14	2643-10-10	10C6MK4S	2643-10-10RVS	10C6MK4SS
3/4-14	2643-12-12	12C6MK4S	2643-12-12RVS	12C6MK4SS
1-11	2643-16-16	16C6MK4S	2643-16-16RVS	16C6MK4SS
1 1/4-11	2643-20-20	20C6MK4S	2643-20-20RVS	20C6MK4SS
1 1/2-11	2643-24-24	24C6MK4S	2643-24-24RVS	24C6MK4SS
2-11	2643-32-32	-	2643-32-32RVS	-

2843 - Swivel nut swept elbow 45°


BSPP 60° cone end / BSPP 60° Female swivel end



Thread BSPP	Order code Steel	Order code Stainless Steel
1/8-28	2843-02-02	2843-02-02RVS
1/4-19	2843-04-04	2843-04-04RVS
3/8-19	2843-06-06	2843-06-06RVS
1/2-14	2843-08-08	2843-08-08RVS
5/8-14	2843-10-10	2843-10-10RVS
3/4-14	2843-12-12	2843-12-12RVS
1-11	2843-16-16	2843-16-16RVS
1 1/4-11	2843-20-20	2843-20-20RVS
1 1/2-11	2843-24-24	2843-24-24RVS
2-11	2843-32-32	2843-32-32RVS

2943 - Swivel nut swept elbow 90°


BSPP 60° cone end / BSPP 60° Female swivel end



Thread BSPP	Order code Steel	Order code Stainless Steel
1/8-28	2943-02-02	2943-02-02RVS
1/4-19	2943-04-04	2943-04-04RVS
3/8-19	2943-06-06	2943-06-06RVS
1/2-14	2943-08-08	2943-08-08RVS
5/8-14	2943-10-10	2943-10-10RVS
3/4-14	2943-12-12	2943-12-12RVS
1-11	2943-16-16	2943-16-16RVS
1 1/4-11	2943-20-20	2943-20-20RVS
1 1/2-11	2943-24-24	2943-24-24RVS
2-11	2943-32-32	2943-32-32RVS

2713 - Swivel nut tee


BSPP 60° Female swivel ends



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/4-19	2713-04-04	4J6MK4S	2713-04-04RVS	4J6MK4SS
3/8-19	2713-06-06	6J6MK4S	2713-06-06RVS	6J6MK4SS
1/2-14	2713-08-08	8J6MK4S	2713-08-08RVS	8J6MK4SS
5/8-14	2713-10-10	10J6MK4S	2713-10-10RVS	10J6MK4SS
3/4-14	2713-12-12	12J6MK4S	2713-12-12RVS	12J6MK4SS
1-11	2713-16-16	16J6MK4S	2713-16-16RVS	16J6MK4SS
1 1/4-11	2713-20-20	20J6MK4S	2713-20-20RVS	20J6MK4SS
1 1/2-11	2713-24-24	-	2713-24-24RVS	-
2-11	2713-32-32	-	2713-32-32RVS	-
2 1/2-11	2713-40-40	-	-	-

2714 - Swivel nut branch tee


BSPP 60° Cone ends / BSPP 60° Female swivel end



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	2714-02-02	2S6MK4S	2714-02-02RVS	2S6MK4SS
1/4-19	2714-04-04	4S6MK4S	2714-04-04RVS	4S6MK4SS
3/8-19	2714-06-06	6S6MK4S	2714-06-06RVS	6S6MK4SS
1/2-14	2714-08-08	8S6MK4S	2714-08-08RVS	8S6MK4SS
5/8-14	2714-10-10	10S6MK4S	2714-10-10RVS	10S6MK4SS
3/4-14	2714-12-12	12S6MK4S	2714-12-12RVS	12S6MK4SS
1-11	2714-16-16	16S6MK4S	2714-16-16RVS	16S6MK4SS
1 1/4-11	2714-20-20	20S6MK4S	2714-20-20RVS	20S6MK4SS
1 1/2-11	2714-24-24	-	2714-24-24RVS	-
2-11	2714-32-32	-	2714-32-32RVS	-

2715 - Swivel nut run tee


BSPP 60° Cone ends / BSPP 60° Female swivel end



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	2715-02-02	2R6MK4S	2715-02-02RVS	2R6MK4SS
1/4-19	2715-04-04	4R6MK4S	2715-04-04RVS	4R6MK4SS
3/8-19	2715-06-06	6R6MK4S	2715-06-06RVS	6R6MK4SS
1/2-14	2715-08-08	8R6MK4S	2715-08-08RVS	8R6MK4SS
5/8-14	2715-10-10	10R6MK4S	2715-10-10RVS	10R6MK4SS
3/4-14	2715-12-12	12R6MK4S	2715-12-12RVS	12R6MK4SS
1-11	2715-16-16	16R6MK4S	2715-16-16RVS	16R6MK4SS
1 1/4-11	2715-20-20	20R6MK4S	2715-20-20RVS	20R6MK4SS
1 1/2-11	2715-24-24	-	2715-24-24RVS	-
2-11	2715-32-32	-	2715-32-32RVS	-

8643 - Elbow 90°


BSPP female / BSPT Male



Thread BSPT T1	Thread BSPP T2	Order code Steel	Order code Stainless Steel
1/8-28	1/8-28	8643-02-02	8643-02-02RVS
1/4-19	1/4-19	8643-04-04	8643-04-04RVS
3/8-19	3/8-19	8643-06-06	8643-06-06RVS
1/2-14	1/2-14	8643-08-08	8643-08-08RVS
5/8-14	5/8-14	8643-10-10	8643-10-10RVS
3/4-14	3/4-14	8643-12-12	8643-12-12RVS
1-11	1-11	8643-16-16	8643-16-16RVS
1 1/4-11	1 1/4-11	8643-20-20	8643-20-20RVS

8444 - Elbow 45°

BSPP Female / BSPP Female




Thread BSPP	Order code Steel	Order code Stainless Steel
1/8-28	8444-02-02	8444-02-02RVS
1/4-19	8444-04-04	8444-04-04RVS
3/8-19	8444-06-06	8444-06-06RVS
1/2-14	8444-08-08	8444-08-08RVS
5/8-14	8444-10-10	8444-10-10RVS
3/4-14	8444-12-12	8444-12-12RVS
1-11	8444-16-16	8444-16-16RVS

Adapters

8644 - Elbow 90°


BSPP Female / BSPP Female



Thread BSPP	Order code Steel	Order code Stainless Steel
1/8-28	8644-02-02	8644-02-02RVS
1/4-19	8644-04-04	8644-04-04RVS
3/8-19	8644-06-06	8644-06-06RVS
1/2-14	8644-08-08	8644-08-08RVS
5/8-14	8644-10-10	8644-10-10RVS
3/4-14	8644-12-12	8644-12-12RVS
1-11	8644-16-16	8644-16-16RVS
1 1/4-11	8644-20-20	8644-20-20RVS
1 1/2-11	8644-24-24	8644-24-24RVS
2-11	8644-32-32	8644-32-32RVS

8744 - Female thread tee


Female BSPP threads



Thread BSPP	Order code Steel	Parker cross reference Steel	Order code Stainless Steel
1/8-28	8744-02-02	-	8744-02-02RVS
1/4-19	8744-04-04	1/4MMO444MS	8744-04-04RVS
3/8-19	8744-06-06	3/8MMO444MS	8744-06-06RVS
1/2-14	8744-08-08	1/2MMO444MS	8744-08-08RVS
5/8-14	8744-10-10	-	8744-10-10RVS
3/4-14	8744-12-12	3/4MMO444MS	8744-12-12RVS
1-11	8744-16-16	1MMO444MS	8744-16-16RVS
1 1/4-11	8744-20-20	-	8744-20-20RVS
1 1/2-11	8744-24-24	-	8744-24-24RVS
2-11	8744-32-32	-	8744-32-32RVS

8745 - Branch tee


Female BSPP thread / male BSPT thread



Thread BSPP T1	Thread BSPP T2	Thread BSPT T3	Order code Steel	Order code Stainless Steel
1/8-28	1/8-28	1/8-28	8745-02-02	8745-02-02RVS
1/4-19	1/4-19	1/4-19	8745-04-04	8745-04-04RVS
3/8-19	3/8-19	3/8-19	8745-06-06	8745-06-06RVS
1/2-14	1/2-14	1/2-14	8745-08-08	8745-08-08RVS
5/8-14	5/8-14	5/8-14	8745-10-10	8745-10-10RVS
3/4-14	3/4-14	3/4-14	8745-12-12	8745-12-12RVS
1-11	1-11	1-11	8745-16-16	8745-16-16RVS

8746 - Run tee


Female BSPP thread / male BSPT thread



Thread BSPP T1	Thread BSPP T2	Thread BSPT T3	Order code Steel	Order code Stainless Steel
1/8-28	1/8-28	1/8-28	8746-02-02	8746-02-02RVS
1/4-19	1/4-19	1/4-19	8746-04-04	8746-04-04RVS
3/8-19	3/8-19	3/8-19	8746-06-06	8746-06-06RVS
1/2-14	1/2-14	1/2-14	8746-08-08	8746-08-08RVS
5/8-14	5/8-14	5/8-14	8746-10-10	8746-10-10RVS
3/4-14	3/4-14	3/4-14	8746-12-12	8746-12-12RVS
1-11	1-11	1-11	8746-16-16	8746-16-16RVS

2245 - Male stud connector


BSPP 60° Cone end / Male NPTF thread



Thread BSPP T1	Thread NPTF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-28	1/8-27	2245-02-02	2FMK4S	2245-02-02RVS	2FMK4SS
1/8-28	1/4-18	2245-02-04	2-4FMK4S	2245-02-04RVS	2-4FMK4SS
1/8-28	3/8-18	2245-02-06	-	2245-02-06RVS	-
1/8-28	1/2-14	2245-02-08	-	2245-02-08RVS	-
1/4-19	1/8-27	2245-04-02	4FMK4S	2245-04-02RVS	4FMK4SS
1/4-19	1/4-18	2245-04-04	4-4FMK4S	2245-04-04RVS	4-4FMK4SS
1/4-19	3/8-18	2245-04-06	4-6FMK4S	2245-04-06RVS	4-6FMK4SS
1/4-19	1/2-14	2245-04-08	4-8FMK4S	2245-04-08RVS	4-8FMK4SS
1/4-19	3/4-14	2245-04-12	-	2245-04-12RVS	-
3/8-19	1/8-27	2245-06-02	-	2245-06-02RVS	-
3/8-19	1/4-18	2245-06-04	6FMK4S	2245-06-04RVS	6FMK4SS
3/8-19	3/8-18	2245-06-06	6-6FMK4S	2245-06-06RVS	6-6FMK4SS
3/8-19	1/2-14	2245-06-08	6-8FMK4S	2245-06-08RVS	6-8FMK4SS
3/8-19	3/4-14	2245-06-12	-	2245-06-12RVS	-
1/2-14	1/8-27	2245-08-02	-	2245-08-02RVS	-
1/2-14	1/4-18	2245-08-04	-	2245-08-04RVS	-
1/2-14	3/8-18	2245-08-06	8FMK4S	2245-08-06RVS	8FMK4SS
1/2-14	1/2-14	2245-08-08	8-8FMK4S	2245-08-08RVS	8-8FMK4SS
1/2-14	3/4-14	2245-08-12	8-12FMK4S	2245-08-12RVS	8-12FMK4SS
1/2-14	1-11.5	2245-08-16	-	2245-08-16RVS	-
3/4-14	1/4-18	2245-12-04	-	2245-12-04RVS	-
3/4-14	3/8-18	2245-12-06	-	2245-12-06RVS	-
3/4-14	1/2-14	2245-12-08	12-8FMK4S	2245-12-08RVS	12-8FMK4SS
3/4-14	3/4-14	2245-12-12	12FMK4S	2245-12-12RVS	12FMK4SS
3/4-14	1-11.5	2245-12-16	12-16FMK4S	2245-12-16RVS	12-16FMK4SS
3/4-14	1 1/4-11.5	2245-12-20	-	2245-12-20RVS	-
1-11	3/8-18	2245-16-06	-	2245-16-06RVS	-
1-11	1/2-14	2245-16-08	-	2245-16-08RVS	-
1-11	3/4-14	2245-16-12	16-12FMK4S	2245-16-12RVS	16-12FMK4SS
1-11	1-11.5	2245-16-16	16FMK4S	2245-16-16RVS	16FMK4SS
1-11	1 1/4-11.5	2245-16-20	-	2245-16-20RVS	-
1-11	1 1/2-11.5	2245-16-24	-	2245-16-24RVS	-
1-11	2-11.5	2245-16-32	-	2245-16-32RVS	-
1 1/4-11	3/4-14	2245-20-12	-	2245-20-12RVS	-
1 1/4-11	1-11.5	2245-20-16	-	2245-20-16RVS	-
1 1/4-11	1 1/4-11.5	2245-20-20	20FMK4S	2245-20-20RVS	20FMK4SS
1 1/4-11	1 1/2-11.5	2245-20-24	-	2245-20-24RVS	-
1 1/4-11	2-11.5	2245-20-32	-	2245-20-32RVS	-
1 1/2-11	1-11.5	2245-24-16	-	2245-24-16RVS	-
1 1/2-11	1 1/4-11.5	2245-24-20	-	2245-24-20RVS	-
1 1/2-11	1 1/2-11.5	2245-24-24	24FMK4S	2245-24-24RVS	24FMK4SS
1 1/2-11	2-11.5	2245-24-32	-	2245-24-32RVS	-
2-11	1-11.5	2245-32-16	-	2245-32-16RVS	-
2-11	1 1/4-11.5	2245-32-20	-	2245-32-20RVS	-
2-11	1 1/2-11.5	2245-32-24	-	2245-32-24RVS	-
2-11	2-11.5	2245-32-32	-	2245-32-32RVS	-
2 1/2-11	2 1/2-8	2245-40-40	-	-	-
3-11	3-8	2245-48-48	-	-	-

8255 - Male nipple


Male NPTF thread / Male NPTF thread



Thread NPT/NPTF T1	Thread NPT/NPTF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	8255-02-02	1/8 FF-S	8255-02-02RVS	1/8FFMSS
1/4-18	1/8-27	8255-02-04	1/4 X 1/8 FF-S	8255-02-04RVS	1/4X1/8FFMSS
1/4-18	1/4-18	8255-04-04	1/4 FF-S	8255-04-04RVS	1/4FFMSS
3/8-18	1/8-27	8255-02-06	3/8 X 1/8 FF-S	8255-02-06RVS	3/8X1/8FFMSS
3/8-18	1/4-18	8255-04-06	3/8 X 1/4 FF-S	8255-04-06RVS	3/8X1/4FFMSS
3/8-18	3/8-18	8255-06-06	3/8 FF-S	8255-06-06RVS	3/8FFMSS
1/2-14	1/8-27	8255-02-08	1/2 X 1/8 FF-S	8255-02-08RVS	1/2X1/8FFMSS
1/2-14	1/4-18	8255-04-08	1/2 X 1/4 FF-S	8255-04-08RVS	1/2X1/4FFMSS
1/2-14	3/8-18	8255-06-08	1/2 X 3/8 FF-S	8255-06-08RVS	1/2X3/8FFMSS
1/2-14	1/2-14	8255-08-08	1/2FFMS	8255-08-08RVS	1/2FFMSS
3/4-14	1/4-18	8255-04-12	3/4 X 1/4 FF-S	8255-04-12RVS	3/4X1/4FFMSS
3/4-14	3/8-18	8255-06-12	3/4 X 3/8 FF-S	8255-06-12RVS	3/4X3/8FFMSS
3/4-14	1/2-14	8255-08-12	3/4 X 1/2 FF-S	8255-08-12RVS	3/4X1/2FFMSS
3/4-14	3/4-14	8255-12-12	3/4 FF-S	8255-12-12RVS	3/4FFMSS
1-11.5	1-11.5	8255-16-16	1 FF-S	8255-16-16RVS	1FFMSS
1-11.5	1/4-18	8255-04-16	1 X 1/4 FF-S	8255-04-16RVS	1X1/4FFMSS
1-11.5	3/4-14	8255-12-16	1 X 3/4 FF-S	8255-12-16RVS	1X3/4FFMSS
1 1/4-11.5	1-11.5	8255-16-20	1 1/4 X 1 FF-S	8255-16-20RVS	11/4X1FFMSS
1 1/4-11.5	1 1/4-11.5	8255-20-20	1 1/4 FF-S	8255-20-20RVS	11/4FFMSS
1 1/2-11.5	1-11.5	8255-16-24	1 1/2 X 1 FF-S	8255-16-24RVS	11/2X1FFMSS
1 1/2-11.5	1 1/2-11.5	8255-24-24	1 1/2 FF-S	8255-24-24RVS	11/2FFMSS
2-11.5	2-11.5	8255-32-32	2 FF-S	8255-32-32RVS	2FFMSS

8257 - Thread reducer

Male NPTF thread / Female NPTF thread




Thread NPT/NPTF T1	Thread NPT/NPTF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/4-18	1/8-27	8257-04-02	1/4 X 1/8 PTR-S	8257-04-02RVS	1/4X1/8PTRMSS
3/8-18	1/8-27	8257-06-02	3/8 X 1/8 PTR-S	8257-06-02RVS	3/8X1/8PTRMSS
3/8-18	1/4-18	8257-06-04	3/8 X 1/4 PTR-S	8257-06-04RVS	3/8X1/4PTRMSS
1/2-14	1/8-27	8257-08-02	1/2 X 1/8 PTR-S	8257-08-02RVS	1/2X1/8PTRMSS
1/2-14	1/4-18	8257-08-04	1/2 X 1/4 PTR-S	8257-08-04RVS	1/2X1/4PTRMSS
1/2-14	3/8-18	8257-08-06	1/2 X 3/8 PTR-S	8257-08-06RVS	1/2X3/8PTRMSS
3/4-14	1/8-27	8257-12-02	3/4 X 1/8 PTR-S	8257-12-02RVS	3/4X1/8PTRMSS
3/4-14	1/4-18	8257-12-04	3/4 X 1/4 PTR-S	8257-12-04RVS	3/4X1/4PTRMSS
3/4-14	3/8-18	8257-12-06	3/4 X 3/8 PTR-S	8257-12-06RVS	3/4X3/8PTRMSS
3/4-14	1/2-14	8257-12-08	3/4 X 1/2 PTR-S	8257-12-08RVS	3/4X1/2PTRMSS
1-11.5	1/8-27	8257-16-02	1 X 1/8 PTR-S	8257-16-02RVS	1X1/8PTRMSS
1-11.5	1/4-18	8257-16-04	1 X 1/4 PTR-S	8257-16-04RVS	1X1/4PTRMSS
1-11.5	3/8-18	8257-16-06	1 X 3/8 PTR-S	8257-16-06RVS	1X3/8PTRMSS
1-11.5	1/2-14	8257-16-08	1 X 1/2 PTR-S	8257-16-08RVS	1X1/2PTRMSS
1-11.5	3/4-14	8257-16-12	1 X 3/4 PTR-S	8257-16-12RVS	1X3/4PTRMSS
1 1/4-11.5	1/2-14	8257-20-08	1 1/4 X 1/2 PTR-S	8257-20-08RVS	11/4X1/2PTRMSS
1 1/4-11.5	3/4-14	8257-20-12	1 1/4 X 3/4 PTR-S	8257-20-12RVS	11/4X3/4PTRMSS
1 1/4-11.5	1-11.5	8257-20-16	11/4X1PTRMS	8257-20-16RVS	11/4X1PTRMSS
1 1/2-11.5	3/4-14	8257-24-12	1 1/2 X 3/4 PTR-S	8257-24-12RVS	11/2X3/4PTRMSS
1 1/2-11.5	1-11.5	8257-24-16	11/2X1PTRMS	8257-24-16RVS	11/2X1PTRMSS
1 1/2-11.5	1 1/4-11.5	8257-24-20	1 1/2 X 1 1/4 PTR-S	8257-24-20RVS	11/2X11/4PTRMSS
2-11.5	1/2-14	8257-32-08	2 X 1/2 PTR-S	8257-32-08RVS	2X1/2PTRMSS
2-11.5	1-11.5	8257-32-16	2 X 1 PTR-S	8257-32-16RVS	2X1PTRMSS
2-11.5	1 1/4-11.5	8257-32-20	2 X 1 1/4 PTR-S	8257-32-20RVS	2X11/4PTRMSS

Continued on next page...

8257 - Thread reducer


Male NPTF thread / Female NPTF thread



Thread NPT/NPTF T1	Thread NPT/NPTF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	8257-02-02	1/8 FG-S	8257-02-02RVS	1/8FGMSS
1/4-18	1/8-27	8257-02-04	1/4 X 1/8 FG-S	8257-02-04RVS	1/4X1/8FGMSS
1/4-18	1/4-18	8257-04-04	1/4 FG-S	8257-04-04RVS	1/4FGMSS
3/8-18	1/8-27	8257-02-06	3/8 X 1/8 FG-S	8257-02-06RVS	3/8X1/8FGMSS
3/8-18	1/4-18	8257-04-06	3/8 X 1/4 FG-S	8257-04-06RVS	3/8X1/4FGMSS
3/8-18	3/8-18	8257-06-06	3/8 FG-S	8257-06-06RVS	3/8FGMSS
1/2-14	1/8-27	8257-02-08	1/2 X 1/8 FG-S	8257-02-08RVS	1/2X1/8FGMSS
1/2-14	1/4-18	8257-04-08	1/2 X 1/4 FG-S	8257-04-08RVS	1/2X1/4FGMSS
1/2-14	3/8-18	8257-06-08	3/8 X 1/2 FG-S	8257-06-08RVS	3/8X1/2FGMSS
1/2-14	1/2-14	8257-08-08	1/2 FG-S	8257-08-08RVS	1/2FGMSS
3/4-14	3/4-14	8257-12-12	3/4 FG-S	8257-12-12RVS	3/4FGMSS
3/4-14	1/4-18	8257-04-12	3/4 X 1/4 FG-S	8257-04-12RVS	3/4X1/4FGMSS
3/4-14	1/2-14	8257-08-12	3/4 X 1/2 FG-S	8257-08-12RVS	3/4X1/2FGMSS
1-11.5	1-11.5	8257-16-16	1 FG-S	8257-16-16RVS	1FGMSS
1-11.5	1/2-14	8257-08-16	1 X 1/2 FG-S	8257-08-16RVS	1X1/2FGMSS
1-11.5	3/4-14	8257-12-16	1 X 3/4 FG-S	8257-12-16RVS	1X3/4FGMSS
1 1/4-11.5	1-11.5	8257-16-20	1 1/4 X 1 FG-S	8257-16-20RVS	1 1/4X1FGMSS
1 1/4-11.5	1 1/2-11.5	8257-20-24	-	8257-20-24RVS	-
1 1/2-11.5	2-11.5	8257-24-32	-	8257-24-32RVS	-

8150 - Hexagon head plug


Male NPTF Thread



Thread NPT/NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	8150-02	1/8 HP-S	8150-02RVS	1/8HPMSS
1/4-18	8150-04	1/4 HP-S	8150-04RVS	1/4HPMSS
3/8-18	8150-06	3/8 HP-S	8150-06RVS	3/8HPMSS
1/2-14	8150-08	1/2 HP-S	8150-08RVS	1/2HPMSS
3/4-14	8150-12	3/4 HP-S	8150-12RVS	3/4HPMSS
1-11.5	8150-16	1 HP-S	8150-16RVS	1HPMSS
1 1/4-11.5	8150-20	1 1/4 HP-S	8150-20RVS	11/4HPMSS
1 1/2-11.5	8150-24	1 1/2 HP-S	8150-24RVS	11/2HPMSS
2-11.5	8150-32	-	8150-32RVS	-
2 1/2-8	8150-40	-	-	-
3-8	8150-48	-	-	-
4-8	8150-64	-	-	-

8151 - Hexagon socket plug


Male NPTF thread



Thread NPT/NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/16-27	8151-01	1/16 HHP-S	8151-01RVS	1/16 HHP-SS
1/8-27	8151-02	1/8 HHP-S	8151-02RVS	1/8 HHP-SS
1/4-18	8151-04	1/4 HHP-S	8151-04RVS	1/4 HHP-SS
3/8-18	8151-06	3/8 HHP-S	8151-06RVS	3/8 HHP-SS
1/2-14	8151-08	1/2 HHP-S	8151-08RVS	1/2 HHP-SS
3/4-14	8151-12	3/4 HHP-S	8151-12RVS	3/4 HHP-SS
1-11.5	8151-16	1 HHP-S	8151-16RVS	1 HHP-SS
1 1/4-11.5	8151-20	1 1/4 HHP-S	8151-20RVS	1 1/4 HHP-SS
1 1/2-11.5	8151-24	1 1/2 HHP-S	8151-24RVS	1 1/2 HHP-SS
2-11.5	8151-32	2 HHP-S	8151-32RVS	2 HHP-SS

8170 - Hexagon socket cap


Female NPTF thread



Thread NPT/NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/16-27	8170-01	-	8170-01RVS	-
1/8-27	8170-02	1/8 HPC-S	8170-02RVS	1/8 HPC-SS
1/4-18	8170-04	1/4 HPC-S	8170-04RVS	1/4 HPC-SS
3/8-18	8170-06	3/8 HPC-S	8170-06RVS	3/8 HPC-SS
1/2-14	8170-08	1/2 HPC-S	8170-08RVS	1/2 HPC-SS
3/4-14	8170-12	3/4 HPC-S	8170-12RVS	3/4 HPC-SS
1-11.5	8170-16	1 HPC-S	8170-16RVS	1 HPC-SS
1 1/4-11.5	8170-20	-	8170-20RVS	-
1 1/2-11.5	8170-24	1 1/2 HPC-S	8170-24RVS	1 1/2 HPC-SS
2-11.5	8170-32	-	8170-32RVS	-

8277 - Female thread coupling


Female NPTF thread / Female NPTF thread



Thread NPT/NPTF T1	Thread NPT/NPTF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	8277-02-02	1/8 GG-S	8277-02-02RVS	1/8 GG-SS
1/4-18	1/8-27	8277-02-04	1/4 X 1/8 GG-S	8277-02-04RVS	1/4 X 1/8 GG-SS
1/4-18	1/4-18	8277-04-04	1/4 GG-S	8277-04-04RVS	1/4 GG-SS
3/8-18	1/8-27	8277-02-06	3/8 X 1/8 GG-S	8277-02-06RVS	3/8 X 1/8 GG-SS
3/8-18	1/4-18	8277-04-06	3/8 X 1/4 GG-S	8277-04-06RVS	3/8 X 1/4 GG-SS
3/8-18	3/8-18	8277-06-06	3/8 GG-S	8277-06-06RVS	3/8 GG-SS
1/2-14	1/4-18	8277-04-08	1/2 X 1/4 GG-S	8277-04-08RVS	1/2 X 1/4 GG-SS
1/2-14	3/8-18	8277-06-08	1/2 X 3/8 GG-S	8277-06-08RVS	1/2 X 3/8 GG-SS
1/2-14	1/2-14	8277-08-08	1/2 GG-S	8277-08-08RVS	1/2 GG-SS
3/4-14	1/4-18	8277-04-12	3/4 X 1/4 GG-S	8277-04-12RVS	3/4 X 1/4 GG-SS
3/4-14	1/2-14	8277-08-12	3/4 X 1/2 GG-S	8277-08-12RVS	3/4 X 1/2 GG-SS
3/4-14	3/4-14	8277-12-12	3/4 GG-S	8277-12-12RVS	3/4 GG-SS
1-11.5	1-11.5	8277-16-16	1 GG-S	8277-16-16RVS	1 GG-SS
1-11.5	1/2-14	8277-08-16	1 X 1/2 GG-S	8277-08-16RVS	1 X 1/2 GG-SS
1-11.5	3/4-14	8277-12-16	1 X 3/4 GG-S	8277-12-16RVS	1 X 3/4 GG-SS
1 1/4-11.5	1 1/4-11.5	8277-20-20	1 1/4 GG-S	8277-20-20RVS	1 1/4 GG-SS
1 1/4-11.5	1-11.5	8277-16-20	1 1/4 X 1 GG-S	8277-16-20RVS	1 1/4 X 1 GG-SS
1 1/2-11.5	1 1/2-11.5	8277-24-24	1 1/2 GG-S	8277-24-24RVS	1 1/2 GG-SS
1 1/2-11.5	1 1/4-11.5	8277-20-24	1 1/4 X 1 1/2 GG-S	8277-20-24RVS	1 1/4 X 1 1/2 GG-SS
2-11.5	2-11.5	8277-32-32	2 GG-S	8277-32-32RVS	2 GG-SS

8655 - Male thread elbow 90°


Male NPTF thread / Male NPTF thread



Thread NPT/NPTF T1	Thread NPT/NPTF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	8655-02-02	1/8 CR-S	8655-02-02RVS	1/8 CR-SS
1/4-18	1/4-18	8655-04-04	1/4 CR-S	8655-04-04RVS	1/4 CR-SS
3/8-18	3/8-18	8655-06-06	3/8 CR-S	8655-06-06RVS	3/8 CR-SS
3/8-18	1/4-18	8655-04-06	3/8 X 1/4 CR-S	8655-04-06RVS	3/8 X 1/4 CR-SS
1/2-14	1/2-14	8655-08-08	1/2 CR-S	8655-08-08RVS	1/2 CR-SS
1/2-14	3/8-18	8655-06-08	1/2 X 3/8 CR-S	8655-06-08RVS	1/2 X 3/8 CR-SS
3/4-14	3/4-14	8655-12-12	3/4 CR-S	8655-12-12RVS	3/4 CR-SS
3/4-14	1/2-14	8655-08-12	3/4 X 1/2 CR-S	8655-08-12RVS	3/4 X 1/2 CR-SS
1-11.5	1-11.5	8655-16-16	1 CR-S	8655-16-16RVS	1 CR-SS
1 1/4-11.5	1 1/4-11.5	8655-20-20	1 1/4 CR-S	8655-20-20RVS	1 1/4 CR-SS
1 1/2-11.5	1 1/2-11.5	8655-24-24	1 1/2 CR-S	8655-24-24RVS	1 1/2 CR-SS
2-11.5	2-11.5	8655-32-32	-	8655-32-32RVS	-

8457 - Male / Female thread elbow 45°

Male NPTF thread / Female NPTF thread




Thread NPT/NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	8457-02-02	1/8 CD45-S	8457-02-02RVS	1/8 CD45-SS
1/4-18	8457-04-04	1/4 CD45-S	8457-04-04RVS	1/4 CD45-SS
3/8-18	8457-06-06	3/8 CD45-S	8457-06-06RVS	3/8 CD45-SS
1/2-14	8457-08-08	1/2 CD45-S	8457-08-08RVS	1/2 CD45-SS
3/4-14	8457-12-12	3/4 CD45-S	8457-12-12RVS	3/4 CD45-SS
1-11.5	8457-16-16	1 CD45-S	8457-16-16RVS	1 CD45-SS
1 1/4-11.5	8457-20-20	1 1/4 CD45-S	8457-20-20RVS	1 1/4 CD45-SS

Adapters

8657 - Male / Female thread elbow 90°


Male NPTF thread / Female NPTF thread



Thread NPT/NPTF T1	Thread NPT/NPTF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	8657-02-02	1/8 CD-S	8657-02-02RVS	1/8 CD-SS
1/4-18	1/4-18	8657-04-04	1/4CDMS	8657-04-04RVS	1/4 CD-SS
1/4-18	1/8-27	8657-04-02	1/4 X 1/8 CD-S	8657-04-02RVS	1/4 X 1/8 CD-SS
3/8-18	3/8-18	8657-06-06	3/8CDMS	8657-06-06RVS	3/8 CD-SS
3/8-18	1/4-18	8657-06-04	3/8 X 1/4 CD-S	8657-06-04RVS	3/8 X 1/4 CD-SS
3/8-18	1/2-14	8657-06-08	3/8 X 1/2 CD-S	8657-06-08RVS	3/8 X 1/2 CD-SS
1/2-14	1/2-14	8657-08-08	1/2 CD-S	8657-08-08RVS	1/2 CD-SS
1/2-14	3/8-18	8657-08-06	1/2 X 3/8 CD-S	8657-08-06RVS	1/2 X 3/8 CD-SS
1/2-14	3/4-14	8657-08-12	1/2 X 3/4 CD-S	8657-08-12RVS	1/2 X 3/4 CD-SS
3/4-14	3/4-14	8657-12-12	3/4 CD-S	8657-12-12RVS	3/4 CD-SS
3/4-14	1/2-14	8657-12-08	3/4 X 1/2 CD-S	8657-12-08RVS	3/4 X 1/2 CD-SS
1-11.5	1-11.5	8657-16-16	1 CD-S	8657-16-16RVS	1 CD-SS
1 1/4-11.5	1 1/4-11.5	8657-20-20	1 1/4 CD-S	8657-20-20RVS	1 1/4 CD-SS
1 1/2-11.5	1 1/2-11.5	8657-24-24	1 1/2 CD-S	8657-24-24RVS	1 1/2 CD-SS
2-11.5	2-11.5	8657-32-32	-	8657-32-32RVS	-

8677 - Female thread elbow


Female NPTF thread



Thread NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	8677-02-02	1/8 DD-S	8677-02-02RVS	1/8 DD-SS
1/4-18	8677-04-04	1/4 DD-S	8677-04-04RVS	1/4 DD-SS
3/8-18	8677-06-06	3/8 DD-S	8677-06-06RVS	3/8 DD-SS
1/2-14	8677-08-08	1/2 DD-S	8677-08-08RVS	1/2 DD-SS
3/4-14	8677-12-12	3/4 DD-S	8677-12-12RVS	3/4 DD-SS
1-11.5	8677-16-16	1 DD-S	8677-16-16RVS	1 DD-SS
1 1/4-11.5	8677-20-20	1 1/4 DD-S	8677-20-20RVS	1 1/4 DD-SS
1 1/2-11.5	8677-24-24	1 1/2 DD-S	8677-24-24RVS	1 1/2 DD-SS
2-11.5	8677-32-32	-	8677-32-32RVS	-
2 1/2-11.5	8677-40-40	-	-	-

8777 - Female thread tee


Female NPTF threads



Thread NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	8777-02-02	1/8 MMO-S	8777-02-02RVS	1/8 MMO-SS
1/4-18	8777-04-04	1/4 MMO-S	8777-04-04RVS	1/4 MMO-SS
3/8-18	8777-06-06	3/8 MMO-S	8777-06-06RVS	3/8 MMO-SS
1/2-14	8777-08-08	1/2 MMO-S	8777-08-08RVS	1/2 MMO-SS
3/4-14	8777-12-12	3/4 MMO-S	8777-12-12RVS	3/4 MMO-SS
1-11.5	8777-16-16	1 MMO-S	8777-16-16RVS	1 MMO-SS
1 1/4-11.5	8777-20-20	1 1/4 MMO-S	8777-20-20RVS	1 1/4 MMO-SS
1 1/2-11.5	8777-24-24	1 1/2 MMO-S	8777-24-24RVS	1 1/2 MMO-SS
2-11.5	8777-32-32	-	8777-32-32RVS	-

8755 - Male thread tee


Male NPTF thread



Thread NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	8755-02-02	1/8 RR-S	8755-02-02RVS	1/8 RR-SS
1/4-18	8755-04-04	1/4 RR-S	8755-04-04RVS	1/4 RR-SS
3/8-18	8755-06-06	3/8 RR-S	8755-06-06RVS	3/8 RR-SS
1/2-14	8755-08-08	1/2 RR-S	8755-08-08RVS	1/2 RR-SS
3/4-14	8755-12-12	3/4 RR-S	8755-12-12RVS	3/4 RR-SS
1-11.5	8755-16-16	-	8755-16-16RVS	-
1 1/4-11.5	8755-20-20	-	8755-20-20RVS	-
1 1/2-11.5	8755-24-24	-	8755-24-24RVS	-

8775 - Male / female thread tee


Male NPTF thread / Female NPTF thread



Thread NPT/NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	8775-02-02	1/8 MMS-S	8775-02-02RVS	1/8 MMS-S
1/4-18	8775-04-04	1/4 MMS-S	8775-04-04RVS	1/4 MMS-S
3/8-18	8775-06-06	3/8 MMS-S	8775-06-06RVS	3/8 MMS-S
1/2-14	8775-08-08	1/2 MMS-S	8775-08-08RVS	1/2 MMS-S
3/4-14	8775-12-12	3/4 MMS-S	8775-12-12RVS	3/4 MMS-S
1-11.5	8775-16-16	1 MMS-S	8775-16-16RVS	1 MMS-S

8776 - Male / female thread tee


Male NPTF thread / Female NPTF thread



Thread NPT/NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	8776-02-02	1/8 MRO-S	8776-02-02RVS	1/8 MRO-SS
1/4-18	8776-04-04	1/4 MRO-S	8776-04-04RVS	1/4 MRO-SS
3/8-18	8776-06-06	3/8 MRO-S	8776-06-06RVS	3/8 MRO-SS
1/2-14	8776-08-08	1/2 MRO-S	8776-08-08RVS	1/2 MRO-SS
3/4-14	8776-12-12	3/4 MRO-S	8776-12-12RVS	3/4 MRO-SS
1-11.5	8776-16-16	1 MRO-S	8776-16-16RVS	1 MRO-SS

8377 - Female thread cross

Female NPTF threads




Thread NPT/NPTF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	8377-02-02	1/8 KMM00-S	8377-02-02RVS	1/8 KMM00-SS
1/4-18	8377-04-04	1/4 KMM00-S	8377-04-04RVS	1/4 KMM00-SS
3/8-18	8377-06-06	3/8 KMM00-S	8377-06-06RVS	3/8 KMM00-SS
1/2-14	8377-08-08	1/2 KMM00-S	8377-08-08RVS	1/2 KMM00-SS
3/4-14	8377-12-12	3/4 KMM00-S	8377-12-12RVS	3/4 KMM00-SS
1-11.5	8377-16-16	1 KMM00-S	8377-16-16RVS	1 KMM00-SS
1 1/4-11.5	8377-20-20	-	8377-20-20RVS	-
1 1/2-11.5	8377-24-24	-	8377-24-24RVS	-
2-11.5	8377-32-32	-	8377-32-32RVS	-

Adapters

2257 - Swivel male stud


Male NPTF thread / NPSM Female swivel end



Thread NPTF T1	Thread NPSM T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	2257-02-02	0107-2-2	2257-02-02RVS	0107-2-2-SS
1/8-27	1/4-18	2257-02-04	0107-2-4	2257-02-04RVS	0107-2-4-SS
1/4-18	1/4-18	2257-04-04	0107-4-4	2257-04-04RVS	0107-4-4-SS
1/4-18	3/8-18	2257-04-06	0107-4-6	2257-04-06RVS	0107-4-6-SS
1/4-18	1/2-14	2257-04-08	0107-4-8	2257-04-08RVS	0107-4-8-SS
3/8-18	1/4-18	2257-06-04	0107-6-4	2257-06-04RVS	0107-6-4-SS
3/8-18	3/8-18	2257-06-06	0107-6-6	2257-06-06RVS	0107-6-6-SS
3/8-18	1/2-14	2257-06-08	0107-6-8	2257-06-08RVS	0107-6-8-SS
1/2-14	3/8-18	2257-08-06	0107-8-6	2257-08-06RVS	0107-8-6-SS
1/2-14	1/2-14	2257-08-08	0107-8-8	2257-08-08RVS	0107-8-8-SS
1/2-14	3/4-14	2257-08-12	0107-8-12	2257-08-12RVS	0107-8-12-SS
3/4-14	1/2-14	2257-12-08	0107-12-8	2257-12-08RVS	0107-12-8-SS
3/4-14	3/4-14	2257-12-12	0107-12-12	2257-12-12RVS	0107-12-12-SS
3/4-14	1-11.5	2257-12-16	0107-12-16	2257-12-16RVS	0107-12-16-SS
1-11.5	3/4-14	2257-16-12	0107-16-12	2257-16-12RVS	0107-16-12-SS
1-11.5	1-11.5	2257-16-16	0107-16-16	2257-16-16RVS	0107-16-16-SS
1-11.5	1 1/4-11.5	2257-16-20	0107-16-20	2257-16-20RVS	0107-16-20-SS
1 1/4-11.5	1-11.5	2257-20-16	0107-20-16	2257-20-16RVS	0107-20-16-SS
1 1/4-11.5	1 1/4-11.5	2257-20-20	0107-20-20	2257-20-20RVS	0107-20-20-SS
1 1/2-11.5	1 1/2-11.5	2257-24-24	0107-24-24	2257-24-24RVS	0107-24-24-SS
2-11.5	2-11.5	2257-32-32	0107-32-32	2257-32-32RVS	0107-32-32-SS

2457 - Swivel male 45° elbow


Male NPTF thread / NPSM Female swivel end



Thread NPTF T1	Thread NPSM T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	2457-02-02	3107-2-2	2457-02-02RVS	3107-2-2-SS
1/4-18	1/4-18	2457-04-04	3107-4-4	2457-04-04RVS	3107-4-4-SS
3/8-18	3/8-18	2457-06-06	3107-6-6	2457-06-06RVS	3107-6-6-SS
1/2-14	3/8-18	2457-08-06	3107-8-6	2457-08-06RVS	3107-8-6-SS
1/2-14	1/2-14	2457-08-08	3107-8-8	2457-08-08RVS	3107-8-8-SS
1/2-14	3/4-14	2457-08-12	3107-8-12	2457-08-12RVS	3107-8-12-SS
3/4-14	1/2-14	2457-12-08	3107-12-8	2457-12-08RVS	3107-12-8-SS
3/4-14	3/4-14	2457-12-12	3107-12-12	2457-12-12RVS	3107-12-12-SS
1-11.5	3/4-14	2457-16-12	3107-16-12	2457-16-12RVS	3107-16-12-SS
1-11.5	1-11.5	2457-16-16	3107-16-16	2457-16-16RVS	3107-16-16-SS
1 1/4-11.5	1 1/4-11.5	2457-20-20	3107-20-20	2457-20-20RVS	3107-20-20-SS
1 1/2-11.5	1 1/2-11.5	2457-24-24	3107-24-24	2457-24-24RVS	3107-24-24-SS
2-11.5	2-11.5	2457-32-32	3107-32-32	2457-32-32RVS	3107-32-32-SS

2657 - Swivel male elbow


Male NPTF thread / NPSM Female swivel end



Thread NPTF T1	Thread NPSM T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	2657-02-02	2107-2-2	2657-02-02RVS	2107-2-2-SS
1/4-18	1/4-18	2657-04-04	2107-4-4	2657-04-04RVS	2107-4-4-SS
1/4-18	3/8-18	2657-04-06	2107-4-6	2657-04-06RVS	2107-4-6-SS
3/8-18	1/4-18	2657-06-04	2107-6-4	2657-06-04RVS	2107-6-4-SS
3/8-18	3/8-18	2657-06-06	2107-6-6	2657-06-06RVS	2107-6-6-SS
3/8-18	1/2-14	2657-06-08	2107-6-8	2657-06-08RVS	2107-6-8-SS
1/2-14	3/8-18	2657-08-06	2107-8-6	2657-08-06RVS	2107-8-6-SS
1/2-14	1/2-14	2657-08-08	2107-8-8	2657-08-08RVS	2107-8-8-SS
1/2-14	3/4-14	2657-08-12	2107-8-12	2657-08-12RVS	2107-8-12-SS
3/4-14	3/8-18	2657-12-06	2107-12-6	2657-12-06RVS	2107-12-6-SS
3/4-14	1/2-14	2657-12-08	2107-12-8	2657-12-08RVS	2107-12-8-SS
3/4-14	3/4-14	2657-12-12	2107-12-12	2657-12-12RVS	2107-12-12-SS
1-11.5	3/4-14	2657-16-12	2107-16-12	2657-16-12RVS	2107-16-12-SS
1-11.5	1-11.5	2657-16-16	2107-16-16	2657-16-16RVS	2107-16-16-SS
1 1/4-11.5	1 1/4-11.5	2657-20-20	2107-20-20	2657-20-20RVS	2107-20-20-SS
1 1/2-11.5	1 1/2-11.5	2657-24-24	2107-24-24	2657-24-24RVS	2107-24-24-SS
2-11.5	2-11.5	2657-32-32	2107-32-32	2657-32-32RVS	2107-32-32-SS

2277 - Female connector


Female NPTF thread / NPSM Female swivel end



Thread NPTF T1	Thread NPSM T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	2277-02-02	0207-2-2	2277-02-02RVS	0207-2-2-SS
1/4-18	1/4-18	2277-04-04	0207-4-4	2277-04-04RVS	0207-4-4-SS
3/8-18	1/4-18	2277-06-04	0207-6-4	2277-06-04RVS	0207-6-4-SS
3/8-18	3/8-18	2277-06-06	0207-6-6	2277-06-06RVS	0207-6-6-SS
1/2-14	3/8-18	2277-08-06	0207-8-6	2277-08-06RVS	0207-8-6-SS
1/2-14	1/2-14	2277-08-08	0207-8-8	2277-08-08RVS	0207-8-8-SS
3/4-14	3/4-14	2277-12-12	0207-12-12	2277-12-12RVS	0207-12-12-SS
1-11.5	1-11.5	2277-16-16	0207-16-16	2277-16-16RVS	0207-16-16-SS
1 1/4-11.5	1 1/4-11.5	2277-20-20	0207-20-20	2277-20-20RVS	0207-20-20-SS
1 1/2-11.5	1 1/2-11.5	2277-24-24	0207-24-24	2277-24-24RVS	0207-24-24-SS
2-11.5	2-11.5	2277-32-32	0207-32-32	2277-32-32RVS	0207-32-32-SS

2677 - Female elbow


Female NPTF thread / NPSM Female swivel end



Thread NPTF T1	Thread NPSM T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
1/8-27	1/8-27	2677-02-02	2207-2-2	2677-02-02RVS	2207-2-2-SS
1/4-18	1/4-18	2677-04-04	2207-4-4	2677-04-04RVS	2207-4-4-SS
3/8-18	3/8-18	2677-06-06	2207-6-6	2677-06-06RVS	2207-6-6-SS
1/2-14	1/2-14	2677-08-08	2207-8-8	2677-08-08RVS	2207-8-8-SS
3/4-14	3/4-14	2677-12-12	2207-12-12	2677-12-12RVS	2207-12-12-SS
1-11.5	1-11.5	2677-16-16	2207-16-16	2677-16-16RVS	2207-16-16-SS
1 1/4-11.5	1 1/4-11.5	2677-20-20	2207-20-20	2677-20-20RVS	2207-20-20-SS
1 1/2-11.5	1 1/2-11.5	2677-24-24	2207-24-24	2677-24-24RVS	2207-24-24-SS
2-11.5	2-11.5	2677-32-32	2207-32-32	2677-32-32RVS	2207-32-32-SS

8238 - Swivel male stud


Male UN/UNF thread O-ring / NPSM Female swivel end



Thread NPSM T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel
1/4-18	7/16-20	8238-04-04	0507-4-4
1/4-18	9/16-18	8238-06-04	0507-6-4
3/8-18	9/16-18	8238-06-06	0507-6-6
1/2-14	9/16-18	8238-06-08	0507-6-8
1/4-18	3/4-16	8238-08-04	0507-8-4
3/8-18	3/4-16	8238-08-06	0507-8-6
1/2-14	3/4-16	8238-08-08	0507-8-8
3/4-14	3/4-16	8238-08-12	0507-8-12
1/2-14	7/8-14	8238-10-08	0507-10-8
1/2-14	1 1/16-12	8238-12-08	0507-12-8
3/4-14	1 1/16-12	8238-12-12	0507-12-12
1-11.5	1 5/16-12	8238-16-16	0507-16-16
1 1/4-11.5	1 5/8-12	8238-20-20	0507-20-20
1 1/2-11.5	1 7/8-12	8238-24-24	0507-24-24
2-11.5	2 1/2-12	8238-32-32	0507-32-32

8438 - Swivel male elbow 45°

Male UN/UNF thread O-ring / NPSM Female swivel end




T2

Thread NPSM T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel
1/4-18	7/16-20	8438-04-04	3507-4-4
3/8-18	9/16-18	8438-06-06	3507-6-6
3/8-18	3/4-16	8438-08-06	3507-8-6
1/2-14	3/4-16	8438-08-08	3507-8-8
3/4-14	3/4-16	8438-08-12	3507-8-12
1/2-14	7/8-14	8438-10-08	3507-10-8
3/4-14	1 1/16-12	8438-12-12	3507-12-12
1-11.5	1 5/16-12	8438-16-16	3507-16-16

8638 - Swivel male elbow 90°

Male UN/UNF thread O-ring / NPSM Female swivel end




Thread NPSM T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel
1/4-18	7/16-20	8638-04-04	3507-4-4
1/4-18	9/16-18	8638-06-04	3507-6-4
3/8-18	9/16-18	8638-06-06	3507-6-6
1/2-14	9/16-18	8638-06-08	3507-6-8
3/8-18	3/4-16	8638-08-06	3507-8-6
1/2-14	3/4-16	8638-08-08	3507-8-8
3/4-14	3/4-16	8638-08-12	3507-8-12
3/8-18	7/8-14	8638-10-06	3507-10-6
1/2-14	7/8-14	8638-10-08	3507-10-8
3/4-14	7/8-14	8638-10-12	3507-10-12
1/2-14	1 1/16-12	8638-12-08	3507-12-8
3/4-14	1 1/16-12	8638-12-12	3507-12-12
1-11.5	1 5/16-12	8638-16-16	3507-16-16
1 1/4-11.5	1 5/8-12	8638-20-20	3507-20-20
1 1/2-11.5	1 7/8-12	8638-24-24	3507-24-24

Adapters

2246 - Male union


JIS BSPP 60° cone / JIS BSPP 60° cone



Thread BSPP	Order code Steel
1/4-19	2246-04-04
3/8-19	2246-06-06
1/2-14	2246-08-08
3/4-14	2246-12-12
1-11	2246-16-16

2219 - Male stud connector


JIS BSPP 60° cone adapters / Male BSPT thread



Thread BSPP T1	Thread BSPT T2	Order code Steel	Parker cross reference Steel
1/4-19	1/4-19	2219-04-04	4F3T4S
1/4-19	3/8-19	2219-04-06	4-6F3T4S
3/8-19	1/4-19	2219-06-04	6-4F3T4S
3/8-19	3/8-19	2219-06-06	6F3T4S
1/2-14	3/8-19	2219-08-06	8-6F3T4S
1/2-14	1/2-14	2219-08-08	8F3T4S
3/4-14	3/4-14	2219-12-12	12F3T4S
1-11	1-11	2219-16-16	16F3T4S

2419 - Male elbow 45°

JIS BSPP 60° Flare end / Male BSPT thread




T2

Thread BSPP T1	Thread BSPT T2	Order code Steel	Parker cross reference Steel
1/4-19	1/4-19	2419-04-04	4V3T4S
3/8-19	3/8-19	2419-06-06	6V3T4S
1/2-14	1/2-14	2419-08-08	8V3T4S
3/4-14	3/4-14	2419-12-12	12V3T4S
1-11	1-11	2419-16-16	16V3T4S

2619 - Male elbow 90°

JIS BSPP 60° cone adapters / Male BSPT thread




T2

Thread BSPP T1	Thread BSPT T2	Order code Steel	Parker cross reference Steel
1/4-19	1/4-19	2619-04-04	4C3T4S
3/8-19	3/8-19	2619-06-06	6C3T4S
1/2-14	1/2-14	2619-08-08	8C3T4S
3/4-14	3/4-14	2619-12-12	12C3T4S
1-11	1-11	2619-16-16	16C3T4S

2149 - Plug


JIS BSPP 60° blanking plug



Thread BSPP	Order code Steel
1/4-19	2149-04
3/8-19	2149-06
1/2-14	2149-08
3/4-14	2149-12
1-11	2149-16


2119 - Cap

JIS BSPP 60° blanking cap



Thread BSPP	Order code Steel
1/4-19	2119-04
3/8-19	2119-06
1/2-14	2119-08
3/4-14	2119-12
1-11	2119-16

5161- Dowty seals for BSPP and Metric




Order code		Thread (T1)	A	B	C	burstpressure
Steel	Stainless Steel	BSP	(mm)	(mm)	(mm)	(bar)
5161-02	5161-02RVS	1/8"	10.37	2.00	15.88	1500
5161-04	5161-04RVS	1/4"	13.74	2.00	20.57	1550
5161-06	5161-06RVS	3/8"	17.28	2.00	23.80	1260
5161-08	5161-08RVS	1/2"	21.54	2.50	28.58	1150
5161-10	5161-10RVS	5/8"	23.49	2.50	31.80	1250
5161-12	5161-12RVS	3/4"	27.05	2.50	34.93	1060
5161-16	5161-16RVS	1"	33.89	2.50	42.80	810
5161-20	5161-20RVS	1 1/4"	42.93	2.50	52.38	690
5161-24	5161-24RVS	1 1/2"	48.44	2.50	58.60	690
5161-32	5161-32RVS	2"	60.58	3.25	73.03	700
5161-40	5161-40RVS	2 1/2"	76.08	3.20	90.17	680

Order code		Thread (T1)	A	B	C	burstpressure
Steel	Stainless Steel	Metric	(mm)	(mm)	(mm)	(bar)
5162-04	5162-04RVS	M04	4.5	1.0	7.0	1250
5162-05	5162-05RVS	M05	5.7	1.0	10.0	1500
5162-06	5162-06RVS	M06	6.7	1.0	11.0	1510
5162-08	5162-08RVS	M08	8.7	1.0	13.0	1330
5162-10	5162-10RVS	M10	10.7	1.5	16.0	1350
5162-11	5162-11RVS	M11	11.8	1.5	19.1	1770
5162-12	5162-12RVS	M12	12.7	1.5	18.0	1250
5162-13	5162-13RVS	M13	13.7	1.5	22.0	1810
5162-14	5162-14RVS	M14	14.7	1.5	22.0	1510
5162-16	5162-16RVS	M16	16.7	1.5	24.0	1400
5162-17	5162-17RVS	M17	17.4	1.5	24.0	1150
5162-18	5162-18RVS	M18	18.7	1.5	26.0	1275
5162-20	5162-20RVS	M20	20.7	1.5	28.0	1150
5162-21	5162-21RVS	M21	21.5	2.5	28.6	1150
5162-22	5162-22RVS	M22	22.7	2.0	30.0	1100
5162-24	5162-24RVS	M24	24.7	2.0	32.0	1050
5162-26	5162-26RVS	M26	26.7	2.0	35.0	1050
5162-27	5162-27RVS	M27	27.2	2.0	36.0	1130
5162-30	5162-30RVS	M30	31.0	2.0	39.0	860
5162-33	5162-33RVS	M33	34.3	2.0	43.0	880
5162-36	5162-36RVS	M36	36.7	2.0	46.0	880
5162-42	5162-42RVS	M42	42.7	3.0	53.0	940
5162-48	5162-48RVS	M48	48.7	3.0	59.0	800
5162-52	5162-52RVS	M52	53.3	3.0	64.5	800

8120 - Sleeve


Triple-Lok® 37° Flare tube sleeve



Tube O.D. in.	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
1/8	8120-02	2 TX-S	8120-02RVS	2 TX-SS	8120-02MS	2 TX-B
3/16	8120-03	3 TX-S	8120-03RVS	3 TX-SS	8120-03MS	3 TX-B
1/4	8120-04	4 TX-S	8120-04RVS	4 TX-SS	8120-04MS	4 TX-B
5/16	8120-05	5 TX-S	8120-05RVS	5 TX-SS	8120-05MS	5 TX-B
3/8	8120-06	6 TX-S	8120-06RVS	6 TX-SS	8120-06MS	6 TX-B
1/2	8120-08	8 TX-S	8120-08RVS	8 TX-SS	8120-08MS	8 TX-B
5/8	8120-10	10 TX-S	8120-10RVS	10 TX-SS	8120-10MS	10 TX-B
3/4	8120-12	12 TX-S	8120-12RVS	12 TX-SS	8120-12MS	12 TX-B
7/8	8120-14	14 TX-S	8120-14RVS	14 TX-SS	8120-14MS	14 TX-B
1	8120-16	16 TX-S	8120-16RVS	16 TX-SS	8120-16MS	16 TX-B
1 1/4	8120-20	20 TX-S	8120-20RVS	20 TX-SS	8120-20MS	20 TX-B
1 1/2	8120-24	24 TX-S	8120-24RVS	24 TX-SS	8120-24MS	24 TX-B
2	8120-32	32 TX-S	8120-32RVS	32 TX-SS	8120-32MS	-

8180 - Sleeve


Triple-Lok® 37° Flare tube end sleeve for metric tubes



Tube O.D. mm	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
6	8180-06	TXS6	8180-06RVS	TXSS6	8180-06MS	TXB6
8	8180-08	TXS8	8180-08RVS	TXSS8	8180-08MS	TXB8
10	8180-10	TXS10	8180-10RVS	TXSS10	8180-10MS	TXB10
12	8180-12	TXS12	8180-12RVS	TXSS12	8180-12MS	TXB12
14	8180-14	TXS14	8180-14RVS	TXSS14	8180-14MS	TXB14
15	8180-15	TXS15	8180-15RVS	TXSS15	8180-15MS	TXB15
16	8180-16	TXS16	8180-16RVS	TXSS16	8180-16MS	TXB16
18	8180-18	TXS18	8180-18RVS	TXSS18	8180-18MS	TXB18
20	8180-20	TXS20	8180-20RVS	TXSS20	8180-20MS	TXB20
22	8180-22	TXS22	8180-22RVS	TXSS22	8180-22MS	TXB22
25	8180-25	TXS25	8180-25RVS	TXSS25	8180-25MS	TXB25
28	8180-28	TXS28	8180-28RVS	TXSS28	8180-28MS	TXB28
30	8180-30	TXS30	8180-30RVS	TXSS30	8180-30MS	TXB30
32	8180-32	TXS32	8180-32RVS	TXSS32	8180-32MS	TXB32
35	8180-35	TXS35	8180-35RVS	TXSS35	8180-35MS	TXB35
38	8180-38	TXS38	8180-38RVS	TXSS38	8180-38MS	TXB38
42	8180-42	TXS42	8180-42RVS	TXSS42	8180-42MS	TXB42

8140 - Nut


Triple-Lok® 37° Flare end nut



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
	1/8	5/16-24	8140-02	2 BTX-S	8140-02RVS	2 BTX-SS	8140-02MS	2 BTX-S
	3/16	3/8-24	8140-03	3 BTX-S	8140-03RVS	3 BTX-SS	8140-03MS	3 BTX-B
6	1/4	7/16-20	8140-04	4BMTXS	8140-04RVS	4BMTXSS	8140-04MS	4 BTX-B
8	5/16	1/2-20	8140-05	5BMTXS	8140-05RVS	5BMTXSS	8140-05MS	5 BTX-B
10	3/8	9/16-18	8140-06	6BMTXS	8140-06RVS	6BMTXSS	8140-06MS	6 BTX-B
12	1/2	3/4-16	8140-08	8BMTXS	8140-08RVS	8BMTXSS	8140-08MS	8 BTX-B
14, 15, 16	5/8	7/8-14	8140-10	10BMTXS	8140-10RVS	10BMTXSS	8140-10MS	10 BTX-B
18	3/4	1 1/16-12	8140-12	12BMTXS	8140-12RVS	12BMTXSS	8140-12MS	12 BTX-B
22	7/8	1 3/16-12	8140-14	14 BTX-S	8140-14RVS	14 BTX-SS	8140-14MS	14 BTX-B
25	1	1 5/16-12	8140-16	16BMTXS	8140-16RVS	16BMTXSS	8140-16MS	16 BTX-B
28, 30, 32	1 1/4	1 5/8-12	8140-20	20BMTXS	8140-20RVS	20BMTXSS	8140-20MS	20 BTX-B
35, 38	1 1/2	1 7/8-12	8140-24	24BMTXS	8140-24RVS	24BMTXSS	8140-24MS	24 BTX-B
	2	2 1/2-12	8140-32	32BMTXS	8140-32RVS	32BMTXSS	-	-

2222 - Union


Triple-Lok® 37° Flare ends



Tube 1 O.D.		Tube 2 O.D.		Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
mm	in.	mm	in.								
	1/8		1/8	5/16-24	5/16-24	2222-02-02	2 HTX-S	-	-	-	-
	3/16		3/16	3/8-24	3/8-24	2222-03-03	3 HTX-S	-	-	-	-
6	1/4	6	1/4	7/16-20	7/16-20	2222-04-04	4 HTX-S	2222-04-04RVS	4HMTXSS	2222-04-04MS	4HMTXB
6	1/4		1/8	7/16-20	5/16-24	2222-02-04	4-2 HTX-S	2222-02-04RVS	4-2HMTXSS	2222-02-04MS	4-2HMTXB
6	1/4		3/16	7/16-20	3/8-24	2222-03-04	4-3 HTX-S	2222-03-04RVS	4-3HMTXSS	2222-03-04MS	4-3HMTXB
8	5/16	8	5/16	1/2-20	1/2-20	2222-05-05	5HMTXS	2222-05-05RVS	5HMTXSS	2222-05-05MS	5HMTXB
8	5/16	6	1/4	1/2-20	7/16-20	2222-04-05	5-4HMTXS	2222-04-05RVS	5-4HMTXSS	2222-04-05MS	5-4HMTXB
10	3/8	10	3/8	9/16-18	9/16-18	2222-06-06	6HMTXS	2222-06-06RVS	6HMTXSS	2222-06-06MS	6HMTXB
10	3/8	6	1/4	9/16-18	7/16-20	2222-04-06	6-4HMTXS	2222-04-06RVS	6-4HMTXSS	2222-04-06MS	6-4HMTXB
10	3/8	8	5/16	9/16-18	1/2-20	2222-05-06	6-5 HTX-S	2222-05-06RVS	6-5HMTXSS	2222-05-06MS	6-5HMTXB
12	1/2	12	1/2	3/4-16	3/4-16	2222-08-08	8HMTXS	2222-08-08RVS	8HMTXSS	2222-08-08MS	8HMTXB
12	1/2	6	1/4	3/4-16	7/16-20	2222-04-08	8-4 HTX-S	2222-04-08RVS	8-4HMTXSS	2222-04-08MS	8-4HMTXB
12	1/2	10	3/8	3/4-16	9/16-18	2222-06-08	8-6 HTX-S	2222-06-08RVS	8-6HMTXSS	2222-06-08MS	8-6HMTXB
14, 15, 16	5/8	14, 15, 16	5/8	7/8-14	7/8-14	2222-10-10	10HMTXS	2222-10-10RVS	10HMTXSS	2222-10-10MS	10HMTXB
14, 15, 16	5/8	10	3/8	7/8-14	9/16-18	2222-06-10	10-6HMTXS	2222-06-10RVS	10-6HMTXSS	2222-06-10MS	10-6HMTXB
14, 15, 16	5/8	12	1/2	7/8-14	3/4-16	2222-08-10	10-8 HTX-S	2222-08-10RVS	10-8HMTXSS	2222-08-10MS	10-8HMTXB
18, 20	3/4	18, 20	3/4	1 1/16-12	1 1/16-12	2222-12-12	12HMTXS	2222-12-12RVS	12HMTXSS	2222-12-12MS	12HMTXB
18, 20	3/4	12	1/2	1 1/16-12	3/4-16	2222-08-12	12-8 HTX-S	2222-08-12RVS	12-8HMTXSS	2222-08-12MS	12-8HMTXB
20	3/4	14, 15, 16	5/8	1 1/16-12	7/8-14	2222-10-12	12-10HMTXS	2222-10-12RVS	12-10HMTXSS	2222-10-12MS	12-10HMTXB
22	7/8	22	7/8	1 3/16-12	1 3/16-12	2222-14-14	14 HTX-S	2222-14-14RVS	14HMTXSS	2222-14-14MS	14HMTXB
25	1	25	1	1 5/16-12	1 5/16-12	2222-16-16	16HMTXS	2222-16-16RVS	16HMTXSS	2222-16-16MS	16HMTXB
25	1	20	3/4	1 5/16-12	1 1/16-12	2222-12-16	16-12HMTXS	2222-12-16RVS	16-12HMTXSS	2222-12-16MS	16-12HMTXB
28, 30, 32	1 1/4	28, 30, 32	1 1/4	1 5/8-12	1 5/8-12	2222-20-20	20HMTXS	2222-20-20RVS	20HMTXSS	2222-20-20MS	20HMTXB
28, 30, 32	1 1/4	18, 20	3/4	1 5/8-12	1 1/16-12	2222-12-20	20-12HMTXS	2222-12-20RVS	20-12HMTXSS	2222-12-20MS	20-12HMTXB
28, 30, 32	1 1/4	25	1	1 5/8-12	1 5/16-12	2222-16-20	20-16HMTXS	2222-16-20RVS	20-16HMTXSS	2222-16-20MS	20-16HMTXB
35, 38	1 1/2	35, 38	1 1/2	1 7/8-12	1 7/8-12	2222-24-24	24HMTXS	2222-24-24RVS	24HMTXSS	2222-24-24MS	24HMTXB
42		42		2 1/4-12	2 1/4-12	2224-28-28	28HMTXS	2224-28-28RVS	28HMTXSS	2224-28-28MS	28HMTXB
	2		2	2 1/2-12	2 1/2-12	2224-32-32	32 HTX-S	2224-32-32RVS	32HMTXSS	2224-32-32MS	32HMTXB

2622 - Union elbow


Triple-Lok® 37° Flare ends



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
	1/8	5/16-24	5/16-24	2622-02-02	2 ETX-S	-	-	-	-
	3/16	3/8-24	3/8-24	2622-03-03	3 ETX-S	-	-	-	-
6	1/4	7/16-20	7/16-20	2622-04-04	4EMTXS	2622-04-04RVS	4EMTXSS	2622-04-04MS	4 ETX-B
8	5/16	1/2-20	1/2-20	2622-05-05	5EMTXS	2622-05-05RVS	5EMTXSS	2622-05-05MS	5 ETX-B
10	3/8	9/16-18	9/16-18	2622-06-06	6EMTXS	2622-06-06RVS	6EMTXSS	2622-06-06MS	6 ETX-B
10	3/8	9/16-18	7/16-20	2622-04-06	6-4 ETX-S	2622-04-06RVS	6-4EMTXSS	2622-04-06MS	6-4 ETX-B
12	1/2	3/4-16	3/8-24	2622-06-08	8-6 ETX-S	2622-06-08RVS	8-6EMTXSS	2622-06-08MS	-
12	1/2	3/4-16	3/4-16	2622-08-08	8EMTXS	2622-08-08RVS	8EMTXSS	-	8 ETX-B
14, 15, 16	5/8	7/8-14	7/8-14	2622-10-10	10EMTXS	2622-10-10RVS	10EMTXSS	2622-10-10MS	10 ETX-B
14, 15, 16	5/8	7/8-14	3/4-16	2622-08-10	10-8 ETX-S	2622-08-10RVS	10-8EMTXSS	2622-08-10MS	10-8 ETX-B
18, 20	3/4	1 1/16-12	1 1/16-12	2622-12-12	12EMTXS	2622-12-12RVS	12EMTXSS	2622-12-12MS	12 ETX-B
18, 20	3/4	1 1/16-12	3/4-16	2622-08-12	12-8 ETX-S	2622-08-12RVS	12-8EMTXSS	-	-
18, 20	3/4	1 1/16-12	7/8-14	2622-10-12	12-10 ETX-S	2622-10-12RVS	12-10EMTXSS	-	-
22	7/8	1 3/16-12	1 3/16-12	2622-14-14	14 ETX-S	2622-14-14RVS	14EMTXSS	-	-
22, 25	1	1 5/16-12	1 5/16-12	2622-16-16	16EMTXS	2622-16-16RVS	16EMTXSS	2622-16-16MS	16 ETX-B
22, 25	1	1 5/16-12	1 1/16-12	2622-12-16	16-12 ETX-S	2622-12-16RVS	16-12EMTXSS	2622-12-16MS	16-12 ETX-B
28, 30, 32	1 1/4	1 5/8-12	1 5/8-12	2622-20-20	20EMTXS	2622-20-20RVS	20EMTXSS	2622-20-20MS	20 ETX-B
35, 38	1 1/2	1 7/8-12	1 7/8-12	2622-24-24	24EMTXS	2622-24-24RVS	24EMTXSS	2622-24-24MS	24 ETX-B
42	1 3/4	2 1/4-12	2 1/4-12	2622-28-28	28 ETX-S	-	-	-	-
	2	2 1/2-12	2 1/2-12	2622-32-32	32 ETX-S	-	-	-	-

2722 - Union tee


Triple-Lok® 37° Flare ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
	1/8	5/16-24	2722-02-02	2 JTX-S	-	-	-	-
	3/16	3/8-24	2722-03-03	3 JTX-S	-	-	-	-
6	1/4	7/16-20	2722-04-04	4JMTXS	2722-04-04RVS	4JMTXSS	2722-04-04MS	4 JTX-B
8	5/16	1/2-20	2722-05-05	5JMTXS	2722-05-05RVS	5JMTXSS	2722-05-05MS	5 JTX-B
10	3/8	9/16-18	2722-06-06	6JMTXS	2722-06-06RVS	6JMTXSS	2722-06-06MS	6 JTX-B
12	1/2	3/4-16	2722-08-08	8JMTXS	2722-08-08RVS	8JMTXSS	2722-08-08MS	8 JTX-B
14, 15, 16	5/8	7/8-14	2722-10-10	10JMTXS	2722-10-10RVS	10JMTXSS	2722-10-10MS	10 JTX-B
18, 20	3/4	1 1/16-12	2722-12-12	12JMTXS	2722-12-12RVS	12JMTXSS	2722-12-12MS	12 JTX-B
22	7/8	1 3/16-12	2722-14-14	14 JTX-S	2722-14-14RVS	14JMTXSS	2722-14-14MS	14 JTX-B
25	1	1 5/16-12	2722-16-16	16JMTXS	2722-16-16RVS	16JMTXSS	2722-16-16MS	16 JTX-B
28, 30, 32	1 1/4	1 5/8-12	2722-20-20	20JMTXS	2722-20-20RVS	20JMTXSS	2722-20-20MS	20 JTX-B
35, 38	1 1/2	1 7/8-12	2722-24-24	24 JTX-S	2722-24-24RVS	24JMTXSS	2722-24-24MS	24 JTX-B
42	1 3/4	2 1/4-12	2722-28-28	28 JTX-S	-	-	-	-
	2	2 1/2-12	2722-32-32	32 JTX-S	-	-	-	-

2720 - Union cross


Triple-Lok® 37° Flare end (four ends)



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
6	1/4	7/16-20	2720-04-04	4 KTX-S	2720-04-04RVS	4 KTX-SS	2720-04-04MS	4 KTX-B
8	5/16	1/2-20	2720-05-05	5 KTX-S	2720-05-05RVS	5 KTX-SS	2720-05-05MS	5 KTX-B
10	3/8	9/16-18	2720-06-06	6 KTX-S	2720-06-06RVS	6 KTX-SS	2720-06-06MS	6 KTX-B
12	1/2	3/4-16	2720-08-08	8 KTX-S	2720-08-08RVS	8 KTX-SS	2720-08-08MS	8 KTX-B
14, 15, 16	5/8	7/8-14	2720-10-10	10 KTX-S	2720-10-10RVS	10 KTX-SS	2720-10-10MS	10 KTX-B
18, 20	3/4	1 1/16-12	2720-12-12	12 KTX-S	2720-12-12RVS	12 KTX-SS	2720-12-12MS	12 KTX-B
25	1	1 5/16-12	2720-16-16	16 KTX-S	2720-16-16RVS	16 KTX-SS	2720-16-16MS	16 KTX-B

8226 - Bulkhead union


Triple-Lok® 37° Flare ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
6	1/4	7/16-20	8226-04-04	4WMTXWLNMS	8226-04-04RVS	4WMTXWLNMS	8226-04-04MS	4WMTXWLNMB
8	5/16	1/2-20	8226-05-05	5WMTXWLNMS	8226-05-05RVS	5WMTXWLNMS	8226-05-05MS	5WMTXWLNMB
10	3/8	9/16-18	8226-06-06	6WMTXWLNMS	8226-06-06RVS	6WMTXWLNMS	8226-06-06MS	6WMTXWLNMB
12	1/2	3/4-16	8226-08-08	8WMTXWLNMS	8226-08-08RVS	8WMTXWLNMS	8226-08-08MS	8WMTXWLNMB
14, 15, 16	5/8	7/8-14	8226-10-10	10WMTXWLNMS	8226-10-10RVS	10WMTXWLNMS	8226-10-10MS	10WMTXWLNMB
18, 20	3/4	1 1/16-12	8226-12-12	12WMTXWLNMS	8226-12-12RVS	12WMTXWLNMS	8226-12-12MS	12WMTXWLNMB
22	7/8	1 3/16-12	8226-14-14	14 WTX-WLN-S	8226-14-14RVS	14WMTXWLNMS	8226-14-14MS	14WMTXWLNMB
25	1	1 5/16-12	8226-16-16	16WMTXWLNMS	8226-16-16RVS	16WMTXWLNMS	8226-16-16MS	16WMTXWLNMB
28, 30, 32	1 1/4	1 5/8-12	8226-20-20	20WMTXWLNMS	8226-20-20RVS	20WMTXWLNMS	8226-20-20MS	20WMTXWLNMB
35, 38	1 1/2	1 7/8-12	8226-24-24	24WMTXWLNMS	8226-24-24RVS	24WMTXWLNMS	8226-24-24MS	24WMTXWLNMB

8626 - Bulkhead union elbow 90°


Triple-Lok® 37° Flare ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
6	1/4	7/16-20	8626-04-04	4 WETX-WLN-S	8626-04-04RVS	4 WETX-WLN-SS	8626-04-04MS	4 WETX-WLN-B
8	5/16	1/2-20	8626-05-05	5WEMTXWLNMS	8626-05-05RVS	5 WETX-WLN-SS	8626-05-05MS	5 WETX-WLN-B
10	3/8	9/16-18	8626-06-06	6WEMTXWLNMS	8626-06-06RVS	6 WETX-WLN-SS	8626-06-06MS	6 WETX-WLN-B
12	1/2	3/4-16	8626-08-08	8WEMTXWLNMS	8626-08-08RVS	8 WETX-WLN-SS	8626-08-08MS	8 WETX-WLN-B
14, 15, 16	5/8	7/8-14	8626-10-10	10WEMTXWLNMS	8626-10-10RVS	10 WETX-WLN-SS	8626-10-10MS	10 WETX-WLN-B
18, 20	3/4	1 1/16-12	8626-12-12	12WEMTXWLNMS	8626-12-12RVS	12 WETX-WLN-SS	8626-12-12MS	12 WETX-WLN-B
22	7/8	1 3/16-12	8626-14-14	14WEMTXWLNMS	8626-14-14RVS	14 WETX-WLN-SS	-	-
25	1	1 5/16-12	8626-16-16	16WEMTXWLNMS	8626-16-16RVS	16 WETX-WLN-SS	-	-
28, 30, 32	1 1/4	1 5/8-12	8626-20-20	20WEMTXWLNMS	8626-20-20RVS	20 WETX-WLN-SS	-	-

8426 - Bulkhead union elbow 45°


Triple-Lok® 37° Flare ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	8426-04-04	4 WNTX-WLN-S	8426-04-04RVS	4 WNTX-WLN-SS
8	5/16	1/2-20	8426-05-05	5 WNTX-WLN-S	8426-05-05RVS	-
10	3/8	9/16-18	8426-06-06	6 WNTX-WLN-S	8426-06-06RVS	6 WNTX-WLN-SS
12	1/2	3/4-16	8426-08-08	8 WNTX-WLN-S	8426-08-08RVS	8 WNTX-WLN-SS
14, 15, 16	5/8	7/8-14	8426-10-10	10 WNTX-WLN-S	8426-10-10RVS	10 WNTX-WLN-SS
18, 20	3/4	1 1/16-12	8426-12-12	12 WNTX-WLN-S	8426-12-12RVS	12 WNTX-WLN-SS
22, 25	1	1 5/16-12	8426-16-16	16 WNTX-WLN-S	8426-16-16RVS	16 WNTX-WLN-SS
28, 30, 32	1 1/4	1 5/8-12	8426-20-20	20 WNTX-WLN-S	8426-20-20RVS	-

8526 - Bulkhead branch tee


Triple-Lok® 37° Flare ends



mm	Tube O.D.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
	in.					
6	1/4	7/16-20	8526-04-04	4 WJTX-WLN-S	8526-04-04RVS	4 WJTX-WLN-SS
10	3/8	9/16-18	8526-06-06	6 WJTX-WLN-S	8526-06-06RVS	6 WJTX-WLN-SS
12	1/2	3/4-16	8526-08-08	8 WJTX-WLN-S	8526-08-08RVS	8 WJTX-WLN-SS
14, 15, 16	5/8	7/8-14	8526-10-10	10 WJTX-WLN-S	8526-10-10RVS	10 WJTX-WLN-SS
18, 20	3/4	1 1/16-12	8526-12-12	12 WJTX-WLN-S	8526-12-12RVS	12 WJTX-WLN-SS
22, 25	1	1 5/16-12	8526-16-16	16 WJTX-WLN-S	8526-16-16RVS	-
28, 30, 32	1 1/4	1 5/8-12	8526-20-20	20 WJTX-WLN-S	8526-20-20RVS	-

8527 - Bulkhead run tee


Triple-Lok® 37° Flare ends



mm	Tube O.D.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel
	in.				
6	1/4	7/16-20	8527-04-04	4 WJJTX-WLN-SS	8527-04-04RVS
10	3/8	9/16-18	8527-06-06	6 WJJTX-WLN-SS	8527-06-06RVS
12	1/2	3/4-16	8527-08-08	8 WJJTX-WLN-SS	8527-08-08RVS
14, 15, 16	5/8	7/8-14	8527-10-10	10 WJJTX-WLN-SS	8527-10-10RVS
18, 20	3/4	1 1/16-12	8527-12-12	12 WJJTX-WLN-SS	8527-12-12RVS
22, 25	1	1 5/16-12	8527-16-16	16 WJJTX-WLN-SS	8527-16-16RVS
28, 30, 32	1 1/4	1 5/8-12	8527-20-20	20 WJJTX-WLN-SS	8527-20-20RVS

8624 - Swivel nut elbow 90°


Triple-Lok® 37° Flare end / Triple-Lok® 37° Flare female swivel end



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
	3/16	3/8-24	8624-03-03	3 C6X-S	-	-
6	1/4	7/16-20	8624-04-04	4C6MXS	8624-04-04RVS	4C6MXSS
8	5/16	1/2-20	8624-05-05	5C6MXS	8624-05-05RVS	5C6MXSS
10	3/8	9/16-18	8624-06-06	6C6MXS	8624-06-06RVS	6C6MXSS
12	1/2	3/4-16	8624-08-08	8C6MXS	8624-08-08RVS	8C6MXSS
14, 15, 16	5/8	7/8-14	8624-10-10	10C6MXS	8624-10-10RVS	10C6MXSS
18, 20	3/4	1 1/16-12	8624-12-12	12C6MXS	8624-12-12RVS	12C6MXSS
22	7/8	1 3/16-12	8624-14-14	14 C6X-S	8624-14-14RVS	-
25	1	1 5/16-12	8624-16-16	16C6MXS	8624-16-16RVS	16C6MXSS
28, 30, 32	1 1/4	1 5/8-12	8624-20-20	20C6MXS	8624-20-20RVS	20C6MXSS
35, 38	1 1/2	1 7/8-12	8624-24-24	24 C6X-S	8624-24-24RVS	24C6MXSS
	2	2 1/2-12	8624-32-32	32 C6X-S	-	-

8424 - Swivel nut elbow 45°


Triple-Lok® 37° Flare end / Triple-Lok® 37° Flare female swivel end



mm	Tube O.D.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
	in.					
6	1/4	7/16-20	8424-04-04	4 V6X-S	8424-04-04RVS	4 V6X-S
8	5/16	1/2-20	8424-05-05	5 V6X-S	8424-05-05RVS	5 V6X-S
10	3/8	9/16-18	8424-06-06	6V6MXS	8424-06-06RVS	6 V6X-S
12	1/2	3/4-16	8424-08-08	8V6MXS	8424-08-08RVS	8 V6X-S
14, 15, 16	5/8	7/8-14	8424-10-10	10V6MXS	8424-10-10RVS	10 V6X-S
18, 20	3/4	1 1/16-12	8424-12-12	12V6MXS	8424-12-12RVS	12 V6X-S
22	7/8	1 3/16-12	8424-14-14	14 V6X-S	8424-14-14RVS	-
25	1	1 5/16-12	8424-16-16	16 V6X-S	8424-16-16RVS	16 V6X-S
28, 30, 32	1 1/4	1 5/8-12	8424-20-20	20 V6X-S	8424-20-20RVS	20 V6X-S
35, 38	1 1/2	1 7/8-12	8424-24-24	24 V6X-S	8424-24-24RVS	24 V6X-S
	2	2 1/2-12	8424-32-32	32 V6X-S	8424-32-32RVS	32 V6X-S

2520 - Swivel nut branch tee


Triple-Lok® 37° Flare ends / Triple-Lok® 37° Flare female swivel end



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	2520-04-04	4 S6X-S	2520-04-04RVS	4 S6X-SS
8	5/16	1/2-20	2520-05-05	5S6MXS	2520-05-05RVS	5 S6X-SS
10	3/8	9/16-18	2520-06-06	6S6MXS	2520-06-06RVS	6 S6X-SS
12	1/2	3/4-16	2520-08-08	8S6MXS	2520-08-08RVS	8 S6X-SS
14, 15, 16	5/8	7/8-14	2520-10-10	10S6MXS	2520-10-10RVS	10 S6X-SS
18, 20	3/4	1 1/16-12	2520-12-12	12S6MXS	2520-12-12RVS	12 S6X-SS
25	1	1 5/16-12	2520-16-16	16S6MXS	2520-16-16RVS	16 S6X-SS
28, 30, 32	1 1/4	1 5/8-12	2520-20-20	20 S6X-S	2520-20-20RVS	20 S6X-SS
35, 38	1 1/2	1 7/8-12	2520-24-24	24 S6X-S	2520-24-24RVS	24 S6X-SS

2540 - Swivel nut run tee


Triple-Lok® 37° Flare ends / Triple-Lok® 37° Flare female swivel end



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	2540-04-04	4R6MXS	2540-04-04RVS	4 R6X-SS
8	5/16	1/2-20	2540-05-05	5R6MXS	2540-05-05RVS	5 R6X-SS
10	3/8	9/16-18	2540-06-06	6R6MXS	2540-06-06RVS	6 R6X-SS
12	1/2	3/4-16	2540-08-08	8R6MXS	2540-08-08RVS	8 R6X-SS
14, 15, 16	5/8	7/8-14	2540-10-10	10R6MXS	2540-10-10RVS	10 R6X-SS
18, 20	3/4	1 1/16-12	2540-12-12	12R6MXS	2540-12-12RVS	12 R6X-SS
22	7/8	1 3/16-12	2540-14-14	14 R6X-S	2540-14-14RVS	14 R6X-SS
25	1	1 5/16-12	2540-16-16	16R6MXS	2540-16-16RVS	16 R6X-SS
28, 30, 32	1 1/4	1 5/8-12	2540-20-20	20 R6X-S	2540-20-20RVS	20 R6X-SS
35, 38	1 1/2	1 7/8-12	2540-24-24	24 R6X-S	2540-24-24RVS	24 R6X-SS

8224 - Tube end reducer

Triple-Lok® 37° Flare end / Triple-Lok® 37° Flare female swivel end




Tube Metric T1 O.D.	Tube Metric T2 O.D.	Tube in. T1 O.D.	Tube in. T2 O.D.	Thread UN/UNF T1	Thread UN/UNF T2	Form	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
		1/4	1/8	7/16-20	5/16-24	B	8224-02-04	4-2 TRTX-S	8224-02-04RVS	4-2TRMTXSS	-	-
8	6	5/16	1/4	1/2-20	7/16-20	A	8224-04-05	5-4TRMTXS	8224-04-05RVS	5-4TRMTXSS	-	-
10	6	3/8	1/4	9/16-18	7/16-20	B	8224-04-06	6-4TRTXS	8224-04-06RVS	6-4TRMTXSS	8224-04-06MS	6-4 TRTX-B
10	8	3/8	5/16	9/16-18	1/2-20	A	8224-05-06	6-5TRMTXS	8224-05-06RVS	6-5TRMTXSS	-	-
12	6	1/2	1/4	3/4-16	7/16-20	B	8224-04-08	8-4TRTXS	8224-04-08RVS	8-4TRMTXSS	8224-04-08MS	8-4 TRTX-B
12	8	1/2	5/16	3/4-16	1/2-20	B	8224-05-08	8-5TRTXS	8224-05-08RVS	8-5TRMTXSS	-	-
12	10	1/2	3/8	3/4-16	9/16-18	B	8224-06-08	8-6TRTXS	8224-06-08RVS	8-6TRMTXSS	8224-06-08MS	8-6 TRTX-B
14, 15, 16	6	5/8	1/4	7/8-14	7/16-20	B	8224-04-10	10-4 TRTX-S	8224-04-10RVS	10-4TRMTXSS	-	-
14, 15, 16	8	5/8	5/16	7/8-14	1/2-20	B	8224-05-10	10-5TRTXS	8224-05-10RVS	10-5TRMTXSS	-	-
14, 15, 16	10	5/8	3/8	7/8-14	9/16-18	B	8224-06-10	10-6 TRTX-S	8224-06-10RVS	10-6TRMTXSS	8224-06-10MS	10-6 TRTX-B
14, 15, 16	12	5/8	1/2	7/8-14	3/4-16	A	8224-08-10	10-8TRMTXS	8224-08-10RVS	10-8TRMTXSS	-	-
18, 20	6	3/4	1/4	1 1/16-12	7/16-20	B	8224-04-12	12-4 TRTX-S	8224-04-12RVS	12-4TRMTXSS	8224-04-12MS	12-4 TRTX-B
18, 20	8	3/4	5/16	1 1/16-12	1/2-20	B	8224-05-12	12-5TRTXS	8224-05-12RVS	12-5TRMTXSS	-	-
18, 20	10	3/4	3/8	1 1/16-12	9/16-18	B	8224-06-12	12-6 TRTX-S	8224-06-12RVS	12-6TRMTXSS	8224-06-12MS	12-6 TRTX-B
18, 20	12	3/4	1/2	1 1/16-12	3/4-16	B	8224-08-12	12-8TRTXS	8224-08-12RVS	12-8TRMTXSS	8224-08-12MS	12-8 TRTX-B
18, 20	14, 15, 16	3/4	5/8	1 1/16-12	7/8-14	A	8224-10-12	12-10TRMTXS	8224-10-12RVS	12-10TRMTXSS	-	-
22	10	7/8	3/8	1 3/16-12	9/16-18	B	8224-06-14	14-6 TRTX-S	8224-06-14RVS	14-6TRMTXSS	-	-
22	14, 15, 16	7/8	5/8	1 3/16-12	7/8-14	B	8224-10-14	14-10 TRTX-S	8224-10-14RVS	14-10TRMTXSS	-	-
22	18, 20	7/8	3/4	1 3/16-12	1 1/16-12	A	8224-12-14	14-12 TRTX-S	8224-12-14RVS	14-12TRMTXSS	-	-
25	6	1	1/4	1 5/16-12	7/16-20	B	8224-04-16	16-4 TRTX-S	8224-04-16RVS	16-4TRMTXSS	-	-
25	10	1	3/8	1 5/16-12	9/16-18	B	8224-06-16	16-6TRTXS	8224-06-16RVS	16-6TRMTXSS	-	-
25	12	1	1/2	1 5/16-12	3/4-16	B	8224-08-16	16-8 TRTX-S	8224-08-16RVS	16-8TRMTXSS	-	-
25	14, 15, 16	1	5/8	1 5/16-12	7/8-14	B	8224-10-16	16-10TRTXS	8224-10-16RVS	16-10TRMTXSS	-	-
25	18, 20	1	3/4	1 5/16-12	1 1/16-12	B	8224-12-16	16-12TRTXS	8224-12-16RVS	16-12TRMTXSS	-	-
25	22	1	7/8	1 5/16-12	1 3/16-12	A	8224-14-16	16-14 TRTXN-S	8224-14-16RVS	16-14TRMTXSS	-	-
28, 30, 32	12	1 1/4	1/2	1 5/8-12	3/4-16	B	8224-08-20	20-8TRTXS	8224-08-20RVS	20-8TRMTXSS	-	-
28, 30, 32	14, 15, 16	1 1/4	5/8	1 5/8-12	7/8-14	B	8224-10-20	20-10TRTXS	8224-10-20RVS	20-10TRMTXSS	-	-
28, 30, 32	18, 20	1 1/4	3/4	1 5/8-12	1 1/16-12	B	8224-12-20	20-12TRTXS	8224-12-20RVS	20-12TRMTXSS	-	-
28, 30, 32	25	1 1/4	1	1 5/8-12	1 5/16-12	B	8224-16-20	20-16TRTXS	8224-16-20RVS	20-16TRMTXSS	-	-
35, 38	20	1 1/2	3/4	1 7/8-12	1 1/16-12	B	8224-12-24	24-12TRTXS	8224-12-24RVS	24-12TRMTXSS	-	-
35, 38	25	1 1/2	1	1 7/8-12	1 5/16-12	B	8224-16-24	24-16 TRTX-S	8224-16-24RVS	24-16TRMTXSS	-	-
35, 38	28, 30, 32	1 1/2	1 1/4	1 7/8-12	1 5/8-12	B	8224-20-24	24-20 TRTX-S	8224-20-24RVS	24-20TRMTXSS	-	-
42	35, 38			2 1/4-12	1 7/8-12	B	8224-24-28	28-24TRTXS	8224-24-28RVS	28-24TRMTXSS	-	-
50	38	2	1 1/2	2 1/2-12	1 7/8-12	B	8224-24-32	32-24 TRTX-S	-	-	-	-

* Nut has to be ordered separately (see 8140-...) page 58

2215 - Swivel nut union


Triple-Lok® 37° Flare female swivel ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	2215-04-04	4 HX6-S	2215-04-04RVS	4HMX6SS
8, 10	5/16, 3/8	9/16-18	2215-06-06	6 HX6-S	2215-06-06RVS	6HMX6SS
12	1/2	3/4-16	2215-08-08	8 HX6-S	2215-08-08RVS	8HMX6SS
14, 15, 16	5/8	7/8-14	2215-10-10	10 HX6-S	2215-10-10RVS	10HMX6SS
18, 20	3/4	1 1/16-12	2215-12-12	12 HX6-S	2215-12-12RVS	12HMX6SS
25	1	1 5/16-12	2215-16-16	16 HX6-S	2215-16-16RVS	16HMX6SS

2513 - Swivel nut union tee


Triple-Lok® 37° Flare female swivel ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel
6	1/4	7/16-20	2513-04-04	4 JX6-S	2513-04-04RVS
8, 10	5/16, 3/8	9/16-18	2513-06-06	6 JX6-S	2513-06-06RVS
12	1/2	3/4-16	2513-08-08	8 JX6-S	2513-08-08RVS
14, 15, 16	5/8	7/8-14	2513-10-10	10 JX6-S	2513-10-10RVS
18, 20	3/4	1 1/16-12	2513-12-12	12 JX6-S	2513-12-12RVS
25	1	1 5/16-12	2513-16-16	16 JX6-S	2513-16-16RVS

8223 - Male stud connector

Triple-Lok® 37° Flare end / Male UN/UNF thread – O-ring




mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
	1/8	5/16-24	5/16-24	8223-02-02	2 F50X-S	-	-
	3/16	3/8-24	3/8-24	8223-03-03	3 F50X-S	-	-
	3/16	3/8-24	5/16-24	8223-03-02	3-2 F50X-S	-	-
6	1/4	7/16-20	7/16-20	8223-04-04	4F50MXS	8223-04-04RVS	4F50MXSS
6	1/4	7/16-20	3/8-24	8223-04-03	-	8223-04-03RVS	4-3F50MXSS
6	1/4	7/16-20	1/2-20	8223-04-05	4-5 F50X-S	8223-04-05RVS	4-5F50MXSS
6	1/4	7/16-20	9/16-18	8223-04-06	4-6F50MXS	8223-04-06RVS	4-6F50MXSS
6	1/4	7/16-20	3/4-16	8223-04-08	4-8 F50X-S	8223-04-08RVS	4-8F50MXSS
6	1/4	7/16-20	7/8-14	8223-04-10	4-10 F50X-S	8223-04-10RVS	4-10F50MXSS
8	5/16	1/2-20	1/2-20	8223-05-05	5F50MXS	8223-05-05RVS	5F50MXSS
8	5/16	1/2-20	7/16-20	8223-05-04	5-4F50MXS	8223-05-04RVS	5-4F50MXSS
8	5/16	1/2-20	9/16-18	8223-05-06	5-6 F50X-S	8223-05-06RVS	5-6F50MXSS
8	5/16	1/2-20	3/4-16	8223-05-08	5-8 F50X-S	8223-05-08RVS	5-8F50MXSS
10	3/8	9/16-18	9/16-18	8223-06-06	6F50MXS	8223-06-06RVS	6F50MXSS
10	3/8	9/16-18	7/16-20	8223-06-04	6-4 F50X-S	8223-06-04RVS	6-4F50MXSS
10	3/8	9/16-18	1/2-20	8223-06-05	6-5 F50X-S	8223-06-05RVS	6-5F50MXSS
10	3/8	9/16-18	3/4-16	8223-06-08	6-8F50MXS	8223-06-08RVS	6-8F50MXSS
10	3/8	9/16-18	7/8-14	8223-06-10	6-10F50MXS	8223-06-10RVS	6-10F50MXSS
10	3/8	9/16-18	1 1/16-12	8223-06-12	6-12 F50X-S	8223-06-12RVS	6-12F50MXSS
12	1/2	3/4-16	3/4-16	8223-08-08	8F50MXS	8223-08-08RVS	8F50MXSS
12	1/2	3/4-16	7/16-20	8223-08-04	8-4 F50X-S	8223-08-04RVS	8-4F50MXSS
12	1/2	3/4-16	9/16-18	8223-08-06	8-6F50MXS	8223-08-06RVS	8-6F50MXSS
12	1/2	3/4-16	7/8-14	8223-08-10	8-10F50MXS	8223-08-10RVS	8-10F50MXSS
12	1/2	3/4-16	1 1/16-12	8223-08-12	8-12F50MXS	8223-08-12RVS	8-12F50MXSS
12	1/2	3/4-16	1 5/16-12	8223-08-16	8-16 F50X-S	8223-08-16RVS	8-16F50MXSS
14, 15, 16	5/8	7/8-14	7/8-14	8223-10-10	10F50MXS	8223-10-10RVS	10F50MXSS
14, 15, 16	5/8	7/8-14	9/16-18	8223-10-06	10-6 F50X-S	8223-10-06RVS	10-6F50MXSS
14, 15, 16	5/8	7/8-14	3/4-16	8223-10-08	10-8F50MXS	8223-10-08RVS	10-8F50MXSS
14, 15, 16	5/8	7/8-14	1 1/16-12	8223-10-12	10-12F50MXS	8223-10-12RVS	10-12F50MXSS
14, 15, 16	5/8	7/8-14	1 5/16-12	8223-10-16	10-16 F50X-S	8223-10-16RVS	10-16F50MXSS
18, 20	3/4	1 1/16-12	1 1/16-12	8223-12-12	12F50MXS	8223-12-12RVS	12F50MXSS
18, 20	3/4	1 1/16-12	3/4-16	8223-12-08	12-8 F50X-S	8223-12-08RVS	12-8F50MXSS
18, 20	3/4	1 1/16-12	7/8-14	8223-12-10	12-10F50MXS	8223-12-10RVS	12-10F50MXSS
18, 20	3/4	1 1/16-12	1 3/16-12	8223-12-14	12-14 F50X-S	8223-12-14RVS	12-14F50MXSS
18, 20	3/4	1 1/16-12	1 5/16-12	8223-12-16	12-16 F50X-S	8223-12-16RVS	12-16F50MXSS
18, 20	3/4	1 1/16-12	1 5/8-12	8223-12-20	12-20 F50X-S	8223-12-20RVS	12-20F50MXSS
22	7/8	1 3/16-12	1 3/16-12	8223-14-14	14 F50X-S	8223-14-14RVS	14F50MXSS
22	7/8	1 3/16-12	1 5/16-12	8223-14-16	14-16 F50X-S	8223-14-16RVS	14-16F50MXSS
25	1	1 5/16-12	1 5/16-12	8223-16-16	16F50MXS	8223-16-16RVS	16F50MXSS
25	1	1 5/16-12	3/4-16	8223-16-08	16-8F50X-S	8223-16-08RVS	16-8F50MXSS
25	1	1 5/16-12	7/8-14	8223-16-10	16-10 F50X-S	8223-16-10RVS	16-10F50MXSS

Continued on next page...

8223 - Male stud connector


Triple-Lok® 37° Flare end / Male UN/UNF thread – O-ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
25	1	1 5/16-12	1 1/16-12	8223-16-12	16-12F50MXS	8223-16-12RVS	16-12F50MXSS
25	1	1 5/16-12	1 3/16-12	8223-16-14	16-14 F50X-S	8223-16-14RVS	16-14F50MXSS
25	1	1 5/16-12	1 5/8-12	8223-16-20	16-20 F50X-S	8223-16-20RVS	16-20F50MXSS
25	1	1 5/16-12	1 7/8-12	8223-16-24	16-24 F50X-S	8223-16-24RVS	16-24F50MXS
28, 30, 32	1 1/4	1 5/8-12	1 5/8-12	8223-20-20	20F50MXS	8223-20-20RVS	20F50MXSS
28, 30, 32	1 1/4	1 5/8-12	1 1/16-12	8223-20-12	20-12 F50X-S	8223-20-12RVS	20-12F50MXSS
28, 30, 32	1 1/4	1 5/8-12	1 5/16-12	8223-20-16	20-16 F50X-S	8223-20-16RVS	20-16F50MXSS
28, 30, 32	1 1/4	1 5/16-12	1 7/8-12	8223-20-24	20-24 F50X-S	-	20-24F50MXSS
35, 38	1 1/2	1 7/8-12	1 7/8-12	8223-24-24	24F50MXS	8223-24-24RVS	24F50MXSS
35, 38	1 1/2	1 7/8-12	1 5/8-12	8223-24-20	24-20 F50X-S	8223-24-20RVS	24-20F50MXSS
35, 38	1 1/2	1 7/8-12	2 1/2-12	8223-24-32	24-32 F50X-S	-	24-32F50MXSS
	2	2 1/2-12	2 1/2-12	8223-32-32	32 F50X-S	-	32F50MXSS
	2	2 1/2-12	1 7/8-12	8223-32-24	32-24 F50X-S	-	32-24F50MXSS

2224 - Male stud connector


Triple-Lok® 37° Flare end / Male BSPP thread – ED seal



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	1/8-28	2224-04-02	4F42EDMXS	2224-04-02RVS	4F42EDMXSS
6	1/4	7/16-20	1/4-19	2224-04-04	4-4F42EDMXS	2224-04-04RVS	4-4F42EDMXSS
6	1/4	7/16-20	3/8-19	2224-04-06	4-6F42EDMXS	2224-04-06RVS	4-6F42EDMXSS
6	1/4	7/16-20	1/2-14	2224-04-08	4-8F42EDMXS	2224-04-08RVS	4-8F42EDMXSS
6	1/4	7/16-20	3/4-14	2224-04-12	4-12F42EDMXS	2224-04-12RVS	4-12F42EDMXSS
8	5/16	1/2-20	1/8-28	2224-05-02	5F42EDMXS	2224-05-02RVS	5F42EDMXSS
8	5/16	1/2-20	1/4-19	2224-05-04	5-4F42EDMXS	2224-05-04RVS	5-4F42EDMXSS
8	5/16	1/2-20	3/8-19	2224-05-06	5-6F42EDMXS	2224-05-06RVS	5-6F42EDMXSS
10	3/8	9/16-18	1/4-19	2224-06-04	6F42EDMXS	2224-06-04RVS	6F42EDMXSS
10	3/8	9/16-18	1/8-28	2224-06-02	6-2F42EDMXS	2224-06-02RVS	6-2F42EDMXSS
10	3/8	9/16-18	3/8-19	2224-06-06	6-6F42EDMXS	2224-06-06RVS	6-6F42EDMXSS
10	3/8	9/16-18	1/2-14	2224-06-08	6-8F42EDMXS	2224-06-08RVS	6-8F42EDMXSS
10	3/8	9/16-18	3/4-14	2224-06-12	6-12F42EDMXS	2224-06-12RVS	6-12F42EDMXSS
12	1/2	3/4-16	3/8-19	2224-08-06	8F42EDMXS	2224-08-06RVS	8F42EDMXSS
12	1/2	3/4-16	1/4-19	2224-08-04	8-4F42EDMXS	2224-08-04RVS	8-4F42EDMXSS
12	1/2	3/4-16	1/2-14	2224-08-08	8-8F42EDMXS	2224-08-08RVS	8-8F42EDMXSS
12	1/2	3/4-16	3/4-14	2224-08-12	8-12F42EDMXS	2224-08-12RVS	8-12F42EDMXSS
12	1/2	3/4-16	1-11	2224-08-16	8-16F42EDMXS	2224-08-16RVS	8-16F42EDMXSS
14, 15, 16	5/8	7/8-14	1/2-14	2224-10-08	10F42EDMXS	2224-10-08RVS	10F42EDMXSS
14, 15, 16	5/8	7/8-14	1/4-19	2224-10-04	10-4F42EDMXS	2224-10-04RVS	10-4F42EDMXSS
14, 15, 16	5/8	7/8-14	3/8-19	2224-10-06	10-6F42EDMXS	2224-10-06RVS	10-6F42EDMXSS
14, 15, 16	5/8	7/8-14	3/4-14	2224-10-12	10-12F42EDMXS	2224-10-12RVS	10-12F42EDMXSS
14, 15, 16	5/8	7/8-14	1-11	2224-10-16	10-16F42EDMXS	2224-10-16RVS	10-16F42EDMXSS
18, 20	3/4	1 1/16-12	3/4-14	2224-12-12	12F42EDMXS	2224-12-12RVS	12F42EDMXSS
18, 20	3/4	1 1/16-12	3/8-19	2224-12-06	12-6F42EDMXS	2224-12-06RVS	12-6F42EDMXSS
18, 20	3/4	1 1/16-12	1/2-14	2224-12-08	12-8F42EDMXS	2224-12-08RVS	12-8F42EDMXSS
18, 20	3/4	1 1/16-12	1-11	2224-12-16	12-16F42EDMXS	2224-12-16RVS	12-16F42EDMXSS
18, 20	3/4	1 1/16-12	1 1/4-11	2224-12-20	12-20F42EDMXS	2224-12-20RVS	12-20F42EDMXSS
22	7/8	1 3/16-12	3/4-14	2224-14-12	14F42EDMXS	2224-14-12RVS	14F42EDMXSS
25	1	1 5/16-12	1-11	2224-16-16	16F42EDMXS	2224-16-16RVS	16F42EDMXSS
25	1	1 5/16-12	1/2-14	2224-16-08	16-8F42EDMXS	2224-16-08RVS	16-8F42EDMXSS
25	1	1 5/16-12	3/4-14	2224-16-12	16-12F42EDMXS	2224-16-12RVS	16-12F42EDMXSS
25	1	1 5/16-12	1 1/4-11	2224-16-20	16-20F42EDMXS	2224-16-20RVS	16-20F42EDMXSS
28, 30, 32	1 1/4	1 5/8-12	1 1/4-11	2224-20-20	20F42EDMXS	2224-20-20RVS	20F42EDMXSS
28, 30, 32	1 1/4	1 5/8-12	3/4-14	2224-20-12	20-12F42EDMXS	2224-20-12RVS	20-12F42EDMXSS
28, 30, 32	1 1/4	1 5/8-12	1-11	2224-20-16	20-16F42EDMXS	2224-20-16RVS	20-16F42EDMXSS
28, 30, 32	1 1/4	1 5/8-12	1 1/2-11	2224-20-24	20-24F42EDMXS	2224-20-24RVS	20-24F42EDMXSS
35, 38	1 1/2	1 7/8-12	1 1/2-11	2224-24-24	24F42EDMXS	2224-24-24RVS	24F42EDMXSS
35, 38	1 1/2	1 7/8-12	1-11	2224-16-24	24-16F42EDMXS	2224-16-24RVS	24-16F42EDMXSS
35, 38	1 1/2	1 7/8-12	1 1/4-11	2224-20-24	24-20F42EDMXS	2224-20-24RVS	24-20F42EDMXSS
42		2 1/4-12	1 1/2-11	2224-28-24	28-24F42EDMXS	2224-28-24RVS	28-24F42EDMXSS

2225 - Male stud connector


Triple-Lok® 37° Flare end / Male NPTF thread



Tube O.D. mm	in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
	1/8	1/8-27	5/16-24	2225-02-02	2 FTX-S	-	-	-	-
5	3/16	1/8-27	3/8-24	2225-02-03	3 FTX-S	-	-	-	-
6	1/4	1/8-27	7/16-20	2225-02-04	4FMTXS	2225-02-04RVS	4FMTXSS	2225-02-04MS	4FMTXB
6	1/4	1/4-18	7/16-20	2225-04-04	4-4FMTXS	2225-04-04RVS	4-4FMTXSS	2225-04-04MS	4-4FMTXB
6	1/4	3/8-18	7/16-20	2225-06-04	4-6 FTX-S	2225-06-04RVS	4-6FMTXSS	2225-06-04MS	4-6FMTXB
6	1/4	1/2-14	7/16-20	2225-08-04	4-8 FTX-S	2225-08-04RVS	4-8FMTXSS	2225-08-04MS	4-8FMTXB
8	5/16	1/8-27	1/2-20	2225-02-05	5FMTXS	2225-02-05RVS	5FMTXSS	2225-02-05MS	5FMTXB
8	5/16	1/4-18	1/2-20	2225-04-05	5-4FMTXS	2225-04-05RVS	5-4FMTXSS	2225-04-05MS	5-4FMTXB
8	5/16	3/8-18	1/2-20	2225-06-05	5-6FMTXS	2225-06-05RVS	5-6FMTXSS	2225-06-05MS	5-6FMTXB
10	3/8	1/4-18	9/16-18	2225-04-06	6FMTXS	2225-04-06RVS	6FMTXSS	2225-04-06MS	6FMTXB
10	3/8	1/8-27	9/16-18	2225-02-06	6-2 FTX-S	2225-02-06RVS	6-2FMTXSS	2225-02-06MS	6-2FMTXB
10	3/8	3/8-18	9/16-18	2225-06-06	6-6FMTXS	2225-06-06RVS	6-6FMTXSS	2225-06-06MS	6-6FMTXB
10	3/8	1/2-14	9/16-18	2225-08-06	6-8FMTXS	2225-08-06RVS	6-8FMTXSS	2225-08-06MS	6-8FMTXB
10	3/8	3/4-14	9/16-18	2225-12-06	6-12 FTX-S	2225-12-06RVS	6-12FMTXSS	2225-12-06MS	6-12FMTXB
12	1/2	3/8-18	3/4-16	2226-06-08	8FMTXS	2226-06-08RVS	8FMTXSS	2226-06-08MS	8FMTXB
12	1/2	1/4-18	3/4-16	2225-04-08	8-4FMTXS	2225-04-08RVS	8-4FMTXSS	2225-04-08MS	8-4FMTXB
12	1/2	1/2-14	3/4-16	2225-08-08	8-8FMTXS	2225-08-08RVS	8-8FMTXSS	2225-08-08MS	8-8FMTXB
12	1/2	3/4-14	3/4-16	2225-12-08	8-12FMTXS	2225-12-08RVS	8-12FMTXSS	2225-12-08MS	8-12FMTXB
14, 15, 16	5/8	1/2-14	7/8-14	2225-08-10	10FMTXS	2225-08-10RVS	10FMTXSS	2225-08-10MS	10FMTXB
14, 15, 16	5/8	3/8-18	7/8-14	2225-06-10	10-6FMTXS	2225-06-10RVS	10-6FMTXSS	2225-06-10MS	10-6FMTXB
14, 15, 16	5/8	3/4-14	7/8-14	2225-12-10	10-12FMTXS	2225-12-10RVS	10-12FMTXSS	2225-12-10MS	10-12FMTXB
18, 20	3/4	3/4-14	1 1/16-12	2225-12-12	12FMTXS-S	2225-12-12RVS	12FMTXSS	2225-12-12MS	12FMTXB
18, 20	3/4	3/8-18	1 1/16-12	2225-06-12	12-6 FTX-S	2225-06-12RVS	12-6FMTXSS	2225-06-12MS	12-6FMTXB
18, 20	3/4	1/2-14	1 1/16-12	2225-08-12	12-8 FTX-S	2225-08-12RVS	12-8FMTXSS	2225-08-12MS	12-8FMTXB
18, 20	3/4	1-11.5	1 1/16-12	2225-16-12	12-16 FTX-S	2225-16-12RVS	12-16FMTXSS	2225-16-12MS	12-16FMTXB
22	7/8	3/4-14	1 3/16-12	2225-12-14	14 FTX-S	2225-12-14RVS	14FMTXSS	2225-12-14MS	14FMTXB
25	1	1-11.5	1 5/16-12	2225-16-16	16FMTXS	2225-16-16RVS	16FMTXSS	2225-16-16MS	16FMTXB
25	1	1/2-14	1 5/16-12	2225-08-16	16-8 FTX-S	2225-08-16RVS	16-8FMTXSS	2225-08-16MS	16-8FMTXB
25	1	3/4-14	1 5/16-12	2225-12-16	16-12FMTXS	2225-12-16RVS	16-12FMTXSS	2225-12-16MS	16-12FMTXB
25	1	1 1/4-11.5	1 5/16-12	2225-20-16	16-20 FTX-S	2225-20-16RVS	16-20FMTXSS	2225-20-16MS	16-20FMTXB
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	2225-20-20	20FMTXS	2225-20-20RVS	20FMTXSS	2225-20-20MS	20FMTXB
28, 30, 32	1 1/4	1-11.5	1 5/8-12	2225-16-20	20-16 FTX-S	2225-16-20RVS	20-16FMTXSS	2225-16-20MS	20-16FMTXB
35, 38	1 1/2	1 1/2-11.5	1 7/8-12	2225-24-24	24FMTXS	2225-24-24RVS	24FMTXSS	2225-24-24MS	24FMTXB
35, 38	1 1/2	1-11.5	1 7/8-12	2225-16-24	24-16 FTX-S	2225-16-24RVS	24-16FMTXSS	2225-16-24MS	24-16FMTXB
35, 38	1 1/2	1 1/4-11.5	1 7/8-12	2225-20-24	24-20 FTX-S	2225-20-24RVS	24-20FMTXSS	2225-20-24MS	24-20FMTXB
35, 38	1 1/2	2-11.5	1 7/8-12	2225-32-24	24-32 FTX-S	2225-32-24RVS	24-32FMTXSS	2225-32-24MS	24-32FMTXB
	2	2-11.5	2 1/2-12	2225-32-32	32 FTX-S	2225-32-32RVS	32FMTXSS	2225-32-32MS	32FMTXB
	2	1 1/2-11.5	2 1/2-12	2225-24-32	32-24 FTX-S	2225-24-32RVS	32-24FMTXSS	2225-24-32MS	32-24FMTXB

2226 - Male stud connector


Triple-Lok® 37° Flare end / Male metric thread – ED seal



mm	Tube O.D. in.	Thread UN/UNF T1	Thread Metric T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	M 10×1.0	2226-04-10	4M10F82EDMXS	2226-04-10RVS	4M10F82EDMXSS
6	1/4	7/16-20	M 12×1.5	2226-04-12	4M12F82EDMXS	2226-04-12RVS	4M12F82EDMXSS
8	5/16	1/2-20	M 10×1.0	2226-05-10	5M10F82EDMXS	2226-05-10RVS	5M10F82EDMXSS
8	5/16	1/2-20	M 12×1.5	2226-05-12	5M12F82EDMXS	2226-05-12RVS	5M12F82EDMXSS
8	5/16	1/2-20	M 14×1.5	2226-05-14	5M14F82EDMXS	2226-05-14RVS	5M14F82EDMXSS
10	3/8	9/16-18	M 12×1.5	2226-06-12	6M12F82EDMXS	2226-06-12RVS	6M12F82EDMXSS
10	3/8	9/16-18	M 14×1.5	2226-06-14	6M14F82EDMXS	2226-06-14RVS	6M14F82EDMXSS
10	3/8	9/16-18	M 16×1.5	2226-06-16	6M16F82EDMXS	2226-06-16RVS	6M16F82EDMXSS
10	3/8	9/16-18	M 18×1.5	2226-06-18	6M18F82EDMXS	2226-06-18RVS	6M18F82EDMXSS
10	3/8	9/16-18	M 22×1.5	2226-06-22	6M22F82EDMXS	2226-06-22RVS	6M22F82EDMXSS
12	1/2	3/4-16	M 14×1.5	2226-08-14	8M14F82EDMXS	2226-08-14RVS	8M14F82EDMXSS
12	1/2	3/4-16	M 16×1.5	2226-08-16	8M16F82EDMXS	2226-08-16RVS	8M16F82EDMXSS
12	1/2	3/4-16	M 18×1.5	2226-08-18	8M18F82EDMXS	2226-08-18RVS	8M18F82EDMXSS
12	1/2	3/4-16	M 22×1.5	2226-08-22	8M22F82EDMXS	2226-08-22RVS	8M22F82EDMXSS
14, 15, 16	5/8	7/8-14	M 18×1.5	2226-10-18	10M18F82EDMXS	2226-10-18RVS	10M18F82EDMXSS
14, 15, 16	5/8	7/8-14	M 22×1.5	2226-10-22	10M22F82EDMXS	2226-10-22RVS	10M22F82EDMXSS
18, 20	3/4	1 1/16-12	M 18×1.5	2226-12-18	12M18F82EDMXS	2226-12-18RVS	12M18F82EDMXSS
18, 20	3/4	1 1/16-12	M 22×1.5	2226-12-22	12M22F82EDMXS	2226-12-22RVS	12M22F82EDMXSS
18, 20	3/4	1 1/16-12	M 26×1.5	2226-12-26	12M26F82EDMXS	2226-12-26RVS	12M26F82EDMXSS
18, 20	3/4	1 1/16-12	M 27×2.0	2226-12-27	12M27F82EDMXS	2226-12-27RVS	12M27F82EDMXSS
25	1	1 5/16-12	M 26×1.5	2226-16-26	16M26F82EDMXS	2226-16-26RVS	16M26F82EDMXSS
25	1	1 5/16-12	M 27×2.0	2226-16-27	16M27F82EDMXS	2226-16-27RVS	16M27F82EDMXSS
25	1	1 5/16-12	M 33×2.0	2226-16-33	16M33F82EDMXS	2226-16-33RVS	16M33F82EDMXSS
28, 30, 32	1 1/4	1 5/8-12	M 42×2.0	2226-20-42	20M42F82EDMXS	2226-20-42RVS	20M42F82EDMXSS
35, 38	1 1/2	1 7/8-12	M 48×2.0	2226-24-48	24M48F82EDMXS	2226-24-48RVS	24M48F82EDMXSS

8241 - Swivel male stud


Triple-Lok® 37° Flare female swivel end / Male BSPP thread – ED seal



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	1/8-28	8241-04-02	4F642EDMXS	8241-04-02RVS	4F642EDMXSS
6	1/4	7/16-20	1/4-19	8241-04-04	4-4F642EDMXS	8241-04-04RVS	4-4F642EDMXSS
8	5/16	1/2-20	1/8-28	8241-05-02	5F642EDMXS	8241-05-02RVS	5F642EDMXSS
8	5/16	1/2-20	1/4-19	8241-05-04	5-4F642EDMXS	8241-05-04RVS	5-4F642EDMXSS
10	3/8	9/16-18	1/4-19	8241-06-04	6F642EDMXS	8241-06-04RVS	6F642EDMXSS
10	3/8	9/16-18	3/8-19	8241-06-06	6-6F642EDMXS	8241-06-06RVS	6-6F642EDMXSS
12	1/2	3/4-16	3/8-19	8241-08-06	8F642EDMXS	8241-08-06RVS	8F642EDMXSS
12	1/2	3/4-16	1/4-19	8241-08-04	8-4F642EDMXS	8241-08-04RVS	8-4F642EDMXSS
12	1/2	3/4-16	1/2-14	8241-08-08	8-8F642EDMXS	8241-08-08RVS	8-8F642EDMXSS
14, 15, 16	5/8	7/8-14	1/2-14	8241-10-08	10F642EDMXS	8241-10-08RVS	10F642EDMXSS
14, 15, 16	5/8	7/8-14	3/8-19	8241-10-06	10-6F642EDMXS	8241-10-06RVS	10-6F642EDMXSS
		1 1/16-12	5/8-14	8241-12-10	10-12F642EDMXS	8241-12-10RVS	10-12F642EDMXSS
18, 20	3/4	1 1/16-12	3/4-14	8241-12-12	12F642EDMXS	8241-12-12RVS	12F642EDMXSS
18, 20	3/4	1 1/16-12	1/2-14	8241-12-08	12-8F642EDMXS	8241-12-08RVS	12-8F642EDMXSS
25	1	1 5/16-12	1-11	8241-16-16	16F642EDMXS	8241-16-16RVS	16F642EDMXSS
25	1	1 5/16-12	3/4-14	8241-16-12	16-12F642EDMXS	8241-16-12RVS	16-12F642EDMXSS
28, 30, 33	1 1/4	1 5/8-12	1 1/4-11	8241-20-20	20F642EDMXS	8241-20-20RVS	20F642EDMXSS
28, 30, 32	1 1/4	1 5/8-12	1-11	8241-20-16	20-16F642EDMXS	8241-20-16RVS	20-16F642EDMXSS
35, 38	1 1/2	1 7/8-12	1 1/2-11	8241-24-24	24F642EDMXS	8241-24-24RVS	24F642EDMXSS
	2	2 1/2-12	2-11	8241-32-32	-	8241-32-32RVS	-

8242 - Swivel male stud


Triple-Lok® 37° Flare female swivel end / Male UN/UNF thread – O-ring



mm	Tube O.D.	in.	Thread UN/UNF T1	Thread UNF T2	Order code Steel	Parker cross reference Steel
6		1/4	7/16-20	7/16-20	8242-04-04	4F650MXS
8		5/16	1/2-20	1/2-20	8242-05-05	5F650MXS
10		3/8	9/16-18	9/16-18	8242-06-06	6F650MXS
12		1/2	3/4-16	3/4-16	8242-08-08	8 F650X-S
14, 15, 16		5/8	7/8-14	7/8-14	8242-10-10	10 F650X-S
18, 20		3/4	1 1/16-12	1 1/16-12	8242-12-12	12 F650X-S
25		1	1 5/16-12	1 5/16-12	8242-16-16	16 F650X-S
28, 30, 32		1 1/4	1 5/8-12	1 5/8-12	8242-20-20	20 F650X-S

8249 - Swivel male stud


Triple-Lok® 37° Flare female swivel end / Male metric thread – ED seal



mm	Tube O.D. in.	Thread UN/UNF T1	Thread Metric T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	M 10×1.0	8249-04-10	4M10F682EDMXS	8249-04-10RVS	4M10F682EDMXSS
8	5/16	1/2-20	M 12×1.5	8249-05-12	5M12F682EDMXS	8249-05-12RVS	5M12F682EDMXSS
10	3/8	9/16-18	M 14×1.5	8249-06-14	6M14F682EDMXS	8249-06-14RVS	6M14F682EDMXSS
12	1/2	3/4-16	M 16×1.5	8249-08-16	8M16F682EDMXS	8249-08-16RVS	8M16F682EDMXSS
12	1/2	3/4-16	M 18×1.5	8249-08-18	8M18F682EDMXS	8249-08-18RVS	8M18F682EDMXSS
14, 15, 16	5/8	7/8-14	M 18×1.5	8249-10-18	10M18F682EDMXS	8249-10-18RVS	10M18F682EDMXSS
14, 15, 16	5/8	7/8-14	M 22×1.5	8249-10-22	10M22F682EDMXS	8249-10-22RVS	10M22F682EDMXSS
18, 20	3/4	1 1/16-12	M 22×1.5	8249-12-22	12M22F682EDMXS	8249-12-22RVS	12M22F682EDMXSS
18, 20	3/4	1 1/16-12	M 27×2.0	8249-12-27	12M27F682EDMXS	8249-12-27RVS	12M27F682EDMXSS
25	1	1 5/16-12	M 33×2.0	8249-16-33	16M33F682EDMXS	8249-16-33RVS	16M33F682EDMXSS
28, 30, 32	1 1/4	1 5/8-12	M 42×2.0	8249-20-42	20M42F682EDMXS	8249-20-42RVS	20M42F682EDMXSS

8254 - Swivel male stud


Triple-Lok® 37° Flare female swivel end / Male NPT thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	1/8-27	7/16-20	8254-02-04	4 F6X-S	8254-02-04RVS	4F6MXSS
6	1/4	1/4-18	7/16-20	8254-04-04	4-4 F6X-S	8254-04-04RVS	4-4F6MXSS
8	5/16	1/8-27	1/2-20	8254-02-05	5F6MXS	8254-02-05RVS	5F6MXSS
8	5/16	1/4-18	1/2-20	8254-04-05	5-4 F6X-S	8254-04-05RVS	5-4F6MXSS
10	3/8	1/4-18	9/16-18	8254-04-06	6 F6X-S	8254-04-06RVS	6F6MXSS
10	3/8	3/8-18	9/16-18	8254-06-06	6-6 F6X-S	8254-06-06RVS	6-6F6MXSS
12	1/2	3/8-18	3/4-16	8254-06-08	8 F6X-S	8254-06-08RVS	8F6MXSS
12	1/2	1/4-18	3/4-16	8254-04-08	8-4F6MXS	8254-04-08RVS	8-4F6MXSS
12	1/2	1/2-14	3/4-16	8254-08-08	8-8 F6X-S	8254-08-08RVS	8-8F6MXSS
14, 15, 16	5/8	1/2-14	7/8-14	8254-08-10	10 F6X-S	8254-08-10RVS	10F6MXSS
14, 15, 16	5/8	3/8-18	7/8-14	8254-06-10	10-6 F6X-S	8254-06-10RVS	10-6F6MXSS
18, 20	3/4	3/4-14	1 1/16-12	8254-12-12	12 F6X-S	8254-12-12RVS	12F6MXSS
18, 20	3/4	1/2-14	1 1/16-12	8254-08-12	12-8 F6X-S	8254-08-12RVS	12-8F6MXSS
25	1	1-11.5	1 5/16-12	8254-16-16	16 F6X-S	8254-16-16RVS	16F6MXSS
25	1	3/4-14	1 5/16-12	8254-12-16	16-12 F6X-S	8254-12-16RVS	16-12F6MXSS
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	8254-20-20	20 F6X-S	8254-20-20RVS	20F6MXSS
35, 38	1 1/2	1 1/2-11.5	1 7/8-12	8254-24-24	24 F6X-S	8254-24-24RVS	24F6MXSS

8623 - Male stud elbow


Triple-Lok® 37° Flare end / Adjustable UN/UNF thread – O-ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
	1/8	5/16-24	5/16-24	8623-02-02	2 C50X-S	-	-
	3/16	3/8-24	3/8-24	8623-03-03	3 C50X-S	-	-
6	1/4	7/16-20	7/16-20	8623-04-04	4C50MXS	8623-04-04RVS	4C50MXSS
6	1/4	7/16-20	9/16-18	8623-04-06	4-6 C50X-S	8623-04-06RVS	4-6C50MXSS
8	5/16	1/2-20	1/2-20	8623-05-05	5C50MXS	8623-05-05RVS	5C50MXSS
8	5/16	1/2-20	7/16-20	8623-05-04	5-4 C50X-S	8623-05-04RVS	5-4C50MXSS
8	5/16	1/2-20	9/16-18	8623-05-06	5-6 C50X-S	8623-05-06RVS	5-6C50MXSS
10	3/8	9/16-18	9/16-18	8623-06-06	6C50MXS	8623-06-06RVS	6C50MXSS
10	3/8	9/16-18	7/16-20	8623-06-04	6-4 C50X-S	8623-06-04RVS	6-4C50MXSS
10	3/8	9/16-18	1/2-20	8623-06-05	6-5 C50X-S	8623-06-05RVS	6-5C50MXSS
10	3/8	9/16-18	3/4-16	8623-06-08	6-8 C50X-S	8623-06-08RVS	6-8C50MXSS
10	3/8	9/16-18	7/8-14	8623-06-10	6-10 C50X-S	8623-06-10RVS	6-10C50MXSS
12	1/2	3/4-16	3/4-16	8623-08-08	8C50MXS	8623-08-08RVS	8C50MXSS
12	1/2	3/4-16	7/16-20	8623-08-04	8-4 C50X-S	8623-08-04RVS	8-4C50MXSS
12	1/2	3/4-16	9/16-18	8623-08-06	8-6 C50X-S	8623-08-06RVS	8-6C50MXSS
12	1/2	3/4-16	7/8-14	8623-08-10	8-10C50MXS	8623-08-10RVS	8-10C50MXSS
12	1/2	3/4-16	1 1/16-12	8623-08-12	8-12 C50X-S	8623-08-12RVS	8-12C50MXSS
14, 15, 16	5/8	7/8-14	7/8-14	8623-10-10	10C50MXS	8623-10-10RVS	10C50MXSS
14, 15, 16	5/8	7/8-14	9/16-18	8623-10-06	10-6 C50X-S	8623-10-06RVS	10-6C50MXSS
14, 15, 16	5/8	7/8-14	3/4-16	8623-10-08	10-8 C50X-S	8623-10-08RVS	10-8C50MXSS
14, 15, 16	5/8	7/8-14	1 1/16-12	8623-10-12	10-12 C50X-S	8623-10-12RVS	10-12C50MXSS
14, 15, 16	5/8	7/8-14	1 5/16-12	8623-10-16	10-16 C50X-S	8623-10-16RVS	10-16C50MXSS
18, 20	3/4	1 1/16-12	1 1/16-12	8623-12-12	12C50MXS	8623-12-12RVS	12C50MXSS
18, 20	3/4	1 1/16-12	3/4-16	8623-12-08	12-8 C50X-S	8623-12-08RVS	12-8C50MXSS
18, 20	3/4	1 1/16-12	7/8-14	8623-12-10	12-10C50MXS	8623-12-10RVS	12-10C50MXSS
18, 20	3/4	1 1/16-12	1 5/16-12	8623-12-16	12-16 C50X-S	8623-12-16RVS	12-16C50MXSS
22	7/8	1 3/16-12	1 3/16-12	8623-14-14	14 C50X-S	-	-
25	1	1 5/16-12	1 5/16-12	8623-16-16	16C50MXS	8623-16-16RVS	16C50MXSS
25	1	1 5/16-12	1 1/16-12	8623-12-16	16-12 C50X-S	8623-12-16RVS	16-12C50MXSS
25	1	1 5/16-12	1 5/8-12	8623-20-16	16-20 C50X-S	8623-20-16RVS	16-20C50MXSS
28, 30, 32	1 1/4	1 5/8-12	1 5/8-12	8623-20-20	20 C50X-S	8623-20-20RVS	20C50MXSS
28, 30, 32	1 1/4	1 5/8-12	1 5/16-12	8623-16-20	20-16 C50X-S	8623-16-20RVS	20-16C50MXSS
28, 30, 32	1 1/4	1 5/8-12	1 7/8-12	8623-24-20	20-24 C50X-S	8623-24-20RVS	20-24C50MXSS
35, 38	1 1/2	1 7/8-12	1 7/8-12	8623-24-24	24 C50X-S	8623-24-24RVS	24C50MXSS
35, 38	1 1/2	1 7/8-12	1 5/8-12	8623-20-24	24-20 C50X-S	8623-20-24RVS	24-20C50MXSS

2624 - Male stud elbow


Triple-Lok® 37° Flare end / Adjustable BSPP thread O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	1/8-28	2624-04-02	4C40MXS	2624-04-02RVS	4C40MXSS
6	1/4	7/16-20	1/4-19	2624-04-04	4-4C40MXS	2624-04-04RVS	4-4C40MXSS
6	1/4	7/16-20	3/8-19	2624-04-06	4-6C40MXS	2624-04-06RVS	4-6C40MXSS
8	5/16	1/2-20	1/8-28	2624-05-02	5C40MXS	2624-05-02RVS	5C40MXSS
8	5/16	1/2-20	1/4-19	2624-05-04	5-4C40MXS	2624-05-04RVS	5-4C40MXSS
8	5/16	1/2-20	3/8-19	2624-05-06	5-6C40MXS	2624-05-06RVS	5-6C40MXSS
10	3/8	9/16-18	1/4-19	2624-06-04	6C40MXS	2624-06-04RVS	6C40MXSS
10	3/8	9/16-18	1/8-28	2624-06-02	6-2C40MXS	2624-06-02RVS	6-2C40MXSS
10	3/8	9/16-18	3/8-19	2624-06-06	6-6C40MXS	2624-06-06RVS	6-6C40MXSS
10	3/8	9/16-18	1/2-14	2624-06-08	6-8C40MXS	2624-06-08RVS	6-8C40MXSS
12	1/2	3/4-16	3/8-19	2624-08-06	8C40MXS	2624-08-06RVS	8C40MXSS
12	1/2	3/4-16	1/4-19	2624-08-04	8-4C40MXS	2624-08-04RVS	8-4C40MXSS
12	1/2	3/4-16	1/2-14	2624-08-08	8-8C40MXS	2624-08-08RVS	8-8C40MXSS
12	1/2	3/4-16	3/4-14	2624-08-12	8-12C40MXS	2624-08-12RVS	8-12C40MXSS
14, 15, 16	5/8	7/8-14	1/2-14	2624-10-08	10C40MXS	2624-10-08RVS	10C40MXSS
14, 15, 16	5/8	7/8-14	3/8-19	2624-10-06	10-6C40MXS	2624-10-06RVS	10-6C40MXSS
14, 15, 16	5/8	7/8-14	3/4-14	2624-10-12	10-12C40MXS	2624-10-12RVS	10-12C40MXSS
18, 20	3/4	1 1/16-12	3/4-14	2624-12-12	12C40MXS	2624-12-12RVS	12C40MXSS
18, 20	3/4	1 1/16-12	1/2-14	2624-12-08	12-8C40MXS	2624-12-08RVS	12-8C40MXSS
18, 20	3/4	1 1/16-12	1-11	2624-12-16	12-16C40MXS	2624-12-16RVS	12-16C40MXSS
25	1	1 5/16-12	1-11	2624-16-16	16C40MXS	2624-16-16RVS	16C40MXSS
25	1	1 5/16-12	3/4-14	2624-16-12	16-12C40MXS	2624-16-12RVS	16-12C40MXSS
28, 30, 32	1 1/4	1 5/8-12	1 1/4-11	2624-20-20	20C40MXS	2624-20-20RVS	20C40MXSS
28, 30, 32	1 1/4	1 5/8-12	1-11	2624-20-16	20-16C40MXS	2624-20-16RVS	20-16C40MXSS
35, 38	1 1/2	1 7/8-12	1 1/2-11	2624-24-24	24C40MXS	2624-24-24RVS	24C40MXSS
35, 38	1 1/2	1 7/8-12	1 1/4-11	2624-24-20	24-20C40MXS	2624-24-20RVS	24-20C40MXSS

2626 - Male stud elbow


Triple-Lok® 37° Flare end / Male metric thread – O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread Metric T2	Order code Steel	Parker cross reference Steel
6	1/4	7/16-20	M 10×1.0	2626-04-10	4M10C80MXS
6	1/4	7/16-20	M 12×1.5	2626-04-12	4M12C80MXS
8	5/16	1/2-20	M 10×1.0	2626-05-10	5M10C80MXS
8	5/16	1/2-20	M 12×1.5	2626-05-12	5M12C80MXS
8	5/16	9/16-18	M 12×1.5	2626-06-12	6M12C80MXS
10	3/8	9/16-18	M 14×1.5	2626-06-14	6M14C80MXS
10	3/8	9/16-18	M 16×1.5	2626-06-16	6M16C80MXS
10	3/8	9/16-18	M 18×1.5	2626-06-18	6M18C80MXS
12	1/2	3/4-16	M 16×1.5	2626-08-16	8M16C80MXS
12	1/2	3/4-16	M 18×1.5	2626-08-18	8M18C80MXS
12	1/2	3/4-16	M 22×1.5	2626-08-22	8M22C80MXS
14, 15, 16	5/8	7/8-14	M 18×1.5	2626-10-18	10M18C80MXS
14, 15, 16	5/8	7/8-14	M 20×1.5	2626-10-20	10M20C80MXS
14, 15, 16	5/8	7/8-14	M 22×1.5	2626-10-22	10M22C80MXS
14, 15, 16	5/8	7/8-14	M 26×1.5	2626-10-26	10M26C80MXS
18, 20	3/4	1 1/16-12	M 22×1.5	2626-12-22	12M22C80MXS
18, 20	3/4	1 1/16-12	M 27×2.0	2626-12-27	12M27C80MXS
25	1	1 5/16-12	M 33×2.0	2626-16-33	16M33C80MXS
28, 30, 32	1 1/4	1 5/8-12	M 42×2.0	2626-20-42	20M42C80MXS
35, 38	1 1/2	1 7/8-12	M 48×2.0	2626-24-48	24M48C80MXS

2625 - Male stud elbow


Triple-Lok® 37° Flare end / Male NPTF thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
	1/8	1/8-27	5/16-24	2625-02-02	2 CTX-S	-	-
	3/16	1/8-27	3/8-24	2625-02-03	3 CTX-S	-	-
6	1/4	1/8-27	7/16-20	2625-02-04	4CMTXS	2625-02-04RVS	4CMTXSS
6	1/4	1/4-18	7/16-20	2625-04-04	4-4 CTX-S	2625-04-04RVS	4-4CMTXSS
6	1/4	3/8-18	7/16-20	2625-06-04	4-6 CTX-S	2625-06-04RVS	4-6CMTXSS
6	1/4	1/2-14	7/16-20	2625-08-04	4-8 CTX-S	2625-08-04RVS	4-8CMTXSS
8	5/16	1/8-27	1/2-20	2625-05-02	5 CTX-S	2625-05-02RVS	5CMTXSS
8	5/16	1/4-18	1/2-20	2625-05-04	5-4 CTX-S	2625-05-04RVS	5-4CMTXSS
8	5/16	3/8-18	1/2-20	2625-06-05	5-6 CTX-S	2625-06-05RVS	5-6CMTXSS
10	3/8	1/4-18	9/16-18	2625-06-04	6CMTXS	2625-06-04RVS	6CMTXSS
10	3/8	1/8-27	9/16-18	2625-02-06	6-2 CTX-S	2625-02-06RVS	6-2CMTXSS
10	3/8	3/8-18	9/16-18	2625-06-06	6-6CMTXS	2625-06-06RVS	6-6CMTXSS
10	3/8	1/2-14	9/16-18	2625-08-06	6-8CMTXS	2625-08-06RVS	6-8CMTXSS
12	1/2	3/8-18	3/4-16	2625-06-08	8CMTXS	2625-06-08RVS	8CMTXSS
12	1/2	1/4-18	3/4-16	2625-04-08	8-4CMTXS	2625-04-08RVS	8-4CMTXSS
12	1/2	1/2-14	3/4-16	2625-08-08	8-8CMTXS	2625-08-08RVS	8-8CMTXSS
12	1/2	3/4-14	3/4-16	2625-12-08	8-12 CTX-S	2625-12-08RVS	8-12CMTXSS
14, 15, 16	5/8	1/2-14	7/8-14	2625-08-10	10CMTXS	2625-08-10RVS	10CMTXSS
14, 15, 16	5/8	3/8-18	7/8-14	2625-06-10	10-6 CTX-S	2625-06-10RVS	10-6CMTXSS
14, 15, 16	5/8	3/4-14	7/8-14	2625-12-10	10-12CMTXS	2625-12-10RVS	10-12CMTXSS
18, 20	3/4	3/4-14	1 1/16-12	2625-12-12	12 CTX-S	2625-12-12RVS	12CMTXSS
18, 20	3/4	1/2-14	1 1/16-12	2625-08-12	12-8 CTX-S	2625-08-12RVS	12-8CMTXSS
18, 20	3/4	1-11.5	1 1/16-12	2625-16-12	12-16CMTXS	2625-16-12RVS	12-16CMTXSS
22	7/8	3/4-14	1 3/16-12	2625-12-14	14 CTX-S	2625-12-14RVS	14CMTXSS
25	1	1-11.5	1 5/16-12	2625-16-16	16 CTX-S	2625-16-16RVS	16CMTXSS
25	1	3/4-14	1 5/16-12	2625-12-16	16-12 CTX-S	2625-12-16RVS	16-12CMTXSS
25	1	1 1/4-11.5	1 5/16-12	2625-20-16	16-20 CTX-S	2625-20-16RVS	16-20CMTXSS
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	2625-20-20	20 CTX-S	2625-20-20RVS	20CMTXSS
28, 30, 32	1 1/4	1-11.5	1 5/8-12	2625-16-20	20-16CMTXS	2625-16-20RVS	20-16CMTXSS
28, 30, 32	1 1/4	1 1/2-11.5	1 5/8-12	2625-24-20	20-24 CTX-S	2625-24-20RVS	20-24CMTXSS
35, 38	1 1/2	1 1/2-11.5	1 7/8-12	2625-24-24	24 CTX-S	2625-24-24RVS	24CMTXSS
35, 38	1 1/2	1 1/4-11.5	1 7/8-12	2625-20-24	24-20 CTX-S	2625-20-24RVS	24-20CMTXSS
	2	2-11.5	2 1/2-12	2625-32-32	32 CTX-S	-	-
	2	1 1/2-11.5	2 1/2-12	2625-24-32	32-24 CTX-S	-	-

8423 - Male stud elbow 45°

Triple-Lok® 37° Flare end / Male UNF thread O-ring




T2

mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	7/16-20	8423-04-04	4 V50X-S	8423-04-04RVS	4 V50X-SS
8	5/16	1/2-20	1/2-20	8423-05-05	5 V50X-S	8423-05-05RVS	5 V50X-SS
10	3/8	9/16-18	9/16-18	8423-06-06	6V50MXS	8423-06-06RVS	6 V50X-SS
10	3/8	9/16-18	3/4-16	8423-06-08	6-8 V50X-S	8423-06-08RVS	6-8 V50X-SS
12	1/2	3/4-16	3/4-16	8423-08-08	8 V50X-S	8423-08-08RVS	8 V50X-SS
12	1/2	3/4-16	9/16-18	8423-08-06	8-6 V50X-S	8423-08-06RVS	8-6 V50X-SS
12	1/2	3/4-16	7/8-14	8423-08-10	8-10 V50X-S	8423-08-10RVS	8-10 V50X-SS
14, 15, 16	5/8	7/8-14	7/8-14	8423-10-10	10 V50X-S	8423-10-10RVS	10 V50X-SS
14, 15, 16	5/8	7/8-14	3/4-16	8423-10-08	10-8 V50X-S	8423-10-08RVS	10-8 V50X-SS
18, 20	3/4	1 1/16-12	1 1/16-12	8423-12-12	12 V50X-S	8423-12-12RVS	12 V50X-SS
18, 20	3/4	1 1/16-12	7/8-14	8423-12-10	12-10 V50X-S	8423-12-10RVS	12-10 V50X-SS
22	7/8	1 3/16-12	1 3/16-12	8423-14-14	14 V50X-S	-	-
25	1	1 5/16-12	1 5/16-12	8423-16-16	16 V50X-S	8423-16-16RVS	16 V50X-SS
25	1	1 1/16-12	1 5/16-12	8423-12-16	16-12 V50X-S	8423-12-16RVS	-
28, 30, 32	1 1/4	1 5/8-12	1 5/8-12	8423-20-20	20 V50X-S	8423-20-20RVS	20 V50X-SS
35, 38	1 1/2	1 7/8-12	1 7/8-12	8423-24-24	24 V50X-S	8423-24-24RVS	24 V50X-SS

2424 - Male stud elbow 45°


Triple-Lok® 37° Flare end / Male BSPP thread O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel
6	1/4	7/16-20	1/8-28	2424-04-02	4V40MXS
6	1/4	7/16-20	1/4-19	2424-04-04	4-4V40MXS
8	5/16	1/2-20	1/8-28	2424-05-02	5V40MXS
8	5/16	1/2-20	1/4-19	2424-05-04	5-4V40MXS
10	3/8	9/16-18	1/4-19	2424-06-04	6V40MXS
10	3/8	9/16-18	3/8-19	2424-06-06	6-6V40MXS
10	3/8	9/16-18	1/2-14	2424-06-08	6-8V40MXS
12	1/2	3/4-16	3/8-19	2424-08-06	8V40MXS
12	1/2	3/4-16	1/2-14	2424-08-08	8-8V40MXS
14, 15, 16	5/8	7/8-14	1/2-14	2424-10-08	10V40MXS
14, 15, 16	5/8	7/8-14	3/4-14	2424-10-12	10-12V40MXS
18, 20	3/4	1 1/16-12	3/4-14	2424-12-12	12V40MXS
25	1	1 5/16-12	1-11	2424-16-16	16V40MXS
28, 30, 32	1 1/4	1 5/8-12	1 1/4-11	2424-20-20	20V40MXS
35, 38	1 1/2	1 7/8-12	1 1/2-11	2424-24-24	24V40MXS

2425 - Male stud elbow 45°


Triple-Lok® 37° Flare end / Male NPTF thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
6	1/4	1/8-27	7/16-20	2425-02-04	4 VTX-S	2425-02-04RVS	4 VTX-SS	2425-02-04MS	4 VTX-B
6	1/4	1/4-18	7/16-20	2425-04-04	4-4 VTX-S	2425-04-04RVS	4-4 VTX-SS	2425-04-04MS	4-4 VTX-B
6	1/4	3/8-18	9/16-18	2425-06-06	4-6 VTX-S	-	-	-	-
8	5/16	1/8-27	1/2-20	2425-02-05	5 VTX-S	2425-02-05RVS	5 VTX-SS	2425-02-05MS	5 VTX-B
8	5/16	1/4-18	1/2-20	2425-04-05	5-4 VTX-S	2425-04-05RVS	5-4 VTX-SS	2425-04-05MS	5-4 VTX-B
10	3/8	1/4-18	9/16-18	2425-04-06	6 VTX-S	2425-04-06RVS	6 VTX-SS	2425-04-06MS	6 VTX-B
10	3/8	1/8-27	9/16-18	2425-02-06	6-2 VTX-S	2425-02-06RVS	6-2 VTX-SS	2425-02-06MS	6-2 VTX-B
10	3/8	3/8-18	9/16-18	2425-06-06	6-6 VTX-S	2425-06-06RVS	6-6 VTX-SS	2425-06-06MS	6-6 VTX-B
10	3/8	1/2-14	9/16-18	2425-08-06	6-8 VTX-S	2425-08-06RVS	6-8 VTX-SS	2425-08-06MS	6-8 VTX-B
12	1/2	1/4-18	3/4-16	2425-04-08	8-4 VTX-S	2425-04-08RVS	8-4 VTX-SS	2425-04-08MS	8-4 VTX-B
12	1/2	3/8-18	3/4-16	2425-06-08	8 VTX-S	2425-06-08RVS	8 VTX-SS	2425-06-08MS	8 VTX-B
12	1/2	1/2-14	3/4-16	2425-08-08	8-8 VTX-S	2425-08-08RVS	8-8 VTX-SS	2425-08-08MS	8-8 VTX-B
12	1/2	3/4-14	3/4-16	2425-12-08	8-12 VTX-S	2425-12-08RVS	8-12 VTX-SS	2425-12-08MS	8-12 VTX-B
14, 15, 16	5/8	1/2-14	7/8-14	2425-08-10	10 VTX-S	2425-08-10RVS	10 VTX-SS	2425-08-10MS	10 VTX-B
14, 15, 16	5/8	3/8-18	7/8-14	2425-06-10	10-6 VTX-S	2425-06-10RVS	10-6 VTX-SS	2425-06-10MS	10-6 VTX-B
14, 15, 16	5/8	3/4-14	7/8-14	2425-12-10	10-12 VTX-S	2425-12-10RVS	10-12 VTX-SS	-	-
18, 20	3/4	3/4-14	1 1/16-12	2425-12-12	12 VTX-S	2425-12-12RVS	12 VTX-SS	2425-12-12MS	12 VTX-B
18, 20	3/4	1/2-14	1 1/16-12	2425-08-12	12-8 VTX-S	2425-08-12RVS	12-8 VTX-SS	2425-08-12MS	12-8 VTX-B
18, 20	3/4	1-11.5	1 1/16-12	2425-16-12	12-16 VTX-S	2425-16-12RVS	12-16 VTX-SS	2425-16-12MS	12-16 VTX-B
25	1	1-11.5	1 5/16-12	2425-16-16	16 VTX-S	2425-16-16RVS	16 VTX-SS	2425-16-16MS	16 VTX-B
25	1	3/4-14	1 5/16-12	2425-12-16	16-12 VTX-S	2425-12-16RVS	16-12 VTX-SS	2425-12-16MS	16-12 VTX-B
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	2425-20-20	20 VTX-S	2425-20-20RVS	20 VTX-SS	2425-20-20MS	20 VTX-B
35, 38	1 1/2	1 1/2-11.5	1 7/8-12	2425-24-24	24 VTX-S	2425-24-24RVS	24 VTX-SS	2425-24-24MS	24 VTX-B
	2	2-11.5	2 1/2-12	2425-32-32	32 VTX-S	-	-	-	-

2426 - Male stud elbow 45°


Triple-Lok® 37° Flare end / Male Metric thread – O-ring + retaining ring



mm	Tube O.D.		Thread UN/UNF T	Thread Metric T2	Order code Steel	Parker cross reference Steel
	in.					
6	1/4		7/16-20	M 10×1.0	2426-04-10	4M10V80MXS
6	1/4		7/16-20	M 12×1.5	2426-04-12	4M12V80MXS
8	5/16		1/2-20	M 12×1.5	2426-05-12	5M12V80MXS
10	3/8		9/16-18	M 14×1.5	2426-06-14	6M14V80MXS
12	1/2		3/4-16	M 16×1.5	2426-08-16	8M16V80MXS
12	1/2		3/4-16	M 18×1.5	2426-08-18	8M18V80MXS
14, 15, 16	5/8		7/8-14	M 22×1.5	2426-10-22	10M22V80MXS
18, 20	3/4		1 1/16-12	M 27×2.0	2426-12-27	12M27V80MXS
25	1		1 5/16-12	M 33×2.0	2426-16-33	16M33V80MXS

2523 - Male stud branch tee


Triple-Lok® 37° Flare ends / Male UNF thread O-ring



mm	Tube O.D.		Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
	in.							
6	1/4		7/16-20	7/16-20	2523-04-04	4 S50X-S	2523-04-04RVS	4 S50X-SS
8	5/16		1/2-20	1/2-20	2523-05-05	5 S50X-S	2523-05-05RVS	5 S50X-SS
10	3/8		9/16-18	9/16-18	2523-06-06	6 S50X-S	2523-06-06RVS	6 S50X-SS
12	1/2		3/4-16	3/4-16	2523-08-08	8S50MXS	2523-08-08RVS	8 S50X-SS
14, 15, 16	5/8		7/8-14	7/8-14	2523-10-10	10S50MXS	2523-10-10RVS	10 S50X-SS
18, 20	3/4		1 1/16-12	1 1/16-12	2523-12-12	12 S50X-S	2523-12-12RVS	12 S50X-SS
25	1		1 5/16-12	1 5/16-12	2523-16-16	16 S50X-S	2523-16-16RVS	16 S50X-SS
28, 30, 32	1 1/4		1 5/8-12	1 5/8-12	2523-20-20	20 S50X-S	2523-20-20RVS	20 S50X-SS
35, 38	1 1/2		1 7/8-12	1 7/8-12	2523-24-24	24 S50X-S	-	-
	2		2 1/2-12	2 1/2-12	2523-32-32	32 S50X-S	-	-

2524 - Male stud branch tee


Triple-Lok® 37° Flare end / Adjustable BSPP thread O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	1/8-28	2524-04-02	4S40MXS	2524-04-02RVS	4S40MXSS
10	3/8	9/16-18	1/4-19	2524-06-04	6S40MXS	2524-06-04RVS	6S40MXSS
12	1/2	3/4-16	3/8-19	2524-08-06	8S40MXS	2524-08-06RVS	8S40MXSS
12	1/2	3/4-16	1/2-14	2524-08-08	8-8-8S40MXS	2524-08-08RVS	8-8-8S40MXSS
14, 15, 16	5/8	7/8-14	1/2-14	2524-10-08	10S40MXS	2524-10-08RVS	10S40MXSS
18, 20	3/4	1 1/16-12	3/4-14	2524-12-12	12S40MXS	2524-12-12RVS	12S40MXSS
25	1	1 5/16-12	1-11	2524-16-16	16S40MXS	2524-16-16RVS	16S40MXSS
28, 30, 32	1 1/4	1 5/8-12	1 1/4-11	2524-20-20	20S40MXS	2524-20-20RVS	20S40MXSS

2530 - Male stud branch tee


Triple-Lok® 37° Flare ends / Male NPTF thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
	3/16	1/8-27	3/8-24	2530-03-02	3 STX-S	2530-03-02RVS	3 STX-SS	2530-03-02MS	3 STX-B
6	1/4	1/8-27	7/16-20	2530-04-02	4 STX-S	2530-04-02RVS	4 STX-SS	2530-04-02MS	4 STX-B
6	1/4	1/4-18	7/16-20	2530-04-04	4-4-4 STX-S	2530-04-04RVS	4-4-4 STX-SS	2530-04-04MS	4-4-4 STX-B
8	5/16	1/8-27	1/2-20	2530-05-02	5 STX-S	2530-05-02RVS	5 STX-SS	2530-05-02MS	5 STX-B
10	3/8	1/4-18	9/16-18	2530-06-04	6 STX-S	2530-06-04RVS	6 STX-SS	2530-06-04MS	6 STX-B
10	3/8	3/8-18	9/16-18	2530-06-06	6-6-6 STX-S	2530-06-06RVS	6-6-6 STX-SS	2530-06-06MS	6-6-6 STX-B
12	1/2	3/8-18	3/4-16	2530-08-06	8 STX-S	2530-08-06RVS	8 STX-SS	2530-08-06MS	8 STX-B
12	1/2	1/2-14	3/4-16	2530-08-08	8-8-8 STX-S	2530-08-08RVS	8-8-8 STX-SS	2530-08-08MS	8-8-8 STX-B
14, 15, 16	5/8	1/2-14	7/8-14	2530-10-08	10 STX-S	2530-10-08RVS	10 STX-SS	2530-10-08MS	10 STX-B
18, 20	3/4	3/4-14	1 1/16-12	2530-12-12	12 STX-S	2530-12-12RVS	12 STX-SS	2530-12-12MS	12 STX-B
22	7/8	3/4-14	1 3/16-12	2530-14-12	14 STX-S	-	-	-	-
25	1	1-11.5	1 5/16-12	2530-16-16	16 STX-S	2530-16-16RVS	16 STX-SS	2530-16-16MS	16 STX-B
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	2530-20-20	20 STX-S	2530-20-20RVS	20 STX-SS	2530-20-20MS	20 STX-B
	2	1 1/2-11.5	1 7/8-12	2530-24-24	24 STX-S	2530-24-24RVS	24 STX-SS	2530-24-24MS	24 STX-B

2522 - Male stud run tee


Triple-Lok® 37° Flare ends / Male UNF thread O-ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	7/16-20	2522-04-04	4 R50X-S	2522-04-04RVS	4 R50X-SS
8	5/16	1/2-20	1/2-20	2522-05-05	5 R50X-S	2522-05-05RVS	5 R50X-SS
10	3/8	9/16-18	9/16-18	2522-06-06	6 R50X-S	2522-06-06RVS	6 R50X-SS
12	1/2	3/4-16	3/4-16	2522-08-08	8 R50X-S	2522-08-08RVS	8 R50X-SS
14, 15, 16	5/8	7/8-14	7/8-14	2522-10-10	10 R50X-S	2522-10-10RVS	10 R50X-SS
18, 20	3/4	1 1/16-12	1 1/16-12	2522-12-12	12 R50X-S	2522-12-12RVS	12 R50X-SS
25	1	1 5/16-12	1 5/16-12	2522-16-16	16 R50X-S	2522-16-16RVS	16 R50X-SS
28, 30, 32	1 1/4	1 5/8-12	1 5/8-12	2522-20-20	20 R50X-S	2522-20-20RVS	20 R50X-SS
35, 38	1 1/2	1 7/8-12	1 7/8-12	2522-24-24	24 R50X-S	2522-24-24RVS	24 R50X-SS
	2	2 1/2-12	2 1/2-12	2522-32-32	32 R50X-S	2522-32-32RVS	32 R50X-SS

2525 - Male stud run tee


Triple-Lok® 37° Flare end / Adjustable BSPP thread O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	1/8-28	2525-04-02	4R40MXS	2525-04-02RVS	4R40MXSS
10	3/8	9/16-18	1/4-19	2525-06-04	6R40MXS	2525-06-04RVS	6R40MXSS
12	1/2	3/4-16	3/8-19	2525-08-06	8R40MXS	2525-08-06RVS	8R40MXSS
14, 15, 16	5/8	7/8-14	1/2-14	2525-10-08	10R40MXS	2525-10-08RVS	10R40MXSS
18, 20	3/4	1 1/16-12	3/4-14	2525-12-12	12R40MXS	2525-12-12RVS	12R40MXSS
25	1	1 5/16-12	1-11	2525-16-16	16R40MXS	2525-16-16RVS	16R40MXSS
28, 30, 32	1 1/4	1 5/8-12	1 1/4-11	2525-20-20	20R40MXS	2525-20-20RVS	20R40MXSS

2531 - Male stud run tee


Triple-Lok® 37° Flare ends / Male NPTF thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
	3/16	1/8-27	3/8-24	2531-03-02	3 RTX-S	2531-03-02RVS	3 RTX-SS	-	-
6	1/4	1/8-27	7/16-20	2531-02-04	4 RTX-S	2531-02-04RVS	4 RTX-SS	2531-02-04MS	4 RTX-B
6	1/4	1/4-18	7/16-20	2531-04-04	4-4-4 RTX-S	2531-04-04RVS	4-4-4 RTX-SS	2531-04-04MS	4-4-4 RTX-B
8	5/16	1/8-27	1/2-20	2531-02-05	5 RTX-S	2531-02-05RVS	5 RTX-SS	2531-02-05MS	5 RTX-B
10	3/8	1/4-18	9/16-18	2531-04-06	6 RTX-S	2531-04-06RVS	6 RTX-SS	2531-04-06MS	6 RTX-B
10	3/8	3/8-18	9/16-18	2531-06-06	6-6-6 RTX-S	2531-06-06RVS	6-6-6 RTX-SS	2531-06-06MS	6-6-6 RTX-B
12	1/2	3/8-18	3/4-16	2531-06-08	8 RTX-S	2531-06-08RVS	8 RTX-SS	2531-06-08MS	8 RTX-B
12	1/2	1/2-14	3/4-16	2531-08-08	8-8-8 RTX-S	2531-08-08RVS	8-8-8 RTX-SS	2531-08-08MS	8-8-8 RTX-B
14, 15, 16	5/8	1/2-14	7/8-14	2531-08-10	10 RTX-S	2531-08-10RVS	10 RTX-SS	2531-08-10MS	10 RTX-B
18, 20	3/4	3/4-14	1 1/16-12	2531-12-12	12 RTX-S	2531-12-12RVS	12 RTX-SS	2531-12-12MS	12 RTX-B
22	7/8	3/4-14	1 3/16-12	2531-12-14	14 RTX-S	-	-	-	-
25	1	1-11.5	1 5/16-12	2531-16-16	16 RTX-S	2531-16-16RVS	16 RTX-SS	2531-16-16MS	16 RTX-B
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	2531-20-20	20 RTX-S	2531-20-20RVS	20 RTX-SS	2531-20-20MS	20 RTX-B
35, 38	1 1/2	1 1/2-11.5	1 7/8-12	2531-24-24	24 RTX-S	2531-24-24RVS	24 RTX-SS	-	-

2221 - Female connector


Triple-Lok® 37° Flare end / Female BSPP thread



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	1/8-28	2221-02-04	4G4MXS	2221-02-04RVS	4G4MXSS
6	1/4	7/16-20	1/4-19	2221-04-04	4-4G4MXS	2221-04-04RVS	4-4G4MXSS
8	5/16	1/2-20	1/8-28	2221-02-05	5G4MXS	2221-02-05RVS	5G4MXSS
8	5/16	1/2-20	1/4-19	2221-04-05	5-4G4MXS	2221-04-05RVS	5-4G4MXSS
10	3/8	9/16-18	1/4-19	2221-04-06	6G4MXS	2221-04-06RVS	6G4MXSS
10	3/8	9/16-18	3/8-19	2221-06-06	6-6G4MXS	2221-06-06RVS	6-6G4MXSS
12	1/2	3/4-16	3/8-19	2221-06-08	8G4MXS	2221-06-08RVS	8G4MXSS
12	1/2	3/4-16	1/2-14	2221-08-08	8-8G4MXS	2221-08-08RVS	8-8G4MXSS
14, 15, 16	5/8	7/8-14	1/2-14	2221-08-10	10G4MXS	2221-08-10RVS	10G4MXSS
18, 20	3/4	1 1/16-12	3/4-14	2221-12-12	12G4MXS	2221-12-12RVS	12G4MXSS
25	1	1 5/16-12	1 1/4-11	2221-16-16	16G4MXS	2221-16-16RVS	16G4MXSS
28, 30, 32	1 1/4	1 5/8-12	1 1/4-11	2221-20-20	20G4MXS	2221-20-20RVS	20G4MXSS
35, 38	1 1/2	1 7/8-12	1 1/2-11	2221-24-24	24G4MXS	2221-24-24RVS	24G4MXSS

8227 - Female connector


Triple-Lok® 37° Flare end / Female NPTF thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
2	1/8	1/8-27	5/16-24	8227-02-02	2 GTX-S	-	-
6	1/4	1/8-27	7/16-20	8227-02-04	4 GTX-S	8227-02-04RVS	4GMTXSS
6	1/4	1/4-18	7/16-20	8227-04-04	4-4 GTX-S	8227-04-04RVS	4-4GMTXSS
8	5/16	1/8-27	1/2-20	8227-02-05	5 GTX-S	8227-02-05RVS	5GMTXSS
8	5/16	1/4-18	1/2-20	8227-04-05	5-4 GTX-S	8227-04-05RVS	5-4GMTXSS
10	3/8	1/4-18	9/16-18	8227-04-06	6 GTX-S	8227-04-06RVS	6GMTXSS
10	3/8	3/8-18	9/16-18	8227-06-06	6-6 GTX-S	8227-06-06RVS	6-6GMTXSS
10	3/8	1/2-14	9/16-18	8227-08-06	6-8 GTX-S	8227-08-06RVS	6-8GMTXSS
12	1/2	3/8-18	3/4-16	8227-08-08	8 GTX-S	8227-08-08RVS	8GMTXSS
12	1/2	1/4-18	3/4-16	8227-04-08	8-4 GTX-S	8227-04-08RVS	8-4GMTXSS
12	1/2	1/2-14	3/4-16	8227-08-08	8-8 GTX-S	8227-08-08RVS	8-8GMTXSS
12	1/2	3/4-14	3/4-16	8227-12-08	8-12 GTX-S	8227-12-08RVS	8-12GMTXSS
14, 15, 16	5/8	1/2-14	7/8-14	8227-08-10	10 GTX-S	8227-08-10RVS	10GMTXSS
14, 15, 16	5/8	3/4-14	7/8-14	8227-12-10	10-12 GTX-S	8227-12-10RVS	10-12GMTXSS
18, 20	3/4	3/4-14	1 1/16-12	8227-12-12	12 GTX-S	8227-12-12RVS	12GMTXSS
18, 20	3/4	1/2-14	1 1/16-12	8227-08-12	12-8 GTX-S	8227-08-12RVS	12-8GMTXSS
25	1	1-11.5	1 5/16-12	8227-16-16	16 GTX-S	8227-16-16RVS	16GMTXSS
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	8227-20-20	20 GTX-S	8227-20-20RVS	20GMTXSS
35, 38	1 1/2	1 1/2-11.5	1 7/8-12	8227-24-24	24 GTX-S	8227-24-24RVS	24GMTXSS

8627 - Female elbow connector


Triple-Lok® 37° Flare end / Female NPTF thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
6	1/4	1/8-27	7/16-20	8627-02-04	4 DTX-S	8627-02-04RVS	4 DTX-SS	8627-02-04MS	4 DTX-B
6	1/4	1/4-18	7/16-20	8627-04-04	4-4 DTX-S	8627-04-04RVS	4-4 DTX-SS	8627-04-04MS	4-4 DTX-B
8	5/16	1/8-27	1/2-20	8627-02-05	5 DTX-S	8627-02-05RVS	5 DTX-SS	8627-02-05MS	5 DTX-B
8	5/16	1/4-18	1/2-20	8627-04-05	5-4 DTX-S	8627-04-05RVS	5-4 DTX-SS	8627-04-05MS	5-4 DTX-B
10	3/8	1/4-18	9/16-18	8627-04-06	6 DTX-S	8627-04-06RVS	6 DTX-SS	8627-04-06MS	6 DTX-B
10	3/8	1/8-27	9/16-18	8627-02-06	6-2 DTX-S	8627-02-06RVS	6-2 DTX-SS	8627-02-06MS	6-2 DTX-B
10	3/8	3/8-18	9/16-18	8627-06-06	6-6 DTX-S	8627-06-06RVS	6-6 DTX-SS	8627-06-06MS	6-6 DTX-B
12	1/2	3/8-18	3/4-16	8627-06-08	8 DTX-S	8627-06-08RVS	8 DTX-SS	8627-06-08MS	8 DTX-B
12	1/2	1/4-18	3/4-16	8627-04-08	8-4 DTX-S	8627-04-08RVS	8-4 DTX-SS	8627-04-08MS	8-4 DTX-B
12	1/2	1/2-14	3/4-16	8627-08-08	8-8 DTX-S	8627-08-08RVS	8-8 DTX-SS	8627-08-08MS	8-8 DTX-B
14, 15, 16	5/8	1/2-14	7/8-14	8627-08-10	10 DTX-S	8627-08-10RVS	10 DTX-SS	8627-08-10MS	10 DTX-B
18, 20	3/4	3/4-14	1 1/16-12	8627-12-12	12 DTX-S	8627-12-12RVS	12 DTX-SS	8627-12-12MS	12 DTX-B
18, 20	3/4	1/2-14	1 1/16-12	8627-08-12	12-8 DTX-S	8627-08-12RVS	12-8 DTX-SS	8627-08-12MS	12-8 DTX-B
22	7/8	3/4-14	1 3/16-12	8627-12-14	14 DTX-S	8627-12-14RVS	14 DTX-SS	-	-
25	1	1-11.5	1 5/16-12	8627-16-16	16 DTX-S	8627-16-16RVS	16 DTX-SS	8627-16-16MS	16 DTX-B
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	8627-20-20	20 DTX-S	8627-20-20RVS	20 DTX-SS	8627-20-20MS	20 DTX-B
35, 38	1 1/2	1 1/2-11.5	1 7/8-12	8627-24-24	24 DTX-S	8627-24-24RVS	24 DTX-SS	-	-

8727 - Female branch tee


Triple-Lok® 37° Flare ends / Female NPTF thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
6	1/4	1/8-27	7/16-20	8727-02-04	4 OTX-S	8727-02-04RVS	4 OTX-SS	8727-02-04MS	4 OTX-B
8	5/16	1/8-27	1/2-20	8727-02-05	5 OTX-S	8727-02-05RVS	5 OTX-SS	8727-02-05MS	5 OTX-B
10	3/8	1/4-18	9/16-18	8727-04-06	6 OTX-S	8727-04-06RVS	6 OTX-SS	8727-04-06MS	6 OTX-B
12	1/2	3/8-18	3/4-16	8727-06-08	8 OTX-S	8727-06-08RVS	8 OTX-SS	8727-06-08MS	8 OTX-B
14, 15, 16	5/8	1/2-14	7/8-14	8727-08-10	10 OTX-S	8727-08-10RVS	10 OTX-SS	8727-08-10MS	10 OTX-B
18, 20	3/4	3/4-14	1 1/16-12	8727-12-12	12 OTX-S	8727-12-12RVS	12 OTX-SS	8727-12-12MS	12 OTX-B
25	1	1-11.5	1 5/16-12	8727-16-16	16 OTX-S	8727-16-16RVS	16 OTX-SS	8727-16-16MS	16 OTX-B
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	8727-20-20	20 OTX-S	8727-20-20RVS	20 OTX-SS	-	-
35, 38	1 1/2	1 1/2-11.5	1 7/8-12	8727-24-24	24 OTX-S	8727-24-24RVS	24 OTX-SS	-	-

8728 - Female run tee


Triple-Lok® 37° Flare ends / Female NPTF thread



mm	Tube O.D. in.	Thread NPT/NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
6	1/4	1/8-27	7/16-20	8728-02-04	4 MTX-S	8728-02-04RVS	4 MTX-SS	8728-02-04MS	4 MTX-B
10	3/8	1/4-18	9/16-18	8728-04-06	6 MTX-S	8728-04-06RVS	6 MTX-SS	8728-04-06MS	6 MTX-B
12	1/2	3/8-18	3/4-16	8728-06-08	8 MTX-S	8728-06-08RVS	8 MTX-SS	8728-06-08MS	8 MTX-B
14, 15, 16	5/8	1/2-14	7/8-14	8728-08-10	10 MTX-S	8728-08-10RVS	10 MTX-SS	8728-08-10MS	10 MTX-B
18, 20	3/4	3/4-14	1 1/16-12	8728-12-12	12 MTX-S	8728-12-12RVS	12 MTX-SS	8728-12-12MS	12 MTX-B
22	7/8	3/4-14	1 3/16-12	8728-12-14	14 MTX-S	-	-	-	-
25	1	1-11.5	1 5/16-12	8728-16-16	16 MTX-S	8728-16-16RVS	16 MTX-SS	-	-
28, 30, 32	1 1/4	1 1/4-11.5	1 5/8-12	8728-20-20	20 MTX-S	8728-20-20RVS	20 MTX-SS	-	-

2227 - Pressure gauge connector


Triple-Lok® 37° Flare end / Female BSPP gauge thread



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	7/16-20	1/4-19	2227-04-04	4-4G4MXSMO	2227-04-04RVS	4-4G4MXSSMO
6	1/4	7/16-20	1/2-14	2227-04-08	4-8G4MXSMO	2227-04-08RVS	4-8G4MXSSMO
8	5/16	1/2-20	1/4-19	2227-05-04	5-4G4MXSMO	2227-05-04RVS	5-4G4MXSSMO
8	5/16	1/2-20	1/2-14	2227-05-08	5-8G4MXSMO	2227-05-08RVS	5-8G4MXSSMO
10	3/8	9/16-20	1/4-19	2227-06-04	6G4MXSMO	2227-06-04RVS	6G4MXSSMO
10	3/8	9/16-20	1/2-14	2227-06-08	6-8G4MXSMO	2227-06-08RVS	6-8G4MXSSMO
12	1/2	3/4-16	1/4-19	2227-08-04	8-4G4MXSMO	2227-08-04RVS	8-4G4MXSSMO
12	1/2	3/4-16	1/2-14	2227-08-08	8-8G4MXSMO	2227-08-08RVS	8-8G4MXSSMO

2115 - Cap


Triple-Lok® 37° Flare female swivel cap end



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
	1/8	5/16-24	2115-02	2 FNTX-S	-	-	-	-
	3/16	3/8-24	2115-03	3 FNTX-S	-	-	-	-
6	1/4	7/16-20	2115-04	4FNMTXS	2115-04RVS	4FNMTXSS	2115-04MS	4 FNTX-B
8	5/16	1/2-20	2115-05	5FNMTXS	2115-05RVS	5FNMTXSS	2115-05MS	5 FNTX-B
10	3/8	9/16-18	2115-06	6FNMTXS	2115-06RVS	6FNMTXSS	2115-06MS	6 FNTX-B
12	1/2	3/4-16	2115-08	8FNMTXS	2115-08RVS	8FNMTXSS	2115-08MS	8 FNTX-B
14, 15, 16	5/8	7/8-14	2115-10	10FNMTXS	2115-10RVS	10FNMTXSS	2115-10MS	10 FNTX-B
18, 20	3/4	1 1/16-12	2115-12	12FNMTXS	2115-12RVS	12FNMTXSS	2115-12MS	12 FNTX-B
22	7/8	1 3/16-12	2115-14	14 FNTX-S	2115-14RVS	14FNMTXSS	2115-14MS	14 FNTX-B
25	1	1 5/16-12	2115-16	16FNMTXS	2115-16RVS	16FNMTXSS	2115-16MS	16 FNTX-B
28, 30, 32	1 1/4	1 5/8-12	2115-20	20FNMTXS	2115-20RVS	20FNMTXSS	2115-20MS	20 FNTX-B
35, 38	1 1/2	1 7/8-12	2115-24	24FNMTXS	2115-24RVS	24FNMTXSS	2115-24MS	24 FNTX-B
	2	2 1/2-12	2115-32	32 FNTX-S	-	-	-	-

2120 - Plug

Triple-Lok® 37° Flare end plug



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
	1/8	5/16-24	2120-02	2 PNTX-S	-	-
	3/16	3/8-24	2120-03	3 PNTX-S	-	-
6	1/4	7/16-20	2120-04	4PNMTXS	2120-04RVS	4PNMTXSS
8	5/16	1/2-20	2120-05	5PNMTXS	2120-05RVS	5PNMTXSS
10	3/8	9/16-18	2120-06	6 PNTX-S	2120-06RVS	6PNMTXSS
12	1/2	3/4-16	2120-08	8PNMTXS	2120-08RVS	8PNMTXSS
14, 15, 16	5/8	7/8-14	2120-10	10PNMTXS	2120-10RVS	10PNMTXSS
18, 20	3/4	1 1/16-12	2120-12	12PNMTXS	2120-12RVS	12PNMTXSS
22	7/8	1 3/16-12	2120-14	14 PNTX-S	2120-14RVS	14PNMTXSS
25	1	1 5/16-12	2120-16	16 PNTX-S	2120-16RVS	16PNMTXSS
28, 30, 32	1 1/4	1 5/8-12	2120-20	20 PNTX-S	2120-20RVS	20PNMTXSS
35, 38	1 1/2	1 7/8-12	2120-24	24 PNTX-S	2120-24RVS	24PNMTXSS
	2	2 1/2-12	2120-32	32 PNTX-S	-	-

GM - Bulkhead locknut


Bulkhead fitting locknut



Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel	Order code Brass	Parker cross reference Brass
3/8-24	GM3/8-24	3 WLN-S	-	-	-	-
7/16-20	GM7/16-20	4WLNMS	GM7/16-20RVS	4WLNMS	GM7/16-20MS	4WLNMB
1/2-20	GM1/2-20	5WLNMS	GM1/2-20RVS	5WLNMS	GM1/2-20MS	5WLNMB
9/16-18	GM9/16-18	6WLNMS	GM9/16-18RVS	6WLNMS	GM9/16-18MS	6WLNMB
3/4-16	GM3/4-16	8WLNMS	GM3/4-16RVS	8WLNMS	GM3/4-16MS	8WLNMB
7/8-14	GM7/8-14	10WLNMS	GM7/8-14RVS	10WLNMS	GM7/8-14MS	10WLNMB
1 1/16-12	GM11/16-12	12WLNMS	GM11/16-12RVS	12WLNMS	GM11/16-12MS	12WLNMB
1 3/16-12	GM13/16-12	14 WLN-S	GM13/16-12RVS	14WLNMS	GM13/16-12MS	14WLNMB
1 5/16-12	GM15/16-12	16WLNMS	GM15/16-12RVS	16WLNMS	GM15/16-12MS	16WLNMB
1 5/8-12	GM15/8-12	20WLNMS	GM15/8-12RVS	20WLNMS	GM15/8-12MS	20WLNMB
1 7/8-12	GM17/8-12	24WLNMS	GM17/8-12RVS	24WLNMS	GM17/8-12MS	24WLNMB
2 1/2-12	GM21/2-12	32 WLN-S	-	-	-	-

7140 - Nut


O-Lok® ORFS tube nut



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7140-04	4BMLS	7140-04RVS	4BMLSS
8, 10	3/8	11/16-16	7140-06	6BMLS	7140-06RVS	6BMLSS
12	1/2	13/16-16	7140-08	8BMLS	7140-08RVS	8BMLSS
14, 15, 16	5/8	1-14	7140-10	10BMLS	7140-10RVS	10BMLSS
18, 20	3/4	1 3/16-12	7140-12	12BMLS	7140-12RVS	12BMLSS
22, 25	1	1 7/16-12	7140-16	16BMLS	7140-16RVS	16BMLSS
28, 30, 32	1 1/4	1 11/16-12	7140-20	20BMLS	7140-20RVS	20BMLSS
35, 38	1 1/2	2-12	7140-24	24BMLS	7140-24RVS	24BMLSS
50	2	2 1/2-12	7140-32	32BMLS	7140-32RVS	32BMLSS

7222 - Union


O-Lok® ORFS tube ends



Tube 1 O.D.		Tube 2 O.D.		Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
mm	in.	mm	in.						
6	1/4	6	1/4	9/16-18	9/16-18	7222-04-04	4HMLOS	7222-04-04RVS	4HMLOSS
8, 10	5/16, 3/8	8, 10	5/16, 3/8	11/16-16	11/16-16	7222-06-06	6HMLOS	7222-06-06RVS	6HMLOSS
10	3/8	6	1/4	11/16-16	9/16-18	7222-04-06	6-4HMLOS	7222-04-06RVS	6-4HMLOSS
12	1/2	12	1/2	13/16-16	13/16-16	7222-08-08	8HMLOS	7222-08-08RVS	8HMLOSS
12	1/2	10	3/8	13/16-16	11/16-16	7222-06-08	8-6 HLO-S	7222-06-08RVS	8-6HMLOSS
14, 15, 16	5/8	10	3/8	1-14	11/16-16	7222-06-10	10-6HMLOS	7222-06-10RVS	10-6HMLOSS
14, 15, 16	5/8	14, 15, 16	5/8	1-14	1-14	7222-10-10	10HMLOS	7222-10-10RVS	10HMLOSS
16	5/8	12	1/2	1-14	13/16-16	7222-08-10	10-8 HLO-S	7222-08-10RVS	10-8HMLOSS
18, 20	3/4	12	1/2	1 3/16-12	13/16-16	7222-08-12	12-8HMLOS	7222-08-12RVS	12-8HMLOSS
18, 20	3/4	18, 20	3/4	1 3/16-12	1 3/16-12	7222-12-12	12HMLOS	7222-12-12RVS	12HMLOSS
20	3/4	16	5/8	1 3/16-12	1-14	7222-10-12	12-10HMLOS	7222-10-12RVS	12-10HMLOSS
22, 25	1	22, 25	1	1 7/16-12	1 7/16-12	7222-16-16	16HMLOS	7222-16-16RVS	16HMLOSS
25	1	18, 20	3/4	1 7/16-12	1 3/16-12	7222-12-16	16-12HMLOS	7222-12-16RVS	16-12HMLOSS
28, 30, 32	1 1/4	28, 30, 32	1 1/4	1 11/16-12	1 11/16-12	7222-20-20	20 HLO-S	7222-20-20RVS	20HMLOSS
28, 30, 32	1 1/4	22, 25	1	1 11/16-12	1 7/16-12	7222-16-20	20-16HMLOS	7222-16-20RVS	20-16HMLOSS
35, 38	1 1/2	35, 38	1 1/2	2-12	2-12	7222-24-24	24 HLO-S	7222-24-24RVS	24HMLOSS
35, 38	1 1/2	28, 30, 32	1 1/4	2-12	1 11/16-12	7222-20-24	24-20HMLOS	7222-20-24RVS	24-20HMLOSS
50	2	50	2	2 1/2-12	2 1/2-12	7222-32-32	32 HLO-S	7222-32-32RVS	32HMLOSS

7922 - Union elbow


O-Lok® ORFS tube ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7922-04-04	4 ELO-S	7922-04-04RVS	4EMLOSS
8, 10	5/16, 3/8	11/16-16	7922-06-06	6 ELO-S	7922-06-06RVS	6EMLOSS
12	1/2	13/16-16	7922-08-08	8 ELO-S	7922-08-08RVS	8EMLOSS
14, 15, 16	5/8	1-14	7922-10-10	10 ELO-S	7922-10-10RVS	10EMLOSS
18, 20	3/4	1 3/16-12	7922-12-12	12 ELO-S	7922-12-12RVS	12EMLOSS
22, 25	1	1 7/16-12	7922-16-16	16 ELO-S	7922-16-16RVS	16EMLOSS
28, 30, 32	1 1/4	1 11/16-12	7922-20-20	20 ELO-S	7922-20-20RVS	20EMLOSS
35, 38	1 1/2	2-12	7922-24-24	24 ELO-S	7922-24-24RVS	24EMLOSS
50	2	2 1/2-12	7922-32-32	32 ELO-S	-	-

7722 - Union tee


O-Lok® ORFS tube ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7722-04-04	4JMLOS	7722-04-04RVS	4JMLOSS
8, 10	5/16, 3/8	11/16-16	7722-06-06	6JMLOS	7722-06-06RVS	6JMLOSS
12	1/2	13/16-16	7722-08-08	8JMLOS	7722-08-08RVS	8JMLOSS
14, 15, 16	5/8	1-14	7722-10-10	10 JLO-S	7722-10-10RVS	10JMLOSS
18, 20	3/4	1 3/16-12	7722-12-12	12 JLO-S	7722-12-12RVS	12JMLOSS
22, 25	1	1 7/16-12	7722-16-16	16 JLO-S	7722-16-16RVS	16JMLOSS
28, 30, 32	1 1/4	1 11/16-12	7722-20-20	20 JLO-S	7722-20-20RVS	20JMLOSS
35, 38	1 1/2	2-12	7722-24-24	24 JLO-S	7722-24-24RVS	24JMLOSS
50	2	2 1/2-12	7722-32-32	32 JLO-S	7722-32-32RVS	32JMLOSS

7377 - Union cross


O-Lok® ORFS tube ends



Tube O.D.		Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
mm	in.					
6	1/4	9/16-18	7377-04-04	4 KLO-S	7377-04-04RVS	4 KLO-SS
8, 10	5/16, 3/8	11/16-16	7377-06-06	6 KLO-S	7377-06-06RVS	6 KLO-SS
12	1/2	13/16-16	7377-08-08	8 KLO-S	7377-08-08RVS	8 KLO-SS
14, 15, 16	5/8	1-14	7377-10-10	10 KLO-S	7377-10-10RVS	10 KLO-SS
18, 20	3/4	1 3/16-12	7377-12-12	12 KLO-S	7377-12-12RVS	12 KLO-SS
22, 25	1	1 7/16-12	7377-16-16	16 KLO-S	7377-16-16RVS	16 KLO-SS
28, 30, 32	1 1/4	1 11/16-12	7377-20-20	20 KLO-S	7377-20-20RVS	20 KLO-SS
35, 38	1 1/2	2-12	7377-24-24	24 KLO-S	7377-24-24RVS	24 KLO-SS

7248 - Bulkhead union


O-Lok® ORFS tube ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7248-04-04	4 WLO-WLNL-S	7248-04-04RVS	4WMLOWLNLSS
8, 10	5/16, 3/8	11/16-16	7248-06-06	6WMLOWLNLMS	7248-06-06RVS	6WMLOWLNLSS
12	1/2	13/16-16	7248-08-08	8WMLOWLNLMS	7248-08-08RVS	8WMLOWLNLSS
14, 15, 16	5/8	1-14	7248-10-10	10WMLOWLNLMS	7248-10-10RVS	10WMLOWLNLSS
18, 20	3/4	1 3/16-12	7248-12-12	12WMLOWLNLMS	7248-12-12RVS	12WMLOWLNLSS
22, 25	1	1 7/16-12	7248-16-16	16 WLO-WLNL-S	7248-16-16RVS	16WMLOWLNLSS
28, 30, 32	1 1/4	1 11/16-12	7248-20-20	20 WLO-WLNL-S	7248-20-20RVS	20WMLOWLNLSS
35, 38	1 1/2	2-12	7248-24-24	24 WLO-WLNL-S	7248-24-24RVS	24WMLOWLNLSS

7648 - Bulkhead union elbow 90°


O-Lok® ORFS tube end/O-Lok® ORFS tube ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7648-04-04	4 WELO-WLNL-S	7648-04-04RVS	4 WELO-WLNL-SS
8, 10	5/16, 3/8	11/16-16	7648-06-06	6WEMLOWLNLMS	7648-06-06RVS	6 WELO-WLNL-SS
12	1/2	13/16-16	7648-08-08	8WEMLOWLNLMS	7648-08-08RVS	8 WELO-WLNL-SS
14, 15, 16	5/8	1-14	7648-10-10	10WEMLOWLNLMS	7648-10-10RVS	10 WELO-WLNL-SS
18, 20	3/4	1 3/16-12	7648-12-12	12 WELO-WLNL-S	7648-12-12RVS	12 WELO-WLNL-SS
22, 25	1	1 7/16-12	7648-16-16	16 WELO-WLNL-S	7648-16-16RVS	16 WELO-WLNL-SS
28, 30, 32	1 1/4	1 11/16-12	7648-20-20	20 WELO-WLNL-S	7648-20-20RVS	20 WELO-WLNL-SS
35, 38	1 1/2	2-12	7648-24-24	24 WELO-WLNL-S	7648-24-24RVS	24 WELO-WLNL-SS

7448 - Bulkhead union elbow 45°

O-Lok® ORFS tube ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel
6	1/4	9/16-18	7448-04-04	4 WNLO-WLNL-S	7448-04-04RVS
8, 10	5/16, 3/8	11/16-16	7448-06-06	6 WNLO-WLNL-S	7448-06-06RVS
12	1/2	13/16-16	7448-08-08	8 WNLO-WLNL-S	7448-08-08RVS
14, 15, 16	5/8	1-14	7448-10-10	10 WNLO-WLNL-S	7448-10-10RVS
18, 20	3/4	1 3/16-12	7448-12-12	12 WNLO-WLNL-S	7448-12-12RVS
22, 25	1	1 7/16-12	7448-16-16	16 WNLO-WLNL-S	7448-16-16RVS
28, 30, 32	1 1/4	1 11/16-12	7448-20-20	20 WNLO-WLNL-S	7448-20-20RVS
35, 38	1 1/2	2-12	7448-24-24	24 WNLO-WLNL-S	7448-24-24RVS


GM - Bulkhead locknut



Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
9/16-18	GM9/16-18	4WLNMLS	GM9/16-18RVS	4WLNMLSS
11/16-16	GM11/16-16	6WLNMLS	GM11/16-16RVS	6WLNMLSS
13/16-16	GM13/16-16	8WLNMLS	GM13/16-16RVS	8WLNMLSS
1-14	GM1-14	10WLNMLS	GM1-14RVS	10WLNMLSS
1 3/16-12	GM1 3/16-12	12WLNMLS	GM1 3/16-12RVS	12WLNMLSS
1 7/16-12	GM1 7/16-12	16WLNMLS	GM1 7/16-12RVS	16WLNMLSS
1 11/16-12	GM1 11/16-12	20 WLNLS	GM1 11/16-12RVS	20WLNMLSS
2-12	GM2-12	24 WLNLS	GM2-12RVS	24WLNMLSS

7622 - Swivel nut elbow


O-Lok® ORFS Female swivel end / O-Lok® ORFS tube end



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7622-04-04	4C6MLOS	7622-04-04RVS	4C6MLOSS
8, 10	5/16, 3/8	11/16-16	7622-06-06	6C6MLOS	7622-06-06RVS	6C6MLOSS
12	1/2	13/16-16	7622-08-08	8C6MLOS	7622-08-08RVS	8C6MLOSS
14, 15, 16	5/8	1-14	7622-10-10	10C6MLOS	7622-10-10RVS	10C6MLOSS
18, 20	3/4	1 3/16-12	7622-12-12	12C6MLOS	7622-12-12RVS	12C6MLOSS
22, 25	1	1 7/16-12	7622-16-16	16C6MLOS	7622-16-16RVS	16C6MLOSS
28, 30, 32	1 1/4	1 11/16-12	7622-20-20	20 C6LO-S	7622-20-20RVS	20C6MLOSS
35, 38	1 1/2	2-12	7622-24-24	24 C6LO-S	7622-24-24RVS	24C6MLOSS

7422 - Swivel nut elbow 45°


O-Lok® ORFS female swivel end / O-Lok® ORFS tube end



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel
6	1/4	9/16-18	7422-04-04	4 V6LO-S	7422-04-04RVS
8, 10	5/16, 3/8	11/16-16	7422-06-06	6V6MLOS	7422-06-06RVS
12	1/2	13/16-16	7422-08-08	8 V6LO-S	7422-08-08RVS
14, 15, 16	5/8	1-14	7422-10-10	10V6MLOS	7422-10-10RVS
18, 20	3/4	1 3/16-12	7422-12-12	12V6MLOS	7422-12-12RVS
22, 25	1	1 7/16-12	7244-16-16	16 V6LO-S	7244-16-16RVS
28, 30, 32	1 1/4	1 11/16-12	7422-20-20	20 V6LO-S	7422-20-20RVS
35, 38	1 1/2	2-12	7422-24-24	24 V6LO-S	7422-24-24RVS

75924 - Swivel nut branch tee


O-Lok® ORFS female swivel end / O-Lok® ORFS tube ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	75924-04-04	4S6MLOS	75924-04-04RVS	4S6MLOSS
8, 10	5/16, 3/8	11/16-16	75924-06-06	6S6MLOS	75924-06-06RVS	6S6MLOSS
12	1/2	13/16-16	75924-08-08	8S6MLOS	75924-08-08RVS	8S6MLOSS
14, 15, 16	5/8	1-14	75924-10-10	10S6MLOS	75924-10-10RVS	10S6MLOSS
18, 20	3/4	1 3/16-12	75924-12-12	12 S6LO-S	75924-12-12RVS	12S6MLOSS
22, 25	1	1 7/16-12	75924-16-16	16 S6LO-S	75924-16-16RVS	16S6MLOSS
28, 30, 32	1 1/4	1 11/16-12	75924-20-20	20 S6LO-S	75924-20-20RVS	20S6MLOSS
35, 38	1 1/2	2-12	75924-24-24	24 S6LO-S	75924-24-24RVS	24S6MLOSS

75925 - Swivel nut run tee

O-Lok® ORFS female swivel end / O-Lok® ORFS tube ends



mm	Tube O.D. in.	Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	75925-04-04	4R6MLOS	75925-04-04RVS	4R6MLOSS
8, 10	5/16, 3/8	11/16-16	75925-06-06	6R6MLOS	75925-06-06RVS	6R6MLOSS
12	1/2	13/16-16	75925-08-08	8R6MLOS	75925-08-08RVS	8R6MLOSS
14, 15, 16	5/8	1-14	75925-10-10	10R6MLOS	75925-10-10RVS	10R6MLOSS
18, 20	3/4	1 3/16-12	75925-12-12	12 R6LO-S	75925-12-12RVS	12R6MLOSS
22, 25	1	1 7/16-12	75925-16-16	16 R6LO-S	75925-16-16RVS	16R6MLOSS
28, 30, 32	1 1/4	1 11/16-12	75925-20-20	20 R6LO-S	75925-20-20RVS	20R6MLOSS
35, 38	1 1/2	2-12	75925-24-24	24 R6LO-S	75925-24-24RVS	24R6MLOSS

78224 - Tube end reducer

O-Lok® ORFS tube end / O-Lok® ORFS swivel female end




Tube O.D.		Thread UN/UNF T1	Thread UN/UNF T2	Form	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
mm	in.							
10	3/8	11/16-16	9/16-18	B	78224-06-04	6-4TRMLONS	78224-06-04RVS	6-4TRMLONSS
12	1/2	—	9/16-18	A	78224-08-04	8-4 TRLO-S	78224-08-04RVS	8-4TRMLOSS
12	1/2	13/16-16	11/16-16	B	78224-08-06	8-6TRMLONS	78224-08-06RVS	8-6TRMLONSS
16	5/8	—	9/16-18	A	78224-10-04	10-4 TRLO-S	78224-10-04RVS	10-4TRMLOSS
16	5/8	—	11/16-16	A	78224-10-06	10-6 TRLO-S	78224-10-06RVS	10-6TRMLOSS
16	5/8	—	13/16-16	A	78224-10-08	10-8 TRLO-S	78224-10-08RVS	10-8TRMLOSS
20	3/4	—	9/16-18	A	78224-12-04	12-4 TRLO-S	78224-12-04RVS	12-4TRMLOSS
20	3/4	—	11/16-16	A	78224-12-06	12-6 TRLO-S	78224-12-06RVS	12-6TRMLOSS
20	3/4	—	13/16-16	A	78224-12-08	12-8 TRLO-S	78224-12-08RVS	12-8TRMLOSS
20	3/4	1 3/16-12	1-14	B	78224-12-10	12-10TRMLONS	78224-12-10RVS	12-10TRMLONSS
25	1	—	13/16-16	A	78224-16-08	16-8 TRLO-S	78224-16-08RVS	16-8TRMLOSS
25	1	—	1-14	A	78224-16-10	16-10 TRLO-S	78224-16-10RVS	16-10TRMLOSS
25	1	1 7/16-12	1 3/16-12	B	78224-16-12	16-12 TRLO-S	78224-16-12RVS	16-12TRMLONSS
32	1 1/4	—	1-14	A	78224-20-10	20-10TRLOS	78224-20-10RVS	20-10TRMOLSS
32	1 1/4	—	1 3/16-12	A	78224-20-12	20-12 TRLO-S	78224-20-12RVS	20-12TRMLOSS
32	1 1/4	1 11/16-12	1 7/16-12	B	78224-20-16	20-16 TRLO-S	78224-20-16RVS	20-16TRMLONSS
38	1 1/2	—	1 7/16-12	A	78224-24-16	24-16 TRLO-S	78224-24-16RVS	24-16TRMLOSS
38	1 1/2	—	1 11/16-12	A	78224-24-20	24-20 TRLO-S	78224-24-20RVS	24-20TRMLOSS
50	2	—	1 11/16-12	A	78224-32-20	32-20 TRLO-S	78224-32-20RVS	32-20TRMLOSS
50	2	—	2-12	A	78224-32-24	32-24 TRLO-S	78224-32-24RVS	32-24TRMLOSS

* Nut has to be ordered separately (see 7140-...) page 97

**These size come assembled with a crimp style nut (Form B).

7217 - Swivel nut union


O-Lok® ORFS female swivel ends



mm	Tube O.D.		Thread UN/UNF	Order code Steel	Parker cross reference Steel
		in.			
6		1/4	9/16-18	7217-04-04	4 HL6-S
8, 10		5/16, 3/8	11/16-16	7217-06-06	6 HL6-S
12		1/2	13/16-16	7217-08-08	8 HL6-S
14, 15, 16		5/8	1-14	7217-10-10	10 HL6-S
18, 20		3/4	1 3/16-12	7217-12-12	12 HL6-S
22, 25		1	1 7/16-12	7217-16-16	16 HL6-S

7223 - Male stud connector


O-Lok® ORFS tube end / Male UN/UNF thread – O-ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7/16-20	7223-04-04	4F50MLOS	7223-04-04RVS	4F50MLOSS
6	1/4	9/16-18	1/2-20	7223-04-05	4-5 F50LO-S	7223-04-05RVS	4-5F50MLOSS
6	1/4	9/16-18	9/16-18	7223-04-06	4-6F50MLOS	7223-04-06RVS	4-6F50MLOSS
6	1/4	9/16-18	3/4-16	7223-04-08	4-8 F50LO-S	7223-04-08RVS	4-8F50MLOSS
8, 10	5/16, 3/8	11/16-16	9/16-18	7223-06-06	6F50MLOS	7223-06-06RVS	6F50MLOSS
8, 10	5/16, 3/8	11/16-16	7/16-20	7223-06-04	6-4F50MLOS	7223-06-04RVS	6-4F50MLOSS
8, 10	5/16, 3/8	11/16-16	1/2-20	7223-06-05	6-5 F50LO-S	7223-06-05RVS	6-5F50MLOSS
8, 10	5/16, 3/8	11/16-16	3/4-16	7223-06-08	6-8F50MLOS	7223-06-08RVS	6-8F50MLOSS
8, 10	5/16, 3/8	11/16-16	7/8-14	7223-06-10	6-10F50MLOS	7223-06-10RVS	6-10F50MLOSS
12	1/2	13/16-16	3/4-16	7223-08-08	8F50MLOS	7223-08-08RVS	8F50MLOSS
12	1/2	13/16-16	7/16-20	7223-08-04	8-4 F50LO-S	7223-08-04RVS	8-4F50MLOSS
12	1/2	13/16-16	9/16-18	7223-08-06	8-6F50MLOS	7223-08-06RVS	8-6F50MLOSS
12	1/2	13/16-16	7/8-14	7223-08-10	8-10F50MLOS	7223-08-10RVS	8-10F50MLOSS
12	1/2	13/16-16	1 1/16-12	7223-08-12	8-12F50MLOS	7223-08-12RVS	8-12F50MLOSS
12	1/2	13/16-16	1 5/16-12	7223-08-16	8-16F50MLOS	7223-08-16RVS	8-16F50MLOSS
14, 15, 16	5/8	1-14	7/8-14	7223-10-10	10F50MLOS	7223-10-10RVS	10F50MLOSS
14, 15, 16	5/8	1-14	9/16-18	7223-10-06	10-6 F50LO-S	7223-10-06RVS	10-6F50MLOSS
14, 15, 16	5/8	1-14	3/4-16	7223-10-08	10-8F50MLOS	7223-10-08RVS	10-8F50MLOSS
14, 15, 16	5/8	1-14	1 1/16-12	7223-10-12	10-12F50MLOS	7223-10-12RVS	10-12F50MLOSS
18, 20	3/4	1 3/16-12	1 1/16-12	7223-12-12	12F50MLOS	7223-12-12RVS	12F50MLOSS
18, 20	3/4	1 3/16-12	3/4-16	7223-12-08	12-8 F50LO-S	7223-12-08RVS	12-8F50MLOSS
18, 20	3/4	1 3/16-12	7/8-14	7223-12-10	12-10F50MLOS	7223-12-10RVS	12-10F50MLOSS
18, 20	3/4	1 3/16-12	1 5/16-12	7223-12-16	12-16F50MLOS	7223-12-16RVS	12-16F50MLOSS
18, 20	3/4	1 3/16-12	1 5/8-12	7223-12-20	12-20F50MLOS	7223-12-20RVS	12-20F50MLOSS
22, 25	1	1 7/16-12	1 5/16-12	7223-16-16	16 F50LO-S	7223-16-16RVS	16F50MLOSS
22, 25	1	1 7/16-12	1 1/16-12	7223-16-12	16-12 F50LO-S	7223-16-12RVS	16-12F50MLOSS
22, 25	1	1 7/16-12	1 3/16-12	7223-16-14	16-14F50MLOS	7223-16-14RVS	16-14F50MLOSS
22, 25	1	1 7/16-12	1 5/8-12	7223-16-20	16-20 F50LO-S	7223-16-20RVS	16-20F50MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 5/8-12	7223-20-20	20F50MLOS	7223-20-20RVS	20F50MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 5/16-12	7223-20-16	20-16 F50LO-S	7223-20-16RVS	-
28, 30, 32	1 1/4	1 11/16-12	1 7/8-12	7223-20-24	20-24 F50LO-S	7223-20-24RVS	20-24F50MLOSS
35, 38	1 1/2	2-12	1 7/8-12	7223-24-24	24 F50LO-S	7223-24-24RVS	24F50MLOSS
35, 38	1 1/2	2-12	1 5/8-12	7223-24-20	24-20 F50LO-S	7223-24-20RVS	24-20F50MLOSS
50	2	2 1/2-12	2 1/2-12	7223-32-32	32 F50LO-S	7223-32-32RVS	32F50MLOSS

7224 - Male stud connector


O-Lok® ORFS tube end / Male BSPP thread – ED seal



mm	Tube O.D. in.	Thread UN/UNF T1	BSPP male thread T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	1/8-28	7224-04-02	4F42EDMLOS	7224-04-02RVS	4F42EDMLOSS
6	1/4	9/16-18	1/4-19	7224-04-04	4-4F42EDMLOS	7224-04-04RVS	4-4F42EDMLOSS
6	1/4	9/16-18	3/8-19	7224-04-06	4-6F42EDMLOS	7224-04-06RVS	4-6F42EDMLOSS
6	1/4	9/16-18	1/2-14	7224-08-06	4-8F42EDMLOS	7224-08-06RVS	4-8F42EDMLOSS
8, 10	5/16, 3/8	11/16-16	1/4-19	7224-06-04	6F42EDMLOS	7224-06-04RVS	6F42EDMLOSS
8, 10	5/16, 3/8	11/16-16	1/8-28	7224-06-02	6-2F42EDMLOS	7224-06-02RVS	6-2F42EDMLOSS
8, 10	5/16, 3/8	11/16-16	3/8-19	7224-06-06	6-6F42EDMLOS	7224-06-06RVS	6-6F42EDMLOSS
8, 10	5/16, 3/8	11/16-16	1/2-14	7224-06-08	6-8F42EDMLOS	7224-06-08RVS	6-8F42EDMLOSS
8, 10	5/16, 3/8	11/16-16	3/4-14	7224-06-12	6-12F42EDMLOS	7224-06-12RVS	6-12F42EDMLOSS
12	1/2	13/16-16	3/8-19	7224-08-06	8F42EDMLOS	7224-08-06RVS	8F42EDMLOSS
12	1/2	13/16-16	1/4-19	7224-08-04	8-4F42EDMLOS	7224-08-04RVS	8-4F42EDMLOSS
12	1/2	13/16-16	1/2-14	7224-08-08	8-8F42EDMLOS	7224-08-08RVS	8-8F42EDMLOSS
12	1/2	13/16-16	3/4-14	7224-08-12	8-12F42EDMLOS	7224-08-12RVS	8-12F42EDMLOSS
14, 15, 16	5/8	1-14	1/2-14	7224-10-08	10F42EDMLOS	7224-10-08RVS	10F42EDMLOSS
14, 15, 16	5/8	1-14	3/8-19	7224-10-06	10-6F42EDMLOS	7224-10-06RVS	10-6F42EDMLOSS
14, 15, 16	5/8	1-14	3/4-14	7224-10-12	10-12F42EDMLOS	7224-10-12RVS	10-12F42EDMLOSS
14, 15, 16	5/8	1-14	1-11	7224-10-16	10-16F42EDMLOS	7224-10-16RVS	10-16F42EDMLOSS
18, 20	3/4	1 3/16-12	3/4-14	7224-12-12	12F42EDMLOS	7224-12-12RVS	12F42EDMLOSS
18, 20	3/4	1 3/16-12	1/2-14	7224-12-08	12-8F42EDMLOS	7224-12-08RVS	12-8F42EDMLOSS
18, 20	3/4	1 3/16-12	1-11	7224-12-16	12-16F42EDMLOS	7224-12-16RVS	12-16F42EDMLOSS
18, 20	3/4	1 3/16-12	1 1/4-11	7224-12-20	12-20F42EDMLOS	7224-12-20RVS	12-20F42EDMLOSS
22, 25	1	1 7/16-12	1-11	7224-16-16	16F42EDMLOS	7224-16-16RVS	16F42EDMLOSS
22, 25	1	1 7/16-12	1/2-14	7224-16-08	16-8F42EDMLOS	7224-16-08RVS	16-8F42EDMLOSS
22, 25	1	1 7/16-12	3/4-14	7224-16-12	16-12F42EDMLOS	7224-16-12RVS	16-12F42EDMLOSS
22, 25	1	1 7/16-12	1 1/4-11	7224-16-20	16-20F42EDMLOS	7224-16-20RVS	16-20F42EDMLOSS
22, 25	1	1 7/16-12	1 1/2-11	7224-16-24	16-24F42EDMLOS	7224-16-24RVS	16-24F42EDMLOSS
28, 30, 32	1 1/4	1 11/16-12	1 1/4-11	7224-20-20	20F42EDMLOS	7224-20-20RVS	20F42EDMLOSS
28, 30, 32	1 1/4	1 11/16-12	3/4-14	7224-20-12	20-12F42EDMLOS	7224-20-12RVS	20-12F42EDMLOSS
28, 30, 32	1 1/4	1 11/16-12	1-11	7224-20-16	20-16F42EDMLOS	7224-20-16RVS	20-16F42EDMLOSS
28, 30, 32	1 1/4	1 11/16-12	1 1/2-11	7224-20-24	20-24F42EDMLOS	7224-20-24RVS	20-24F42EDMLOSS
35, 38	1 1/2	2-12	1 1/2-11	7224-24-24	24F42EDMLOS	7224-24-24RVS	24F42EDMLOSS
35, 38	1 1/2	2-12	1-11	7224-24-16	24-16F42EDMLOS	7224-24-16RVS	24-16F42EDMLOSS
35, 38	1 1/2	2-12	1 1/4-11	7224-24-20	24-20F42EDMLOS	7224-24-20RVS	24-20F42EDMLOSS

7225 - Male stud connector


O-Lok® ORFS tube end / Male NPTF thread



mm	Tube O.D. in.	Thread NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	1/8-27	9/16-18	7225-02-04	4 FLO-S	7225-02-04RVS	4 FLO-SS
6	1/4	1/4-18	9/16-18	7225-04-04	4-4 FLO-S	7225-04-04RVS	4-4 FLO-SS
6	1/4	3/8-18	9/16-18	7225-06-04	4-6 FLO-S	7225-06-04RVS	4-6 FLO-SS
8, 10	5/16, 3/8	1/4-18	11/16-16	7225-04-06	6 FLO-S	7225-04-06RVS	6 FLO-SS
8, 10	5/16, 3/8	3/8-18	11/16-16	7225-06-06	6-6 FLO-S	7225-06-06RVS	6-6 FLO-SS
8, 10	5/16, 3/8	1/2-14	11/16-16	7225-08-06	6-8 FLO-S	7225-08-06RVS	6-8 FLO-SS
12	1/2	3/8-18	13/16-16	7225-06-08	8 FLO-S	7225-06-08RVS	8 FLO-SS
12	1/2	1/2-14	13/16-16	7225-08-08	8-8 FLO-S	7225-08-08RVS	8-8 FLO-SS
12	1/2	3/4-14	13/16-16	7225-12-08	8-12 FLO-S	7225-12-08RVS	8-12 FLO-SS
14, 15, 16	5/8	1/2-14	1-14	7225-10-08	10 FLO-S	7225-10-08RVS	10 FLO-SS
14, 15, 16	5/8	3/4-14	1-14	7225-12-10	10-12 FLO-S	7225-12-10RVS	10-12 FLO-SS
18, 20	3/4	3/4-14	1 3/16-12	7225-12-12	12 FLO-S	7225-12-12RVS	12 FLO-SS
18, 20	3/4	1/2-14	1 3/16-12	7225-08-12	12-8 FLO-S	7225-08-12RVS	12-8 FLO-SS
18, 20	3/4	1-11.5	1 3/16-12	7225-16-12	12-16 FLO-S	7225-16-12RVS	12-16 FLO-SS
22, 25	1	1-11.5	1 7/16-12	7225-16-16	16 FLO-S	7225-16-16RVS	16 FLO-SS
22, 25	1	3/4-14	1 7/16-12	7225-12-16	16-12 FLO-S	7225-12-16RVS	16-12 FLO-SS
28, 30, 32	1 1/4	1 1/4-11.5	1 11/16-12	7225-20-20	20 FLO-S	7225-20-20RVS	20 FLO-SS
35, 38	1 1/2	1 1/2-11.5	2-12	7225-24-24	24 FLO-S	7225-24-24RVS	24 FLO-SS

7226 - Male stud connector


O-Lok® ORFS tube end / Male metric thread – ED seal



mm	Tube O.D. in.	Thread UN/UNF T1	Thread Metric T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	M 10×1.0	7226-04-10	4M10F82EDMLOS	7226-04-10RVS	4M10F82EDMLOSS
6	1/4	9/16-18	M 12×1.5	7226-04-12	4M12F82EDMLOS	7226-04-12RVS	4M12F82EDMLOSS
6	1/4	9/16-18	M 14×1.5	7226-04-14	4M14F82EDMLOS	7226-04-14RVS	4M14F82EDMLOSS
6	1/4	9/16-18	M 16×1.5	7226-04-16	4M16F82EDMLOS	7226-04-16RVS	4M16F82EDMLOSS
8, 10	5/16, 3/8	11/16-16	M 12×1.5	7226-06-12	6M12F82EDMLOS	7226-06-12RVS	6M12F82EDMLOSS
8, 10	5/16, 3/8	11/16-16	M 14×1.5	7226-06-14	6M14F82EDMLOS	7226-06-14RVS	6M14F82EDMLOSS
8, 10	5/16, 3/8	11/16-16	M 16×1.5	7226-06-16	6M16F82EDMLOS	7226-06-16RVS	6M16F82EDMLOSS
8, 10	5/16, 3/8	11/16-16	M 18×1.5	7226-06-18	6M18F82EDMLOS	7226-06-18RVS	6M18F82EDMLOSS
8, 10	5/16, 3/8	11/16-16	M 22×1.5	7226-06-22	6M22F82EDMLOS	7226-06-22RVS	6M22F82EDMLOSS
12	1/2	13/16-16	M 12×1.5	7226-08-12	8M12F82EDMLOS	7226-08-12RVS	8M12F82EDMLOSS
12	1/2	13/16-16	M 14×1.5	7226-08-14	8M14F82EDMLOS	7226-08-14RVS	8M14F82EDMLOSS
12	1/2	13/16-16	M 16×1.5	7226-08-16	8M16F82EDMLOS	7226-08-16RVS	8M16F82EDMLOSS
12	1/2	13/16-16	M 18×1.5	7226-08-18	8M18F82EDMLOS	7226-08-18RVS	8M18F82EDMLOSS
12	1/2	13/16-16	M 26×1.5	7226-08-26	8M26F82EDMLOS	7226-08-26RVS	8M26F82EDMLOSS
14, 15, 16	5/8	1-14	M 16×1.5	7226-10-16	10M16F82EDMLOS	7226-10-16RVS	10M16F82EDMLOSS
14, 15, 16	5/8	1-14	M 18×1.5	7226-10-18	10M18F82EDMLOS	7226-10-18RVS	10M18F82EDMLOSS
14, 15, 16	5/8	1-14	M 22×1.5	7226-10-22	10M22F82EDMLOS	7226-10-22RVS	10M22F82EDMLOSS
14, 15, 16	5/8	1-14	M 26×1.5	7226-10-26	10M26F82EDMLOS	7226-10-26RVS	10M26F82EDMLOSS
18, 20	3/4	1 3/16-12	M 18×1.5	7226-12-18	12M18F82EDMLOS	7226-12-18RVS	12M18F82EDMLOSS
18, 20	3/4	1 3/16-12	M 22×1.5	7226-12-22	12M22F82EDMLOS	7226-12-22RVS	12M22F82EDMLOSS
18, 20	3/4	1 3/16-12	M 27×2.0	7226-12-27	12M27F82EDMLOS	7226-12-27RVS	12M27F82EDMLOSS
22, 25	1	1 7/16-12	M 33×2.0	7226-16-33	16M33F82EDMLOS	7226-16-33RVS	16M33F82EDMLOSS
28, 30, 32	1 1/4	1 11/16-12	M 42×2.0	7226-20-42	20M42F82EDMLOS	7226-20-42RVS	20M42F82EDMLOSS
35, 38	1 1/2	2-12	M 48×2.0	7226-24-48	24M48F82EDMLOS	7226-24-48RVS	24M48F82EDMLOSS

7273 - Swivel male stud


O-Lok® ORFS female swivel end / Male UN/UNF thread – O-ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel
6	1/4	9/16-18	7/16-20	7273-04-04	4 F650L-S
8, 10	5/16, 3/8	11/16-16	9/16-18	7273-06-06	6 F650L-S
12	1/2	13/16-16	3/4-16	7273-08-08	8 F650L-S
14, 15, 16	5/8	1-14	7/8-14	7273-10-10	10 F650L-S
18, 20	3/4	1 3/16-12	1 1/16-12	7273-12-12	12 F650L-S
22, 25	1	1 7/16-12	1 5/16-12	7273-16-16	16 F650L-S
28, 30, 32	1 1/4	1 11/16-12	1 5/8-12	7273-20-20	20 F650L-S

7276 - Swivel male stud


O-Lok® ORFS Swivel female end / Male metric thread – ED seal



mm	Tube O.D. in.	Thread UN/UNF T1	Thread Metric T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	M 12×1.5	7276-04-12	4M12F687OMLS	7276-04-12RVS	4M12F687OMLSS
8, 10	5/16, 3/8	11/16-16	M 12×1.5	7276-06-12	6M14F687OMLS	7276-06-12RVS	6M14F687OMLSS
8, 10	5/16, 3/8	11/16-16	M 14×1.5	7276-06-14	6M16F687OMLS	7276-06-14RVS	6M16F687OMLSS
8, 10	5/16, 3/8	11/16-16	M 16×1.5	7276-06-16	8M16F687OMLS	7276-06-16RVS	8M16F687OMLSS
12	1/2	13/16-16	M 16×1.5	7276-08-16	10M22F687OMLS	7276-08-16RVS	10M22F687OMLSS
14, 15, 16	5/8	1-14	M 22×1.5	7276-10-22	12M22F687OMLS	7276-10-22RVS	12M22F687OMLSS
18, 20	3/4	1 3/16-12	M 27×2.0	7276-12-27	12M27F687OMLS	7276-12-27RVS	12M27F687OMLSS
22, 25	1	1 7/16-12	M 33×2.0	7276-16-33	16M33F687OMLS	7276-16-33RVS	16M33F687OMLSS
28, 30, 32	1 1/4	1 11/16-12	M 42×2.0	7276-20-42	20M42F687OMLS	7276-20-42RVS	20M42F687OMLSS
35, 38	1 1/2	2-12	M 48×2.0	7276-24-48	24M48F687OMLS	7276-24-48RVS	24M48F687OMLSS

78241 - Swivel male stud


O-Lok® ORFS Swivel female end / Male BSPP thread – ED seal



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	1/8-28	78241-04-02	4F642EDMLS	78241-04-02RVS	4F642EDMLSS
6	1/4	9/16-18	1/4-19	78241-04-04	4-4F642EDMLS	78241-04-04RVS	4-4F642EDMLSS
8, 10	5/16, 3/8	11/16-16	1/4-19	78241-06-04	6F642EDMLS	78241-06-04RVS	6F642EDMLSS
8, 10	5/16, 3/8	11/16-16	3/8-19	78241-06-06	6-6F642EDMLS	78241-06-06RVS	6-6F642EDMLSS
8, 10	5/16, 3/8	11/16-16	1/2-14	78241-06-08	6-8F642EDMLS	78241-06-08RVS	6-8F642EDMLSS
12	1/2	13/16-16	3/8-19	78241-08-06	8F642EDMLS	78241-08-06RVS	8F642EDMLSS
12	1/2	13/16-16	1/4-19	78241-08-04	8-4F642EDMLS	78241-08-04RVS	8-4F642EDMLSS
12	1/2	13/16-16	1/2-14	78241-08-08	8-8F642EDMLS	78241-08-08RVS	8-8F642EDMLSS
14, 15, 16	5/8	1-14	1/2-14	78241-10-08	10F642EDMLS	78241-10-08RVS	10F642EDMLSS
14, 15, 16	5/8	1-14	3/4-14	78241-10-12	10-12F642EDMLS	78241-10-12RVS	10-12F642EDMLSS
18, 20	3/4	1 3/16-12	3/4-14	78241-12-12	12F642EDMLS	78241-12-12RVS	12F642EDMLSS
18, 20	3/4	1 3/16-12	1/2-14	78241-12-08	12-8F642EDMLS	78241-12-08RVS	12-8F642EDMLSS
22, 25	1	1 7/16-12	1-11	78241-16-16	16F642EDMLS	78241-16-16RVS	16F642EDMLSS
28, 30, 32	1 1/4	1 11/16-12	1-11	78241-20-16	20-16F642EDMLS	78241-20-16RVS	20-16F642EDMLSS
28, 30, 32	1 1/4	1 11/16-12	1 1/4-11	78241-20-20	20F642EDMLS	78241-20-20RVS	20F642EDMLSS
35, 38	1 1/2	2-12	1 1/2-11	78241-24-24	24F642EDMLS	78241-24-24RVS	24F642EDMLSS

7623 - Male stud elbow 90°


O-Lok® ORFS tube end / Male UN/UNF thread – O-ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7/16-20	7623-04-04	4C50MLOS	7623-04-04RVS	4C50MLOSS
6	1/4	9/16-18	9/16-18	7623-04-06	4-6C50MLOS	7623-04-06RVS	4-6C50MLOSS
8, 10	3/8	11/16-16	9/16-18	7623-06-06	6C50MLOS	7623-06-06RVS	6C50MLOSS
8, 10	3/8	11/16-16	7/16-20	7623-06-04	6-4 C50LO-S	7623-06-04RVS	6-4C50MLOSS
8, 10	3/8	11/16-16	1/2-20	7623-06-05	6-5 C50LO-S	7623-06-05RVS	6-5C50MLOSS
8, 10	3/8	11/16-16	3/4-16	7623-06-08	6-8C50MLOS	7623-06-08RVS	6-8C50MLOSS
8, 10	3/8	11/16-16	7/8-14	7623-06-10	6-10 C50LO-S	7623-06-10RVS	6-10C50MLOSS
8, 10	3/8	11/16-16	1 1/16-12	7623-06-12	6-12 C50LO-S	7623-06-12RVS	6-12C50MLOSS
12	1/2	13/16-16	3/4-16	7623-08-08	8C50MLOS	7623-08-08RVS	8C50MLOSS
12	1/2	13/16-16	1/2-20	7623-08-05	8-5 C50LO-S	7623-08-05RVS	8-5C50MLOSS
12	1/2	13/16-16	9/16-18	7623-08-06	8-6 C50LO-S	7623-08-06RVS	8-6C50MLOSS
12	1/2	13/16-16	7/8-14	7623-08-10	8-10C50MLOS	7623-08-10RVS	8-10C50MLOSS
12	1/2	13/16-16	1 1/16-12	7623-08-12	8-12C50MLOS	7623-08-12RVS	8-12C50MLOSS
14, 15, 16	5/8	1-14	7/8-14	7623-10-10	10C50MLOS	7623-10-10RVS	10C50MLOSS
14, 15, 16	5/8	1-14	3/4-16	7623-10-08	10-8 C50LO-S	7623-10-08RVS	10-8C50MLOSS
14, 15, 16	5/8	1-14	1 1/16-12	7623-10-12	10-12 C50LO-S	7623-10-12RVS	10-12C50MLOSS
18, 20	3/4	1 3/16-12	1 1/16-12	7623-12-12	12C50MLOS	7623-12-12RVS	12C50MLOSS
18, 20	3/4	1 3/16-12	3/4-16	7623-12-08	12-8 C50LO-S	7623-12-08RVS	12-8C50MLOSS
18, 20	3/4	1 3/16-12	7/8-14	7623-12-10	12-10C50MLOS	7623-12-10RVS	12-10C50MLOSS
18, 20	3/4	1 3/16-12	1 5/16-12	7623-12-16	12-16 C50LO-S	7623-12-16RVS	12-16C50MLOSS
25	1	1 7/16-12	1 5/16-12	7623-16-16	16 C50LO-S	7623-16-16RVS	16C50MLOSS
25	1	1 7/16-12	1 1/16-12	7623-16-12	16-12 C50LO-S	7623-16-12RVS	16-12C50MLOSS
25	1	1 7/16-12	1 5/8-12	7623-16-20	16-20 C50LO-S	7623-16-20RVS	16-20C50MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 5/8-12	7623-20-20	20 C50LO-S	7623-20-20RVS	20C50MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 5/16-12	7623-20-16	20-16 C50LO-S	7623-20-16RVS	20-16C50MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 7/8-12	7623-20-24	20-24 C50LO-S	7623-20-24RVS	20-24C50MLOSS
35, 38	1 1/2	2-12	1 7/8-12	7623-24-24	24 C50LO-S	7623-24-24RVS	24C50MLOSS
35, 38	1 1/2	2-12	1 5/8-12	7623-24-20	24-20 C50LO-S	7623-24-20RVS	24-20C50MLOSS
50	2	2 1/2-12	2 1/2-12	7623-32-32	32 C50LO-S	7623-32-32RVS	32C50MLOSS

7624 - Male stud elbow 90°


O-Lok® ORFS tube end / Male BSPP thread O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	1/8-28	7624-04-02	4C40MLOS	7624-04-02RVS	4C40MLOSS
6	1/4	9/16-18	1/4-19	7624-04-04	4-4C40MLOS	7624-04-04RVS	4-4C40MLOSS
6	1/4	9/16-18	3/8-19	7624-04-06	4-6C40MLOS	7624-04-06RVS	4-6C40MLOSS
8, 10	3/8	11/16-16	1/4-19	7624-06-06	6C40MLOS	7624-06-06RVS	6C40MLOSS
8, 10	3/8	11/16-16	1/8-28	7624-06-02	6-2C40MLOS	7624-06-02RVS	6-2C40MLOSS
8, 10	3/8	11/16-16	3/8-19	7624-06-06	6-6C40MLOS	7624-06-06RVS	6-6C40MLOSS
8, 10	3/8	11/16-16	1/2-14	7624-06-08	6-8C40MLOS	7624-06-08RVS	6-8C40MLOSS
12	1/2	13/16-16	3/8-19	7624-08-08	8C40MLOS	7624-08-08RVS	8C40MLOSS
12	1/2	13/16-16	1/4-19	7624-08-04	8-4C40MLOS	7624-08-04RVS	8-4C40MLOSS
12	1/2	13/16-16	1/2-14	7624-08-08	8-8C40MLOS	7624-08-08RVS	8-8C40MLOSS
12	1/2	13/16-16	3/4-14	7624-08-12	8-12C40MLOS	7624-08-12RVS	8-12C40MLOSS
14, 15, 16	5/8	1-14	1/2-14	7624-10-08	10C40MLOS	7624-10-08RVS	10C40MLOSS
14, 15, 16	5/8	1-14	3/8-19	7624-10-06	10-6C40MLOS	7624-10-06RVS	10-6C40MLOSS
14, 15, 16	5/8	1-14	3/4-14	7624-10-12	10-12C40MLOS	7624-10-12RVS	10-12C40MLOSS
14, 15, 16	5/8	1-14	1-11	7624-10-16	10-16C40MLOS	7624-10-16RVS	10-16C40MLOSS
18, 20	3/4	1 3/16-12	3/4-14	7624-12-12	12C40MLOS	7624-12-12RVS	12C40MLOSS
18, 20	3/4	1 3/16-12	1/2-14	7624-12-08	12-8C40MLOS	7624-12-08RVS	12-8C40MLOSS
18, 20	3/4	1 3/16-12	1-11	7624-12-16	12-16C40MLOS	7624-12-16RVS	12-16C40MLOSS
25	1	1 7/16-12	1-11	7624-16-16	16C40MLOS	7624-16-16RVS	16C40MLOSS
25	1	1 7/16-12	3/4-14	7624-16-12	16-12C40MLOS	7624-16-12RVS	16-12C40MLOSS
25	1	1 7/16-12	1 1/4-11	7624-16-20	16-20C40MLOS	7624-16-20RVS	16-20C40MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 1/4-11	7624-20-20	20C40MLOS	7624-20-20RVS	20C40MLOSS
28, 30, 32	1 1/4	1 11/16-12	1-11	7624-20-16	20-16C40MLOS	7624-20-16RVS	20-16C40MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 1/2-11	7624-20-24	20-24C40MLOS	7624-20-24RVS	20-24C40MLOSS
35, 28	1 1/2	2-12	1 1/2-11	7624-24-24	24C40MLOS	7624-24-24RVS	24C40MLOSS
35, 38	1 1/2	2-12	1 1/4-11	7624-24-20	24-20C40MLOS	7624-24-20RVS	24-20C40MLOSS

7625 - Male stud elbow 90°


O-Lok® ORFS tube end / Male NPTF thread



mm	Tube O.D. in.	Thread NPTF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	1/8-27	9/16-18	7625-02-04	4 CLO-S	7625-02-04RVS	4 CLO-SS
6	1/4	1/4-18	9/16-18	7625-04-04	4-4 CLO-S	7625-04-04RVS	4-4 CLO-SS
8, 10	3/8	1/4-18	11/16-16	7625-04-06	6 CLO-S	7625-04-06RVS	6 CLO-SS
8, 10	3/8	3/8-18	11/16-16	7625-06-06	6-6 CLO-S	7625-06-06RVS	6-6 CLO-SS
8, 10	3/8	1/2-14	11/16-16	7625-08-06	6-8 CLO-S	7625-08-06RVS	6-8 CLO-SS
12	1/2	3/8-18	13/16-16	7625-06-08	8 CLO-S	7625-06-08RVS	8 CLO-SS
12	1/2	1/2-14	13/16-16	7625-08-08	8-8 CLO-S	7625-08-08RVS	8-8 CLO-SS
12	1/2	3/4-14	13/16-16	7625-12-08	8-12 CLO-S	7625-12-08RVS	8-12 CLO-SS
14, 15, 16	5/8	1/2-14	1-14	7625-08-10	10 CLO-S	7625-08-10RVS	10 CLO-SS
14, 15, 16	5/8	3/4-14	1-14	7625-12-12	10-12 CLO-S	7625-12-12RVS	10-12 CLO-SS
18, 20	3/4	3/4-14	1 3/16-12	7625-12-12	12 CLO-S	7625-12-12RVS	12 CLO-SS
18, 20	3/4	1/2-14	1 3/16-12	7625-08-12	12-8 CLO-S	7625-08-12RVS	12-8 CLO-SS
18, 20	3/4	1-11.5	1 3/16-12	7625-16-12	12-16 CLO-S	7625-16-12RVS	12-16 CLO-SS
25	1	1-11.5	1 7/16-12	7625-16-16	16 CLO-S	7625-16-16RVS	16 CLO-SS
25	1	3/4-14	1 7/16-12	7625-12-16	16-12 CLO-S	7625-12-16RVS	16-12 CLO-SS
28, 30, 32	1 1/4	1 1/4-11.5	1 11/16-12	7625-20-20	20 CLO-S	7625-20-20RVS	20 CLO-SS
35, 38	1 1/2	1 1/2-11.5	2-12	7625-24-24	24 CLO-S	7625-24-24RVS	24 CLO-SS

7626 - Male stud elbow 90°


O-Lok® ORFS tube end / Male metric thread – O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread Metric T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel
6	1/4	9/16-18	M 12×1.5	7626-04-12	4M12C8OMLOS	7626-04-12RVS
6	1/4	9/16-18	M 14×1.5	7626-04-14	4M14C8OMLOS	7626-04-14RVS
8, 10	3/8	11/16-16	M 14×1.5	7626-06-14	6M14C8OMLOS	7626-06-14RVS
8, 10	3/8	11/16-16	M 16×1.5	7626-06-16	6M16C8OMLOS	7626-06-16RVS
12	1/2	13/16-16	M 16×1.5	7626-08-16	8M16C8OMLOS	7626-08-16RVS
12	1/2	13/16-16	M 18×1.5	7626-08-18	8M18C8OMLOS	7626-08-18RVS
14, 15, 16	5/8	1-14	M 18×1.5	7626-10-18	10M18C8OMLOS	7626-10-18RVS
14, 15, 16	5/8	1-14	M 22×1.5	7626-10-22	10M22C8OMLOS	7626-10-22RVS
18, 20	3/4	1 3/16-12	M 22×1.5	7626-12-22	12M22C8OMLOS	7626-12-22RVS
18, 20	3/4	1 3/16-12	M 27×2.0	7626-12-27	12M27C8OMLOS	7626-12-27RVS
25	1	1 7/16-12	M 33×2.0	7626-16-33	16M33C8OMLOS	7626-16-33RVS
28, 30, 32	1 1/4	1 11/16-12	M 42×2.0	7626-20-42	20M42C8OMLOS	7626-20-42RVS
35, 38	1 1/2	2-12	M 48×2.0	7626-24-48	24M48C8OMLOS	7626-24-48RVS

7423 - Male stud elbow 45°

O-Lok® ORFS tube end / Adjustable UN/UNF thread O-ring




T2

mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7/16-20	7423-04-04	4 V50LO-S	7423-04-04RVS	-
6	1/4	9/16-18	9/16-18	7423-04-06	4-6 V50LO-S	7423-04-06RVS	4-6V50MLOSS
8, 10	3/8	11/16-16	9/16-18	7423-06-06	6 V50LO-S	7423-06-06RVS	6V50MLOSS
8, 10	3/8	11/16-16	7/16-20	7423-06-04	6-4 V50LO-S	7423-06-04RVS	6-4V50MLOSS
8, 10	3/8	11/16-16	3/4-16	7423-06-08	6-8 V50LO-S	7423-06-08RVS	6-8V50MLOSS
12	1/2	13/16-16	3/4-16	7423-08-08	8 V50LO-S	7423-08-08RVS	8V50MLOSS
12	1/2	13/16-16	9/16-18	7423-08-06	8-6 V50LO-S	7423-08-06RVS	8-6V50MLOSS
12	1/2	13/16-16	7/8-14	7423-08-10	8-10 V50LO-S	7423-08-10RVS	8-10V50MLOSS
14, 15, 16	5/8	1-14	7/8-14	7423-10-10	10 V50LO-S	7423-10-10RVS	10V50MLOSS
14, 15, 16	5/8	1-14	3/4-16	7423-10-08	10-8 V50LO-S	7423-10-08RVS	10-8V50MLOSS
14, 15, 16	5/8	1-14	1 1/16-12	7423-10-12	10-12 V50LO-S	7423-10-12RVS	10-12V50MLOSS
18, 20	3/4	1 3/16-12	1 1/16-12	7423-12-12	12V50MLO-S	7423-12-12RVS	12V50MLOSS
18, 20	3/4	1 3/16-12	7/8-14	7423-12-10	12-10 V50LO-S	7423-12-10RVS	12-10V50MLOSS
18, 20	3/4	1 3/16-12	1 5/16-12	7423-12-16	12-16 V50LO-S	7423-12-16RVS	12-16V50MLOSS
22, 25	1	1 7/16-12	1 5/16-12	7423-16-16	16V50MLOS	7423-16-16RVS	16V50MLOSS
22, 25	1	1 7/16-12	1 1/16-12	7423-16-12	16-12 V50LO-S	7423-16-12RVS	-
22, 25	1	1 7/16-12	1 5/8-12	7423-16-20	16-20 V50LO-S	7423-16-20RVS	16-20V50MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 5/8-12	7423-20-20	20 V50LO-S	7423-20-20RVS	20V50MLOSS
35, 38	1 1/2	2-12	1 7/8-12	7423-24-24	24 V50LO-S	7423-24-24RVS	24V50MLOSS

7424 - Male stud elbow 45°


O-Lok® ORFS tube end / Adjustable BSPP thread O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	1/8-28	7424-04-02	4V40MLOS	7424-04-02RVS	4V40MLOSS
6	1/4	9/16-18	1/4-19	7424-04-04	4-4V40MLOS	7424-04-04RVS	4-4V40MLOSS
8, 10	3/8	11/16-16	1/4-19	7424-06-04	6V40MLOS	7424-06-04RVS	6V40MLOSS
8, 10	3/8	11/16-16	3/8-19	7424-06-06	6-6V40MLOS	7424-06-06RVS	6-6V40MLOSS
8, 10	3/8	11/16-16	1/2-14	7424-06-08	6-8V40MLOS	7424-06-08RVS	6-8V40MLOSS
12	1/2	13/16-16	3/8-19	7424-08-06	8V40MLOS	7424-08-06RVS	8V40MLOSS
12	1/2	13/16-16	1/2-14	7424-08-08	8-8V40MLOS	7424-08-08RVS	8-8V40MLOSS
14, 15, 16	5/8	1-14	1/2-14	7424-10-08	10V40MLOS	7424-10-08RVS	10V40MLOSS
14, 15, 16	5/8	1-14	3/4-14	7424-10-12	10-12V40MLOS	7424-10-12RVS	10-12V40MLOSS
18, 20	3/4	1 3/16-12	3/4-14	7424-12-12	12V40MLOS	7424-12-12RVS	12V40MLOSS
18, 20	3/4	1 3/16-12	1-11	7424-12-16	12-16V40MLOS	7424-12-16RVS	12-16V40MLOSS
25	1	1 7/16-12	1-11	7424-16-16	16V40MLOS	7424-16-16RVS	16V40MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 1/4-11	7424-20-20	20V40MLOS	7424-20-20RVS	20V40MLOSS
35, 38	1 1/2	2-12	1 1/2-11	7424-24-24	24V40MLOS	7424-24-24RVS	24V40MLOSS

7426 - Male stud elbow 45°


O-Lok® ORFS tube end / Male metric thread – O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread Metric T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	M 12×1.5	7426-04-12	4M12V870MLOS	7426-04-12RVS	4M12V870MLOSS
8, 10	3/8	11/16-16	M 16×1.5	7426-06-16	6M16V870MLOS	7426-06-16RVS	6M16V870MLOSS
12	1/2	13/16-16	M 18×1.5	7426-08-18	8M18V870MLOS	7426-08-18RVS	8M18V870MLOSS
14, 15, 16	5/8	1-14	M 22×1.5	7426-10-22	10M22V870MLOS	7426-10-22RVS	10M22V870MLOSS
18, 20	3/4	1 3/16-12	M 27×2.0	7426-12-27	12M27V870MLOS	7426-12-27RVS	12M27V870MLOSS
25	1	1 7/16-12	M 33×2.0	7426-16-33	16M33V870MLOS	7426-16-33RVS	16M33V870MLOSS
28, 30, 32	1 1/4	1 11/16-12	M 42×2.0	7426-20-42	20M42V870MLOS	7426-20-42RVS	20M42V870MLOSS
35, 38	1 1/2	2-12	M 48×2.0	7426-24-48	24M48V870MLOS	7426-24-48RVS	-

7522 - Male stud branch tee


O-Lok® ORFS tube end / Adjustable UN/UNF thread O-ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7/16-20	7522-04-04	4 S50LO-S	7522-04-04RVS	4 S50LO-SS
8, 10	3/8	11/16-16	9/16-18	7522-06-06	6S50ML0S	7522-06-06RVS	6 S50LO-SS
12	1/2	13/16-16	3/4-16	7522-08-08	8 S50LO-S	7522-08-08RVS	8 S50LO-SS
14, 15, 16	5/8	1-14	7/8-14	7522-10-10	10 S50LO-S	7522-10-10RVS	10 S50LO-SS
18, 20	3/4	1 3/16-12	1 1/16-12	7522-12-12	12 S50LO-S	7522-12-12RVS	12 S50LO-SS
25	1	1 7/16-12	1 5/16-12	7522-16-16	16 S50LO-S	7522-16-16RVS	16 S50LO-SS
28, 30, 32	1 1/4	1 11/16-12	1 5/8-12	7522-20-20	20 S50LO-S	-	-
35, 38	1 1/2	2-12	1 7/8-12	7522-24-24	24 S50LO-S	-	-

7523 - Male stud run tee


O-Lok® ORFS tube end / Adjustable UN/UNF thread O-ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread UN/UNF T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	7/16-20	7523-04-04	4 R50LO-S	7523-04-04RVS	4 R50LO-SS
6	1/4	9/16-18	9/16-18	7523-04-06	4-6-4R50ML0S	7523-04-06RVS	4-6-4 R0LO-SS
8, 10	3/8	11/16-16	9/16-18	7523-06-06	6 R50LO-S	7523-06-06RVS	6 R50LO-SS
12	1/2	13/16-16	3/4-16	7523-08-08	8 R50LO-S	7523-08-08RVS	8 R50LO-SS
12	1/2	13/16-16	7/8-14	7523-08-10	8-10-8 R50LO-S	7523-08-10RVS	8-10-8 R50LO-SS
14, 15, 16	5/8	1-14	7/8-14	7523-10-10	10 R50LO-S	7523-10-10RVS	10 R50LO-SS
18, 20	3/4	1 3/16-12	1 1/16-12	7523-12-12	12R50ML0S	7523-12-12RVS	12 R50LO-SS
18, 20	3/4	1 3/16-12	1 5/16-12	7523-12-16	12-16-12 R50LO-S	7523-12-16RVS	12-16-12 R50LO-SS
25	1	1 7/16-12	1 5/16-12	7523-16-16	16 R50LO-S	7523-16-16RVS	16 R50LO-SS
28, 30, 32	1 1/4	1 11/16-12	1 5/8-12	7523-20-20	20 R50LO-S	7523-20-20RVS	20 R50LO-SS
35, 38	1 1/2	2-12	1 7/8-12	7523-24-24	24 R50LO-S	7523-24-24RVS	24 R50LO-SS

7524 - Male stud branch tee


O-Lok® ORFS tube end / Adjustable BSPP thread O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	1/8-28	7524-04-02	4S40MLOS	7524-04-02RVS	4S40MLOSS
6	1/4	9/16-18	1/4-19	7524-04-04	4-4-4S40MLOS	7524-04-04RVS	4-4-4S40MLOSS
8, 10	3/8	11/16-16	1/4-19	7524-06-04	6S40MLOS	7524-06-04RVS	6S40MLOSS
8, 10	3/8	11/16-16	3/8-19	7524-06-06	6-6-6S40MLOS	7524-06-06RVS	6-6-6S40MLOSS
12	1/2	13/16-16	3/8-19	7524-08-06	8S40MLOS	7524-08-06RVS	8S40MLOSS
12	1/2	13/16-16	1/2-14	7524-08-08	8-8-8S40MLOS	7524-08-08RVS	8-8-8S40MLOSS
14, 15, 16	5/8	1-14	1/2-14	7524-10-08	10S40MLOS	7524-10-08RVS	10S40MLOSS
14, 15, 16	5/8	1-14	3/4-14	7524-10-10	10-10-12S40MLOS	7524-10-10RVS	10-10-12S40MLOSS
18, 20	3/4	1 3/16-12	3/4-14	7524-12-12	12S40MLOS	7524-12-12RVS	12S40MLOSS
22, 25	1	1 7/16-12	1-11	7524-16-16	16S40MLOS	7524-16-16RVS	16S40MLOSS
28, 30, 32	1 1/4	1 11/16-12	1 1/4-11	7524-20-20	20S40MLOS	7524-20-20RVS	20S40MLOSS
35, 38	1 1/2	2-12	1 1/2-11	7524-24-24	24S40MLOS	-	-

7525 - Male stud run tee


O-Lok® ORFS tube ends / Adjustable BSPP thread O-ring + retaining ring



mm	Tube O.D. in.	Thread UN/UNF T1	Thread BSPP T2	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
6	1/4	9/16-18	1/8-28	7525-04-02	4R40ML0S	7525-04-02RVS	4R40ML0SS
6	1/4	9/16-18	1/4-19	7525-04-04	4-4-4R40ML0S	7525-04-04RVS	4-4-4R40ML0SS
8, 10	3/8	11/16-16	1/4-19	7525-06-04	6R40ML0S	7525-06-04RVS	6R40ML0SS
8, 10	3/8	11/16-16	3/8-19	7525-06-06	6-6-6R40ML0S	7525-06-06RVS	6-6-6R40ML0SS
12	1/2	13/16-16	3/8-19	7525-08-06	8R40ML0S	7525-08-06RVS	8R40ML0SS
12	1/2	13/16-16	1/2-14	7525-08-08	8-8-8R40ML0S	7525-08-08RVS	8-8-8R40ML0SS
14, 15, 16	5/8	1-14	1/2-14	7525-10-08	10R40ML0S	7525-10-08RVS	10R40ML0SS
18, 20	3/4	1 3/16-12	3/4-14	7525-12-12	12R40ML0S	7525-12-12RVS	12R40ML0SS
18, 20	3/4	1 3/16-12	1-11	7525-12-16	12-16-12R40ML0S	7525-12-16RVS	12-16-12R40ML0SS
25	1	1 7/16-12	1-11	7525-16-16	16R40ML0S	7525-16-16RVS	16R40ML0SS
28, 30, 32	1 1/4	1 11/16-12	1 1/4-11	7525-20-20	20R40ML0S	7525-20-20RVS	20R40ML0SS
35, 38	1 1/2	2-12	1 1/2-11	7525-24-24	24R40ML0S	-	-

7115 - Cap


O-Lok® ORFS blanking cap



Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
9/16-18	7115-04	4FNMLS	7115-04RVS	4FNMLSS
11/16-16	7115-06	6FNMLS	7115-06RVS	6FNMLSS
13/16-16	7115-08	8FNMLS	7115-08RVS	8FNMLSS
1-14	7115-10	10FNMLS	7115-10RVS	10FNMLSS
1 3/16-12	7115-12	12FNMLS	7115-12RVS	12FNMLSS
1 7/16-12	7115-16	16FNMLS	7115-16RVS	16FNMLSS
1 11/16-12	7115-20	20 FNL-S	7115-20RVS	20FNMLSS
2-12	7115-24	24 FNL-S	7115-24RVS	24FNMLSS
2 1/2-12	7115-32	32 FNL-S	-	-

7120 - Plug

O-Lok® ORFS blanking plug




Tube O.D.		Thread UN/UNF	Order code Steel	Parker cross reference Steel	Order code Stainless Steel	Parker cross reference Stainless Steel
mm	in.					
6	1/4	9/16-18	7120-04	4 PNLO-S	7120-04RVS	4PNMLOSS
8, 10	3/8	11/16-16	7120-06	6PNMLOS	7120-06RVS	6PNMLOSS
12	1/2	13/16-16	7120-08	8PNMLOS	7120-08RVS	8PNMLOSS
14, 15, 16	5/8	1-14	7120-10	10 PNLO-S	7120-10RVS	10PNMLOSS
18, 20	3/4	1 3/16-12	7120-12	12 PNLO-S	7120-12RVS	12PNMLOSS
22, 25	1	1 7/16-12	7120-16	16 PNLO-S	7120-16RVS	16PNMLOSS
28, 30, 32	1 1/4	1 11/16-12	7120-20	20 PNLO-S	7120-20RVS	20PNMLOSS
35, 38	1 1/2	2-12	7120-24	24 PNLO-S	7120-24RVS	24PNMLOSS
50	2	2 1/2-12	7120-32	32 PNLO-S	7120-32RVS	32PNMLOSS

5130 - O-ring for ORFS

Adapters

Triple-Lok®

O-Lok®



Order code	ORFS size	Thread UN/UNF	A [mm]	B [mm]
5130-14	-04	9/16-18	7.65	1.78
5130-15	-06	11/16-16	9.25	1.78
5130-26	-08	13/16-16	12.42	1.78
5130-31	-10	1-14	15.60	1.78
5130-38	-12	1 3/16-12	18.77	1.78
5130-46	-16	1 7/16-12	23.52	1.78
5130-58	-20	1 11/16-12	29.87	1.78
5130-68	-24	2-12	37.82	1.78