


7 SEGMENT - Single Digit

All displays have white-diffused segments and a grey face. Other sizes and segment/face colours, together with overflow, alphanumeric and low current displays, available to special order.


Description	Emitted Colour	Brightness	Typ. Lum. Intensity per segment (I _F = 10mA) μ cd	Manf. Part No. & Anglia Order Code
7.62mm (0.3in) Display - compact body				
Common Anode	Red	Extra Bright	3500	TOS3104BE
Common Cathode	Red	Extra Bright	3500	TOS3104AE
Common Anode	Green	Extra Bright	4000	TOS3104BG
Common Cathode	Green	Extra Bright	4000	TOS3104AG

Dimensions (mm) & Pin Connections




7.62mm (0.3in) Display

Common Anode	Red	Extra Bright	3500	TOS3103FE
Common Cathode	Red	Extra Bright	3500	TOS3103CE
Common Anode	Green	Extra Bright	4000	TOS3103FG
Common Cathode	Green	Extra Bright	4000	TOS3103CG




10.9mm (0.43in) Display

Common Anode	Red	Extra Bright	3500	TOS4131BE
Common Cathode	Red	Extra Bright	3500	TOS4131AE
Common Anode	Green	Extra Bright	4000	TOS4131BG
Common Cathode	Green	Extra Bright	4000	TOS4131AG




13.2mm (0.52in) Display

Common Anode	Red	Extra Bright	3500	TOS5121BE
Common Anode	Red	Super Bright	17500	TOS5121BS



14.2mm (0.56in) Display

Common Anode	Red	Extra Bright	3500	TOS5161BE
Common Cathode	Red	Extra Bright	3500	TOS5161AE
Common Anode	Green	Extra Bright	4000	TOS5161BG
Common Cathode	Green	Extra Bright	4000	TOS5161AG



7 Segment LED Displays continued overleaf > > >

7 SEGMENT - Single Digit

continued

Description	Emitted Colour	Brightness	Typ. Lum. Intensity per segment ($I_F = 10\text{mA}$) μcd
20mm (0.8in) Display			
Common Anode	Red	Extra Bright	3500
Common Cathode	Red	Extra Bright	3500
Common Anode	Green	Extra Bright	4000
Common Cathode	Green	Extra Bright	4000


Manf. Part No. & Anglia Order Code

TOS8102BE

TOS8102AE

TOS8102BG


TOS8102AG

Dimensions (mm) & Pin Connections**26mm (1.0in) Display**

Common Anode	Red	Extra Bright	3500
Common Cathode	Red	Extra Bright	3500

TOS1101BE

TOS1101AE

**7 SEGMENT - Dual Digit**

All displays have white-diffused segments and a grey face. Other sizes and segment/face colours, together with overflow, alphanumeric and low current displays, available to special order.

Description	Emitted Colour	Brightness	Typ. Lum. Intensity per segment ($I_F = 10\text{mA}$) μcd
-------------	----------------	------------	--

Manf. Part No. & Anglia Order Code


2 x 14.2mm (0.56in) Display

Common Anode	Red	Extra Bright	3500
Common Cathode	Red	Extra Bright	3500
Common Anode	Green	Extra Bright	4000

TOD5261BE

TOD5261AE

TOD5261BG

Dimensions (mm) & Pin Connections

1 e Dig. 1	10 b Dig. 2
2 d Dig. 1	11 a Dig. 2
3 c Dig. 1	12 f Dig. 2
4 DP Dig. 1	13 A/C Dig. 2
5 e Dig. 2	14 A/C Dig. 1
6 d Dig. 2	15 b Dig. 1
7 g Dig. 2	16 a Dig. 1
8 c Dig. 2	17 g Dig. 1
9 DP Dig. 2	18 f Dig. 1

**7 SEGMENT DISPLAYS**

- Other display sizes
- Other segment colours
- Other face colours
- Alphanumeric displays
- Overflow digits
- Low current displays

Available to special order