Assignment

Make a redux app to make a counter which will start from 0 and 2 buttons with increment and decrement options and count will increase or decrease accordingly.

Basic Objectives :-

1) Create a Redux - based counter app:
   - Initial app : 0 (value)
   - Two buttons
     - Increment (+)
     - Decrement (-)
   - Count updates based upon button clicks

2) Concept used :-
   - Redux Toolkit
   - React - Redux
   - Centralized state management

Steps to create app :-

1) Install Dependencies

npm install @ reduxjs/toolkit react-redux

(2) Create Redux Store

```
import {configureStore} from "@reduxjs/toolkit"
import counterReducer from "../features/counter/counterSli
export const store = configureStore({
    reducer: {
        counter: counterReducer,
    },
});
```

(3) Create Counter Slice

```
import { create Slice} from '@reduxjs/toolkit'
const initialState = {
    value: 0;
};
const counterSlice = Create Slice({
    name: 'counter';
    initialState,
    reducer: {
        increment: (State) => {
            state.value += 1;
        }
        decrement: (State) => {
            state.value -= 1;
        },
    },
});
```

④ Create counter Component

```
import React from 'react';
import {useSelector, useDispatch} from 'react-redux';
import { increment, decrement } from './counterSlice';
const Counter = () => {
    const count = useSelector((state) => state.
                    counter.value);
    count dispatch = useDispatch();
    return (
        <div style={{ textAlign : 'center'}}>
            <h1> counter : {count} </h1>
            <button onClick={() => dispatch(increment
                                ())}> </button>
        </div>
    );
};
```

⑤ Connect Redux to App

```
import React from 'react';
import ReactDOM from 'react-dom/client';
import App from './App';
import {Provider} from 'react-redux';
ReactDOM.createRoot(document.getElementById
('root')).render(
    <Provider store = {store}>
        <App />
</Provider>
);
```

(6) Use counter in App

```
import counter from '/location'
function App() {
    return (
        <div>
            <counter/>
        </div>
    );
}
```

Diagram