

## Linux Desktop email client configuration

These guides use Ubuntu as an example but will also work with other Linux distributions with minor adjustments. If the correct configuration is supplied, you don't need anything from the service desk to activate or use O365 email accounts on a Linux desktop.

We suggest using apt and not flatpack or snap on Ubuntu for installation.

## Evolution

To use evolution, you must install the "evolution-ews" package.

Start the add account process: Edit menu >> Accounts

Add >> Mail Account

### Identity

- Enter Name
- **Email address:** eg: [j.smith@unsw.edu.au](mailto:j.smith@unsw.edu.au)
- Untick **Look up mail server...**
- Receiving Email
  - **Server Type:** Exchange Web Services
  - **Username:** eg. [z1234567@ad.unsw.edu.au](mailto:z1234567@ad.unsw.edu.au)
  - **Host URL:** <https://outlook.office365.com/EWS/Exchange.asmx>
  - **OAB URL:** <https://outlook.office365.com/OAB/cd82899d-918f-4d3d-85ac-7aae65ddec7b/oab.xml>
  - **Authentication:** OAuth2 (Office365)
  - **Application ID:** d3590ed6-52b3-4102-aeff-aad2292ab01c
  - **Endpoint host:** login.microsoftonline.com
  - **Redirect URI:** urn:ietf:wg:oauth:2.0:oob
  - Click **Fetch URL** → [z1234567@ad.unsw.edu.au](mailto:z1234567@ad.unsw.edu.au) → ...
- Click Next
- Receiving Options
  - Check for new messages every: 5 mins
  - Click Next, and Next again

The Identity section of Evolution:

Evolution Preferences

Account Editor

Identity

Receiving E-mail

Receiving Options

Defaults

Composing Messages

Out of Office

Delegates

Security

EWS Settings

**Account Information**

Name: **craig martin**

The above name will be used to identify this account.  
Use for example, "Work" or "Personal".

**Required Information**

Full Name: z3528298

E-mail Address: craig.martin1@ad.unsw.edu.au

**Optional Information**

Reply-To:

Organisation:

Signature: None

Aliases:

The Receiving E-Mail section of Evolution:

**Evolution Preferences**

**Account Editor**

Identity

**Receiving E-mail**

Receiving Options

Defaults

Composing Messages

Out of Office

Delegates

Security

EWS Settings

Server Type: **Exchange Web Services**

Description: For accessing Exchange servers using Web Services

**Configuration**

Username: z3...@ad.unsw.edu.au

Host URL: https://outlook.office365.com/EWS/Exchange.asmx

OAB URL: https://outlook.office365.com/OAB/cd82899d-918f-4d3d-85ac-7aae65dddec7b/oab.xml

☐ Open Mailbox of other user

**Authentication**

Check for Supported Types OAuth2 (Office365) v

☒ Override Office365 OAuth2 settings ([Help...](#))

Application ID: d3590ed6-52b3-4102-aeff-aad2292ab01c

Tenant ID: common

v Advanced Settings ([Help...](#))

Endpoint host: login.microsoftonline.com

Redirect URI: urn:ietf:wg:oauth:2.0:oob

Resource URI:

## Thunderbird

Account Settings → Account Actions → Add Mail Account

Email Address: [your-email@unsw.edu.au](mailto:your-email@unsw.edu.au)

- Password: enter your zID password
- Click: **Configure Manually**

### Incoming Server

- Protocol: **IMAP**
- Hostname: **outlook.office365.com**
- Port: **993**

- Connection security: **SSL/TLS** (or Autodetect)
- Authentication method: **OAuth2**
- Username: [zid@ad.unsw.edu.au](mailto:zid@ad.unsw.edu.au)

### Outgoing Server

- Hostname: smtp.office365.com
- Connection security: **STARTTLS** (or Autodetect)
- Port: **587**
- Authentication method: **OAuth2** (or Autodetect)  
(If OAuth2 isn't visible, set Connection security to STARTTLS, close the window or skip for now, then come back and try editing this again)
- Username: [zid@ad.unsw.edu.au](mailto:zid@ad.unsw.edu.au)
- When finished click: **Advanced config**