The Tiny Language

Note: (Task (1) deliverable: you will deliver a document containing the RE rules of Tiny Language + DFA + Scanner)

A program in TINY consists of a set of functions (any number of functions and ends with a main function), each function is a sequence of statements including (declaration, assignment, write, read, if, repeat, function, comment, …) each statement consists of (number, string, identifier, expression, condition, …).

Language described as:

1) Number: any sequence of digits and maybe floats (e.g. 123 | 554 | 205 | 0.23 | …)
2) String: starts with double quotes followed by any combination of characters and digits then ends with double quotes (e.g. “Hello” | “2nd + 3rd” | …)
3) Reserved_Keywords: int | float | string | read | write | repeat | until | if | elseif | else | then | return | endl
4) Comment_Statement: starts with /* followed by any combination of characters and digits then ends with */ (e.g. /*this is a comment*/ | …)
5) Identifiers: starts with letter then any combination of letters and digits. (e.g. x | val | counter1 | str1 | s2 | …)
6) Function_Call: starts with Identifier then left bracket “(“ followed by zero or more Identifier separated by “,” and ends with right bracket “)”. (e.g. sum(a,b) | factorial(c) | rand() | …)
7) Term: maybe Number or Identifier or function call. (e.g. 441 | var1 | sum(a,b) | …)
8) Arithmatic_Operator: any arithmetic operation (+ | - | * | /)

9) Equation: starts with Term or left bracket "(" followed by one or more Arithmatic_Operator and Term. with right bracket ")" for each left bracket (e.g. 3+5 | x +1 | (2+3)*10 | …)
10) Expression: may be a String, Term or Equation (e.g. "hi" | counter | 404 | 2+3 | …)
11) Assignment_Statement: starts with Identifier then assignment operator ":=" followed by Expression (e.g. x := 1 | y:= 2+3 | z := 2+3*2+(2-3)/1 | …)
12) Datatype: set of reserved keywords (int, float, string)
13) Declaration_Statement: starts with Datatype then one or more identifiers (assignment statement might exist) separated by coma and ends with semi-colon. (e.g. int x; | float x1,x2:=1,xy:=3; | …)
14) Write_Statement: starts with reserved keyword "write" followed by an Expression or endl and ends with semi-colon (e.g. write x; | write 5; | write 3+5; | write "Hello World"; | …)
15) Read_Statement: starts with reserved keyword "read" followed by an Identifier and ends with semi-colon (e.g. read x; | …)
16) Return_Statement: starts with reserved keyword "return" followed by Expression then ends with semi-colon (e.g. return a+b; | return 5; | return "Hi"; | …)
17) Condition_Operator: (less than "<" | greater than ">" | is equal "=" | not equal "<>")
18) Condition: starts with Identifier then Condition_Operator then Term (e.g. z1 <> 10)
19) Boolean_Operator: AND operator "&&" and OR operator "||"
20) Condition_Statement: starts with Condition followed by zero or more Boolean_Operator and Condition (e.g. x < 5 && x > 1)

21) If_Statement: starts with reserved keyword “if” followed by Condition_Statement then reserved keyword “then” followed by set of Statements (i.e. any type of statement: write, read, assignment, declaration, …) then Else_If_Statment or Else_Statment or reserved keyword “end”
22) Else_If_Statement: same as if statement but starts with reserved keyword “elseif”
23) Else_Statement: starts with reserved keyword “else” followed by a set of Statements then ends with reserved keyword “end”
24) Repeat_Statement: starts with reserved keyword “repeat” followed by a set of Statements then reserved keyword “until” followed by Condition_Statement
25) FunctionName: same as Identifier
26) Parameter: starts with Datatype followed by Identifier (e.g. int x)
27) Function_Declaration: starts with Datatype followed by FunctionName followed by “(“ then zero or more Parameter separated by “,” then “)” (e.g. int sum(int a, int b) | …)
28) Function_Body: starts with curly bracket “{” then a set of Statements followed by Return_Statement and ends with “}”
29) Function_Statement: starts with Function_Declaration followed by Function_Body
30) Main_Function: starts with Datatype followed by reserved keyword “main” then “()” followed by Function_Body
31) Program: has zero or more Function_Statement followed by Main_Function

Code Sample

```
/*Sample program includes all 30 rules*/

int sum(int a, int b)
{

	return a + b;

}
int main()
{
	int val, counter;
	read val;
	counter:=0;
	repeat
		val := val - 1;
		write "Iteration number [";
		write counter;
		write "] the value of x = ";
		write val;
		write endl;
		counter := counter+1;
	until val = 1
	write endl;
	string s := "number of Iterations = ";
	write s;
	counter:=counter-1;
	write counter;
	/* complicated equation */
	float z1 := 3*2*(2+1)/2-5.3;
	z1 := z1 + sum(1,y);
	if  z1 > 5 || z1 < counter && z1 = 1 then
		write z1;
	elseif z1 < 5 then
		z1 := 5;
	else
```

```
            z1 := counter;
        end
        return 0;
}
```

Code Sample

```
/* Sample program in Tiny language –
computes factorial*/
int main()
{
        int x;
        read x; /*input an integer*/
        if x > 0 then /*don't compute if x <= 0 */
                int fact := 1;
                repeat
                        fact := fact * x;
                        x := x – 1;
                until x = 0
                write fact; /*output factorial of x*/
        end
        return 0;
}
```