




lambda_pop
BICc
Final estimate
BICc
Final estimate
BICc wide parameter search
R = 0.52
P < 0.001
Final Estimate
Initial Value
CV (%)
64
62
Parameter Value
Initial Value
Final Estimate
Set
BICc narrow parameter search
Estimate
Iteration − phase switch
Final Estimate
Run
Best fit
FALSE
TRUE
Runs with BICc outliers removed



betas_pop
BICc
Final estimate
1e−02
1e−01
1e+00
1e+01
1e+02
BICc
Final estimate
BICc wide parameter search
275
270
265
260
R = 0.23
P = 0.027
Final Estimate
Initial Value
CV (%):45
25
Parameter Value
Initial Value
Final Estimate
Set
BICc narrow parameter search
261.0
260.5
260.0
259.5
259.0
Estimate
Iteration − phase switch
Final Estimate
Run
Best fit
FALSE
TRUE
Runs with BICc outliers removed




Runs with BICc outliers removed




Runs with BICc outliers removed




Runs with BICc outliers removed



m_pop
BICc
Final estimate
1e−06
1e−03
1e+00
1e+03
BICc wide parameter search
275
270
265
260
R = 0.28
P = 0.007
Final Estimate
Initial Value
CV (%):55
59
Parameter Value
Initial Value
Final Estimate
Set
BICc narrow parameter search
261.0
260.5
260.0
259.5
259.0
Estimate
Iteration − phase switch
Final Estimate
Run
Best fit
FALSE
TRUE
Runs with BICc outliers removed





Runs with BICc outliers removed




Runs with BICc outliers removed


omega_lambda
BICc
Final estimate
BICc wide parameter search
BICc narrow parameter search
Final Estimate
Initial Value
Parameter Value
CV (%):
0
43
Initial Value
Final Estimate
Set
Best fit
FALSE
TRUE
Estimate
Iteration − phase switch
Run
Runs with BICc outliers removed



omega_m
BICc
Final estimate
BICc wide parameter search
Final Estimate
Initial Value
Parameter Value
CV (%): 0 20
Initial Value
Final Estimate
Set
BICc narrow parameter search
Estimate
Iteration − phase switch
Best fit
FALSE
TRUE
Run
Runs with BICc outliers removed



Runs with BICc outliers removed



Runs with BICc outliers removed



Runs with BICc outliers removed