


Patient Name : Mr. D. RAJ KUMAR
Age / Gender : 46/Male
Ref By : SELF
Bill Date : 07 Jul 2023, 10:51
Sample Type : SERUM

UNID : RBJD1266635739
Bill No : RBJD00210
Patient ID : RBJD00190
Collection Date : 07 Jul 2023, 10:52
Report Date : 18 Jul 2023, 15:23



Department of Clinical BioChemistry
Thyroid Profile

Investigation	Observed Values	Units	Reference Values
TRIODOETHYRONINE (T3) Method : CLIA	1	ng/dL	0.85 - 1.78 - ng/dL
TOTAL THYROXINE T4 (TT4) Method : CLIA	5	µg/dL	Adult : 4.82 - 15.65 Pediatric Cord Blood: 7.4 - 13.1 Birth - 3 Days: 11.8 - 22.6 4 Days - 5 yrs: 7.2 - 16.6 5 - 15 yrs: 5.6 - 13.3
THYROID STIMULATING HORMONE (TSH) Method : CLIA	12	mIU/mL	Newborns 0.70 - 15.2 6 days - 3 month 0.72 - 11.0 4 - 12 months 0.73 - 8.35 1 - 6 yr 0.70 - 5.97 7 - 11 yr 0.60 - 4.84 12 - 18 yr 0.51 - 4.30 Adults : 18-60 yrs: 0.35 - 5.5 ---- > 60 yrs: 0.34 - 5.6 Pregnancy 1 Trimester: 0.3 - 4.5 2 Trimester: 0.5 - 4.6 3 Trimester: 0.8 - 5.2

werwerwcwrc wre

Interpretation: **Interpretation:** Assay results should be interpreted in context to the clinical condition and associated results of other investigations. Previous treatment with corticosteroid therapy may result in lower TSH levels while thyroid hormone levels are normal Results are invalidated if the client has undergone a radionuclide scan within 7-14 days before the test. Abnormal thyroid test findings often found in critically ill clients should be repeated after the critical nature of the condition is resolved. The production, circulation, and disposal of thyroid hormone are altered throughout the stages of pregnancy.

----- End of Report -----

Prasanthi

Prasanthi
Lab In-Charge



Dr Vijay Kumar

Dr Vijay Kumar
Consultant Pathologist