

Patient Name : Mrs. PRAMEELA
Age / Gender : 77/Female
Ref By : HOME COLLECTION
Bill Date : 03 May 2022, 16:58
Sample Type : WB - EDTA

UNID : RBJD3282807133
Bill No : RBJD00160
Patient ID : RBJD00149
Collection Date : 03 May 2022, 17:06
Report Date : 02 Aug 2023, 17:53



PRAME-627111cc372cb

Department of Clinical BioChemistry
GLYCOSYLATED HAEMOGLOBIN (HbA1c)

Investigation	Observed Values	Units	Reference Values
GLYCOSYLATED HAEMOGLOBIN (HbA1c) <i>Hplc</i>	7.74	%	Normal : <5.7% Prediabetes : 5.7 – 6.7% Diabetic : >6.5%

Interpretation:

- HbA1C reflects the mean blood glucose concentration over the previous 4-8wks.Improvement in glucose control occurring in the 4weeks before drawing of the sample is not well reflected in the result because formation of glycated hemoglobin is irreversible.
- Low HbA1C values(<4%) in a non diabetic individual are often associated with systemic inflammatory diseases,chronic anemia,chronic renal failure and liver diseases.
- Presence of variant hemoglobins(HbF,HbS,HbC etc) may result in false elevation or reduction in HbA1C values.

Results are from Immunoturbidimetry. Kindly correlate clinically.-

----- End of Report -----

Prasanthi

Prasanthi
Lab In-Charge



Dr Vijay Kumar

Dr Vijay Kumar
Consultant Pathologist