

# Pramo Jewels

## REST API Documentation

Document ID: PJ-REST-001

Version: 1.0

Status: Draft

| Field    | Value                                                                    |
|----------|--------------------------------------------------------------------------|
| Project  | Pramo Jewels Premium E-Commerce Platform                                 |
| Purpose  | Document REST endpoints, request/response conventions and implementation |
| Audience | Frontend, Backend, Mobile Developers, QA, Integration Teams              |
| Version  | 1.0                                                                      |

### Primary REST Endpoints

| Method | Endpoint                     | Purpose           |
|--------|------------------------------|-------------------|
| POST   | /api/v1/auth/register        | Register customer |
| POST   | /api/v1/auth/login           | Authenticate user |
| GET    | /api/v1/products             | List products     |
| GET    | /api/v1/products/{id}        | Product details   |
| POST   | /api/v1/cart/items           | Add item to cart  |
| GET    | /api/v1/cart                 | Retrieve cart     |
| POST   | /api/v1/checkout             | Start checkout    |
| POST   | /api/v1/orders               | Create order      |
| GET    | /api/v1/orders/{id}          | Order details     |
| GET    | /api/v1/shipments/{tracking} | Track shipment    |
| POST   | /api/v1/reviews              | Submit review     |
| GET    | /api/v1/admin/orders         | Admin order list  |

### Base URL

Production endpoints are exposed under `https:///api/v1` using HTTPS only.

### Headers

Content-Type: application/json, Accept: application/json, Authorization: Bearer for protected endpoints.

### Request Format

JSON payloads with server-side validation. Optional query parameters support pagination, filtering and sorting.

## **Response Format**

Standard response envelope: success, message, data, errors, metadata.

## **Authentication**

Laravel Sanctum bearer tokens. Protected routes enforce RBAC through middleware.

## **Error Handling**

Consistent HTTP status codes with machine-readable error codes and human-friendly messages.

## **Pagination**

List endpoints support page, per\_page, sort, order and filter parameters with pagination metadata.

## **Idempotency**

Payment and webhook endpoints support idempotency keys to prevent duplicate processing.

## **Webhooks**

Payment and courier callbacks require signature verification, replay protection and audit logging.

## **Documentation & Testing**

Maintain OpenAPI/Swagger documentation and automated API tests for every endpoint before release.