

Pramo Jewels

Data Dictionary

Document ID: PJ-DD-001
Version: 1.0
Status: Draft

Field	Value
Project	Pramo Jewels Premium E-Commerce Platform
Purpose	Define the meaning, data types, constraints and usage of key database attributes
Audience	Backend Developers, DBAs, QA, Architects
Version	1.0

Key Data Elements

Table.Column	Type	Constraints	Description
users.id	BIGINT/UUID	PK, NOT NULL	Unique user identifier
users.email	VARCHAR(255)	UNIQUE, NOT NULL	Customer login email
users.phone	VARCHAR(20)	UNIQUE	Mobile number
users.password_hash	VARCHAR(255)	NOT NULL	Secure hashed password
products.sku	VARCHAR(100)	UNIQUE	Stock keeping unit
products.price	DECIMAL(10,2)	CHECK >0	Selling price
products.metal_type	ENUM	Silver/Gold	Jewellery metal
inventory.quantity	INT	DEFAULT 0	Available stock
orders.order_number	VARCHAR(50)	UNIQUE	Business order ID
orders.total_amount	DECIMAL(10,2)	NOT NULL	Final payable amount
orders.order_status	ENUM	Indexed	Order lifecycle state
payments.method	ENUM	UPI/Card/COD	Payment method
payments.transaction_ref	VARCHAR(150)	UNIQUE	Gateway reference
shipments.tracking_number	VARCHAR(150)	UNIQUE	Courier tracking ID
reviews.rating	TINYINT	1-5	Customer rating
coupons.code	VARCHAR(50)	UNIQUE	Coupon code
notifications.read_at	TIMESTAMP	Nullable	Read timestamp
audit_logs.actor_id	BIGINT/UUID	FK	User/Admin performing action

Naming Standards

Database tables use plural snake_case names. Columns use snake_case. Primary keys use 'id'. Foreign keys follow the '_id' convention.

Enumerations

Use controlled values for order_status, payment method, shipment status, notification channel and user role to ensure consistency.

Audit Fields

Operational tables should include created_at and updated_at. Soft deletable entities should also include deleted_at.

Data Quality Rules

Mandatory fields must not be null, unique identifiers must remain unique, referential integrity is enforced through foreign keys, and sensitive information must be encrypted or hashed.