

Ex. No 4: Analyze email headers and detect email spoofing using MHA (Mail Header Analyzer)

Description:

Here's a step-by-step guide on how to execute and analyze an email header:

1. Access the Email Header

- **Gmail:** Open the email, click the three dots (More) in the upper right corner, and select "Show original."
- **Outlook:** Open the email, click on "File," then "Properties," and find the "Internet headers" box.
- **Yahoo:** Open the email, click on the three dots (More), and select "View raw message."

2. Copy the Email Header

- Once you access the header, copy all the text that appears. This text contains various metadata fields about the email's journey from the sender to your inbox.

3. Identify Key Header Fields

- **From:** The sender's email address.
- **To:** The recipient's email address.
- **Date:** The date and time the email was sent.
- **Subject:** The email's subject line.
- **Return-Path:** The return address if the email bounces.
- **Received:** A list of servers the email passed through on its way to the recipient. This is usually the most critical part of header analysis.
- **Message-ID:** A unique identifier for the email.
- **SPF (Sender Policy Framework) / DKIM (DomainKeys Identified Mail):** Indicators of email authentication.

4. Analyze the 'Received' Fields

- The Received fields show the path the email took from the sender to the recipient. These fields are listed in reverse order (from the last server to the first).
- Each Received line will show:
 - **The sending server's hostname/IP address.**
 - **The receiving server's hostname/IP address.**
 - **The date and time the email passed through.**

5. Check for IP Addresses and Hostnames

- Use tools like **WHOIS** or online IP lookup services to identify the geographical location and ownership of the IP addresses found in the Received lines.
- Check if any IP addresses are suspicious or if the hostname does not match the expected sending server.

6. Examine the SPF, DKIM, and DMARC Results

- **SPF:** Checks if the sender's IP is authorized to send emails for the domain.
 - **Pass:** Indicates the IP is authorized.
 - **Fail:** The IP is not authorized and could be a sign of spoofing.
- **DKIM:** Verifies that the email content has not been altered in transit.
 - **Pass:** The email has not been tampered with.
 - **Fail:** The email content may have been altered.
- **DMARC:** A policy that uses SPF and DKIM to authenticate the email.
 - **Pass:** Indicates alignment with SPF/DKIM policies.
 - **Fail:** Indicates possible spoofing or tampering.

7. Analyze the 'Message-ID'

- The Message-ID is unique to each email. It usually includes the domain of the sending server.
- Check if the domain in the Message-ID matches the sender's domain. If not, it could be a sign of spoofing.

8. Look for Anomalies

- **Mismatch in Email Domains:** Check if the From domain matches the domains in Return-Path, Message-ID, and other authentication results.
- **Strange IP Addresses:** Be wary of IP addresses that do not match the known sending server or are from unexpected locations.
- **Suspicious Time Stamps:** Check for significant time discrepancies in the Received lines, which could indicate delays or rerouting.

9. Use Online Tools

- Use online email header analysis tools like **MXToolbox** or **Google's G Suite Toolbox** to automatically parse and analyze the email header.

10. Document and Report Findings

- Document all your findings, especially if you detect phishing or spoofing.
- Report suspicious emails to your IT department or email provider for further investigation.

Example of a Header Analysis

Here's a quick example with a sample header:

vbnet

Copy code

Received: from mail.example.com (mail.example.com [192.0.2.1])

by mail.receiver.com with ESMTP id u29si8604336pjs.40.2023.08.10.07.00.16;

Thu, 10 Aug 2023 07:00:16 -0700 (PDT)

Received: by mail.example.com with SMTP id a1mr1243772ywh.51;

Thu, 10 Aug 2023 07:00:15 -0700 (PDT)

Message-ID: <CA+7eu=4pSeXgQ@mail.example.com>

- **Check IP Addresses:** Lookup 192.0.2.1 and ensure it is associated with mail.example.com.
- **Verify SPF/DKIM:** Check if mail.example.com is authorized to send emails for this domain.
- **Compare Time Stamps:** Ensure the times make sense chronologically without unusual delays.

Email:

The screenshot displays a Gmail inbox with a selected email from Dr. R. Raja Subramanian HOD-CSE. The email is a forwarded message titled "Fwd: Circular 212CSE3301 – Design and analysis of Algorithm". The original message is from KLU CSE-CLERK, dated Thursday, August 20, 2026, at 4:50 PM. The subject is "Circular 212CSE3301 – Design and analysis of Algorithm". The content of the forwarded message is as follows:

Dear Students,
Kindly utilize the initiative taken by the department to train competitive coders
Top 100 coders of the department will be identified based on this assessment, for special training
Thank you,
Dr. R. Raja Subramanian, M.E., Ph. D., GATE, NET
Head of the Department,
Department of Computer Science and Engineering,
Kalasalingam Academy of Research and Education
(Deemed to be University)
Tamil Nadu, India

Scopus ID: <https://www.scopus.com/authid/detail.uri?authorid=57207876618>
Google Scholar ID: https://scholar.google.com/citations?user=yU_b3YAAAAAJ&hl=en&oi=ao

The email also features logos for PBL, IEEE, and RA. A context menu is open on the right side of the email, showing various actions such as Reply, Reply all, Forward, Share in chat, Delete, Mark as unread, Block "Dr. R. Raja Subramanian HOD-CSE", Report spam, Report phishing, Filter messages like this, Translate, Print, Download message, Show original, and Share to help improve Google.

Email Header:

Original Message

Message ID	<CAMq6mVb0q5dDE8nmG9csT7shp_YbLvZ+oYkwicdsv7jCFJUKjA@mail.gmail.com>
Created at:	Thu, Aug 20, 2026 at 5:00 PM (Delivered after 21 seconds)
From:	"Dr. R. Raja Subramanian HOD-CSE" <hodcse@klu.ac.in>
To:	csegrp@klu.ac.in, 2024cse@klu.ac.in, 2023cse@klu.ac.in, 2025cse@klu.ac.in
Subject:	Fwd: Circular 212CSE3301 – Design and analysis of Algorithm
SPF:	PASS with IP 209.85.220.69 Learn more
DKIM:	'PASS' with domain klu.ac.in Learn more
DMARC:	'PASS' Learn more

[Download Original](#)

[Copy to clipboard](#)

SPF, DKIM, DMARC Results:

SPF:	PASS with IP 209.85.220.69 Learn more
DKIM:	'PASS' with domain klu.ac.in Learn more
DMARC:	'PASS' Learn more

Received ip address:

Received: from mail-sor-f69.google.com (mail-sor-f69.google.com. [209.85.220.69]) by mx.google.com with SMTPS id 4fb4d7f45d1cf-6a3ff16dd6bsor962050a12.7.2026.08.20.04.30.36 for <99240041216@klu.ac.in> (Google Transport Security); Thu, 20 Aug 2026 04:30:36 -0700 (PDT)
Received-SPF: pass (google.com: domain of 2024cse+bncccyx7xjleinsu32qdbubhpbapl@klu.ac.in designates 209.85.220.69 as permitted sender) client-ip=209.85.220.69;
Authentication-Results: mx.google.com; dkim=pass header.i=@klu.ac.in header.s=google header.b=hwuYp+sp; arc=pass (i=3 spf=pass spfdomain=klu.ac.in dkim=pass dkdomain=klu.ac.in dmarc=pass fromdomain=klu.ac.in); spf=pass (google.com: domain of 2024cse+bncccyx7xjleinsu32qdbubhpbapl@klu.ac.in designates 209.85.220.69 as permitted sender) smtp.mailfrom=2024cse+bncccyx7xjleinsu32qdbubhpbapl@klu.ac.in; dmarc=pass (p=QUARANTINE sp=NONE dis=NONE) header.from=klu.ac.in; dara=neutral header.i=@klu.ac.in
ARC-Seal: i=3; a=rsa-sha256; t=1787225436; cv=pass; d=google.com; s=arc-20260327; b=mGAYPtJd6oJvjY4TGXZgp+5E3ndTNie+vkEbMd62aRcnEdYswSNk6MRWNf6raX2WM4+5kg4pf3hq9o9YHdvtmCTxAPfz22Vsb27tNs5FJAds8K9T7CXRapLSEj2A6hbyBay+ZU VbbyujiicCW6fHxvJHdCyjV6/hKzICYCAOG1viCh010fUSNSLPAYT1/yRRpvZkQHpvq98qd0/mG5cGNxyExTbd1GulEN0Nvc3pJr73IXqG5WZqCy8YHgkV2xnciRfUozKtVrgl83 sesuWgTSfmLOYSq2u01tav7lbaRm7G8UPI4UfzXbGasiihp1HdBmDbMbDqKkCdRpDKZ oEeQ==
ARC-Message-Signature: i=3; a=rsa-sha256; c=relaxed/relaxed; d=google.com; s=arc-20260327; h=list-unsubscribe:list-archive:list-help:list-post:list-id:mailing-list:precedence:to:subject:message-id:date:from:in-reply-to:references:mime-version:dkim-signature; bh=ApPJ6wfPxex/rUHjDxK5omI6OQN0eE4r27kdbg0lQq0=; fh=OTfRrefBR7E6LoBEN1sI7ZHIW/gwAKpxy60lZEImn/g=; b=NdgNXgPMoRyK9FJkC1+zBoIoyDLh+3uS1+ly6xy7XngQWlAUswk7cKfv8+kjUkz+CZ ArD00GfEEBfX2wsud0VqH6Iek1SwXkdQ14snbfVg2cUsljCV/cp8f6KEATjwJH1yE1b bKckn/UEwwvuBpTcti7H1G8RU1dH4A8URzkpsBwVJOei/ku3m06Zxn8zXHKKXUdQmI54 Mrm+qqn3Wv3Dh/2CXoUCh7W+5x6kG2em9vgG1+wUAR3qUpyetw7+3udJihx0vjat1AJc fMldP9MTxrhMH/tfwP0120lWbaNQgc1yBizSkNteDakeqUHARBQ/KlYwLzkOW4j7bpJ3 UpbA==; darn=klu.ac.in
ARC-Authentication-Results: i=3; mx.google.com; dkim=pass header.i=@klu.ac.in header.s=google header.b=NshJvtq6; arc=pass (i=1); spf=pass (google.com: domain of hodcse@klu.ac.in designates 209.85.220.41 as permitted sender) smtp.mailfrom=hodcse@klu.ac.in; dmarc=pass (p=QUARANTINE sp=NONE dis=NONE) header.from=klu.ac.in; dara=neutral header.i=@klu.ac.in
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=klu.ac.in; s=google; t=1787225436; x=1787830236; darn=klu.ac.in; h=list-unsubscribe:list-archive:list-help:list-post:list-id:mailing-list:precedence:x-original-authentication-results:x-original-sender:content-type:to:subject:message-id:date:from:in-reply-to:references:mime-version:from:to:cc:subject:date:message-id:reply-to:content-type; bh=ApPJ6wfPxex/rUHjDxK5omI6OQN0eE4r27kdbg0lQq0=; b=hwuYp+spQ/lv6ZxLwcSAQDwsMo9ET98b0U1lbwEsLQra7SEBvLpIcQZK7ONmCaCc0 B7ApJlhc0JpOBKeRnwB7RRW41wRVZneW57zhvdFeeqUDiZnXlcW6hWewhRidpKkdG TT87mZPKPf6UkLzIqONSt+vRUGiasfgix/FW3aNNWShTtUUXspVg7bb0TDqEuUoZW0BI 7/mehuSEyWt4npwNc8QawfnP0jixTktXGyvv3epVG4/KqtQEtBhwiYfX4JKht5p/K/2qn nlqeoLmrXQg1ZBqFdmrzvK1Y81WU04vtwmVMxvQMeSUJNgfG66yJD1kX8ItQof03vJdt 1FvQ==
X-Google-DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=1e100.net; s=20251104; t=1787225436; x=1787830236; h=list-unsubscribe:list-

Whois Verification:

Whois.com

DomainsHostingWebsites*EmailSecurityWhoisDeals

209.85.220.69WHOIS

Whois IP 209.85.220.69Updated 5 days ago

ARIN WHOIS data and services are subject to the Terms of Use
available at: https://www.arin.net/resources/registry/whois/tou/
If you see inaccuracies in the results, please report at
https://www.arin.net/resources/registry/whois/inaccuracy_reporting/
Copyright 1997-2026, American Registry for Internet Numbers, Ltd.
#

NetRange: 209.85.128.0 - 209.85.255.255
CIDR: 209.85.128.0/17
NetName: GOOGLE
NetHandle: NET-209-85-128-0-1
Parent: NET209 (NET-209-0-0-0-0)
NetType: Direct Allocation
OriginAS:
Organization: Google LLC (GOGL)
RegDate: 2006-01-13
Updated: 2012-02-24
Ref: https://rdap.arin.net/registry/ip/209.85.128.0

OrgName: Google LLC
OrgId: GOGL
Address: 1600 Amphitheatre Parkway
City: Mountain View
StateProv: CA
PostalCode: 94043
Country: US
RegDate: 2000-03-30
Updated: 2019-10-31
Comment: Please note that the recommended way to file abuse complaints are located in the

.spaceSale\$29.88\$1.18BUY NOW*while stocks last

On Sale!

iCU@ \$1.48\$21.48

AI WEBSITE BUILDER

Build A Beautiful Website In Minutes!

Starts at \$2.48

MXtoolbox Header Analysis:

MX TOOLBOX SUPERTOOL

PricingToolsDelivery CenterMonitoringProductsResourcesLogin

SuperToolMX LookupBlacklistsDMARCDiagnosticsEmail HealthDNS LookupAnalyze HeadersAll Tools

Header Analyzed

Email Subject: Fwd: Circular 212CSE3301 – Design and analysis of Algorithm

Analyze New Header

Delivery Information

DMARC Compliant

SPF Alignment

SPF Authenticated

DKIM Alignment

DKIM Authenticated

Relay Information

Received Delay: 8 seconds

From mail-sor-f41.google.com to mx.google.com

to mx.google.com

to

Hop	Delay	From	By	With	Time (UTC)	Blacklist
1	*	mail-sor-f41.google.com 209.85.220.41	mx.google.com	SMTPS	8/20/2026 11:30:29 AM	✓
2	2 seconds		2002:a05:6402:a00e:b0:6a0:903d:b4cc	SMTP	8/20/2026 11:30:31 AM	

Your IP is: 103.238.220.130 | Contact Terms & Conditions Security API Privacy Phone: (866) 498-6662 | © Copyright 2004-2026, MXToolbox, Inc. All rights reserved. US Patents 10039353 B2 & 11461738 B2