

TP-13

Porter Stemmer

Design, Working Mechanism, and Applications

Madhavan S

Reg. No.: 192425113

Course Code: DSA0307 | Natural Language Processing

What We'll Cover

01

What is Stemming?

Why NLP pipelines reduce words to root forms

02

Porter Stemmer Overview

History and role in Information Retrieval

03

The Five-Phase Algorithm

Rule-based suffix stripping mechanism

04

Worked Examples

Step-by-step transformation of real words

05

Applications & Limitations

Where it shines, and where it falls short

“Stemming reduces words to their root form before deeper language analysis.”

What is Stemming?

Stemming is the process of reducing a word to its base or root form, called the **stem**, by stripping suffixes — often without ensuring the result is a valid dictionary word.

connect

stem of →

connection, connected, connecting, connections

relat

stem of →

relate, relative, relativity, relational

Why It Matters

- Reduces vocabulary size for search & indexing
- Improves recall in Information Retrieval systems
- Normalizes text before classification / clustering
- Speeds up NLP preprocessing pipelines

Porter Stemmer — Overview

Developed by Martin Porter in 1980, it remains the most widely used stemming algorithm for English due to its simplicity, speed, and rule-based transparency.

01

Rule-Based

Uses a fixed set of suffix-stripping rules — no training data or ML required.

02

Deterministic

Same input always produces the same stem; fully reproducible.

03

Five Phases

Rules applied in sequential steps, each simplifying the word further.

04

Lightweight & Fast

Purely algorithmic — ideal for large-scale text preprocessing.

Used in: search engines, text classification, information retrieval, and NLTK's SnowballStemmer lineage.

The Five-Phase Algorithm

Each phase applies suffix-removal rules in order; only the first matching rule in a phase fires.

1

Step 1a/1b/1c

Plurals & -ed/-ing

caresses → caress, ponies → poni, agreed → agree

2

Step 2

Double-suffix mapping

relational → relate, conditional → condition

3

Step 3

Suffix simplification

triplicate → triplic, formative → form

4

Step 4

Remove remaining suffixes

revival → reviv, adjustable → adjust

5

Step 5a/5b

Final cleanup of e / double letters

probate → probat, cease → ceas, controll → control

Worked Example

Tracing the word "relational" through the algorithm



More Examples

caresses → caress

ponies → poni

troubling → troubl

sized → size

Applications & Limitations

Applications

- Search engines — matching query terms to indexed roots
- Information Retrieval — reducing vocabulary mismatch
- Text classification & sentiment analysis preprocessing
- Document clustering and topic modeling

Limitations

- Produces non-words (e.g., "argue" → "argu")
- Over-stemming can merge unrelated words
- Under-stemming may leave related words distinct
- English-specific — rules don't generalize to other languages

Key Takeaway

Porter Stemmer trades linguistic precision for speed and simplicity — making it the go-to choice for fast, rule-based text normalization.

Thank You

Madhavan S | 192425113 | DSA0307