Folder tudu

14 printable files

(file list disabled)

tudu\.gitignore

```
1 # See https://help.github.com/articles/ignoring-files/ for more about ignoring files.
 2
 3
   # dependencies
4
   /node modules
   /.pnp
 5
   .pnp.js
 6
8
   # testing
9
   /coverage
10
   # production
11
   /build
12
13
14 # misc
15
   .DS Store
   .env.local
16
17
   .env.development.local
   .env.test.local
19
   .env.production.local
20
21
   npm-debug.log*
22
   yarn-debug.log*
23
   yarn-error.log*
24
```

tudu\README.md

Could not render this file.

tudu\package.json

```
1
      "name": "tudu",
 2
      "version": "0.1.0",
 3
 4
      "private": true,
      "dependencies": {
 5
        "@testing-library/jest-dom": "^5.17.0",
 6
        "@testing-library/react": "^13.4.0",
 7
        "@testing-library/user-event": "^13.5.0",
 8
        "react": "^18.2.0",
 9
        "react-dom": "^18.2.0",
10
        "react-scripts": "5.0.1",
11
        "web-vitals": "^2.1.4"
```

```
9/30/23, 7:46 PM
 13
        },
        "scripts": {
 14
          "start": "react-scripts start",
 15
          "build": "react-scripts build",
 16
 17
          "test": "react-scripts test",
          "eject": "react-scripts eject"
 18
 19
        "eslintConfig": {
 20
          "extends": [
 21
 22
             "react-app",
             "react-app/jest"
 23
          ]
 24
 25
        },
        "browserslist": {
 26
 27
          "production": [
             ">0.2%",
 28
 29
             "not dead",
             "not op_mini all"
 30
 31
          ٦,
          "development": [
 32
 33
             "last 1 chrome version",
             "last 1 firefox version",
 34
 35
             "last 1 safari version"
 36
          1
 37
 38
      }
 39
```

tudu\public\index.html

```
<!-- https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css -->
 1
 2
 3
 4
    <!DOCTYPE html>
    <html lang="en">
 5
 6
 7
    <head>
 8
      <meta charset="utf-8" />
      k rel="icon" href="%PUBLIC URL%/favicon.ico" />
 9
      <meta name="viewport" content="width=device-width, initial-scale=1" />
10
      <meta name="theme-color" content="#000000" />
11
      <meta name="description" content="Web site created using create-react-app" />
12
      rel="apple-touch-icon" href="%PUBLIC URL%/logo192.png" />
13
14
      <link rel="manifest" href="%PUBLIC URL%/manifest.json" />
15
      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel=</pre>
16
    "stylesheet"
        integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
17
    crossorigin="anonymous">
18
      <title>React App</title>
19
    </head>
20
21
    <body>
      <noscript>You need to enable JavaScript to run this app./noscript>
22
23
      <div id="root"></div>
24
25
26
```

```
27 | 28 | 29 | 30 | </body> 31 | 32 | </html>
```

tudu\public\manifest.json

```
1
    {
 2
      "short name": "React App",
      "name": "Create React App Sample",
 3
 4
      "icons": [
 5
          "src": "favicon.ico",
 6
          "sizes": "64x64 32x32 24x24 16x16",
 7
 8
          "type": "image/x-icon"
 9
        },
10
          "src": "logo192.png",
11
          "type": "image/png",
12
          "sizes": "192x192"
13
14
        },
15
          "src": "logo512.png",
16
          "type": "image/png",
17
          "sizes": "512x512"
18
19
20
21
      "start_url": ".",
      "display": "standalone",
22
      "theme color": "#000000",
23
24
      "background_color": "#ffffff"
    }
25
26
```

tudu\public\robots.txt

```
# https://www.robotstxt.org/robotstxt.html
User-agent: *
Disallow:
```

tudu\src\App.css

```
body{
width:75%;
margin:auto;
align-items: center;
/* font-family: Verdana, Geneva, Tahoma, sans-serif; */

}
App {
```

```
9
      text-align: center;
10
      margin: 50px;
11
12
13
    input {
14
      padding: 10px;
15
      margin-right: 10px;
16
      width:50%;
      text-align: center;
17
18
19
    .head{
      text-align: center;
20
21
    .addBtn {
22
23
      padding: 10px 20px;
24
      background-color: #007bff;
25
      color: □ #fff;
      border: none;
26
27
      cursor: pointer;
      border-radius:5px;
28
29
30
    }
31
32
    .addBtn:hover {
33
      background-color: #0056b3;
34
    }
35
    .del{
36
      border:none;
37
      background-color: none;
38
      color:none;
39
    }
    ul {
40
41
      list-style: none;
42
      padding: 0;
    }
43
44
45
    li {
      margin: 10px 0;
46
47
      display: flex;
      justify-content: space-between;
48
49
      align-items: center;
50
      background-color:  #f2f5f8;
51
      padding: 10px;
52
      border-radius: 5px;
53 }
```

tudu\src\App.js

```
import React, { useState } from "react";
import "./App.css";

function App() {
  const [tasks, setTasks] = useState([]);
  const [newTask, setNewTask] = useState("");

const addTask = () => {
  if (newTask.trim() !== "") {
```

```
10
          setTasks([...tasks, newTask]);
11
          setNewTask("");
12
13
      };
14
15
      const removeTask = (index) => {
16
        const updatedTasks = tasks.filter((_, i) => i !== index);
17
        setTasks(updatedTasks);
18
      };
19
      return (
20
21
        <div className="App">
22
          <h1 className="head">Todo List App</h1>
          <div>
23
24
            <input
              type="text"
25
              value={newTask}
26
27
              onChange={(e) => setNewTask(e.target.value)}
28
              placeholder="Enter a new task...♥"
            />
29
            <button className="addBtn" onClick={addTask}>
30
31
              Add Task
32
            </button>
          </div>
33
          <u1>
34
            {tasks.map((task, index) => (
35
36
              key={index}>
37
                {task}
                <button className="del" onClick={() => removeTask(index)}>
38
39
                </button>
40
41
              42
            ))}
43
          44
        </div>
45
      );
   }
46
47
48
   export default App;
49
```

tudu\src\App.test.js

```
1 // App.js
    import React, { useState } from 'react';
 2
    import './App.css';
 3
 4
 5
    function App() {
      const [tasks, setTasks] = useState([]);
 6
 7
      const [newTask, setNewTask] = useState('');
 8
 9
      const addTask = () => {
10
        if (newTask.trim() !== '') {
          setTasks([...tasks, newTask]);
11
          setNewTask('');
12
13
        }
14
      };
15
```

9/30/23, 7:46 PM tudu

```
16
      const removeTask = (index) => {
17
        const updatedTasks = tasks.filter((_, i) => i !== index);
18
        setTasks(updatedTasks);
19
      };
20
21
      return (
22
        <div className="App">
          <h1>To-Do List</h1>
23
          <div>
24
25
            <input
              type="text"
26
27
              value={newTask}
28
              onChange={(e) => setNewTask(e.target.value)}
              placeholder="Enter a new task..."
29
            />
30
            <button onClick={addTask}>Add Task</putton>
31
          </div>
32
          <u1>
33
34
            {tasks.map((task, index) => (
              key={index}>
35
36
                {task}
37
                <button onClick={() => removeTask(index)}>Remove</button>
38
39
            ))}
          40
        </div>
41
42
      );
43
44
   export default App;
45
46
```

tudu\src\index.css

```
1
   body {
 2
      margin: 0;
      font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', 'Roboto', 'Oxygen',
 3
        'Ubuntu', 'Cantarell', 'Fira Sans', 'Droid Sans', 'Helvetica Neue',
 4
 5
        sans-serif;
 6
      -webkit-font-smoothing: antialiased;
 7
      -moz-osx-font-smoothing: grayscale;
 8
   }
9
10
      font-family: source-code-pro, Menlo, Monaco, Consolas, 'Courier New',
11
12
        monospace;
13
   }
14
```

tudu\src\index.js

```
import React from 'react';
import ReactDOM from 'react-dom/client';
import './index.css';
import App from './App';
```

9/30/23, 7:46 PM tudu

```
import reportWebVitals from './reportWebVitals';
 6
 7
    const root = ReactDOM.createRoot(document.getElementById('root'));
 8
   root.render(
 9
      <React.StrictMode>
10
        <App />
      </React.StrictMode>
11
    );
12
13
14
    // If you want to start measuring performance in your app, pass a function
15
    // to log results (for example: reportWebVitals(console.log))
    // or send to an analytics endpoint. Learn more: https://bit.ly/CRA-vitals
16
17
    reportWebVitals();
18
```

tudu\src\logo.svg

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 841.9 595.3"><g fill="#61DAFB"><path d=</pre>
"M666.3 296.5c0-32.5-40.7-63.3-103.1-82.4 14.4-63.6 8-114.2-20.2-130.4-6.5-3.8-14.1-5.6-
22.4-5.6v22.3c4.6 0 8.3.9 11.4 2.6 13.6 7.8 19.5 37.5 14.9 75.7-1.1 9.4-2.9 19.3-5.1 29.4-
19.6-4.8-41-8.5-63.5-10.9-13.5-18.5-27.5-35.3-41.6-50 32.6-30.3 63.2-46.9 84-46.9V78c-27.5
0-63.5 19.6-99.9 53.6-36.4-33.8-72.4-53.2-99.9-53.2v22.3c20.7 0 51.4 16.5 84 46.6-14 14.7-28
31.4-41.3 49.9-22.6 2.4-44 6.1-63.6 11-2.3-10-4-19.7-5.2-29-4.7-38.2 1.1-67.9 14.6-75.8 3-
1.8 6.9-2.6 11.5-2.6V78.5c-8.4 0-16 1.8-22.6 5.6-28.1 16.2-34.4 66.7-19.9 130.1-62.2 19.2-
102.7 49.9-102.7 82.3 0 32.5 40.7 63.3 103.1 82.4-14.4 63.6-8 114.2 20.2 130.4 6.5 3.8 14.1
5.6 22.5 5.6 27.5 0 63.5-19.6 99.9-53.6 36.4 33.8 72.4 53.2 99.9 53.2 8.4 0 16-1.8 22.6-5.6
28.1-16.2 34.4-66.7 19.9-130.1 62-19.1 102.5-49.9 102.5-82.3zm-130.2-66.7c-3.7 12.9-8.3
26.2-13.5 39.5-4.1-8-8.4-16-13.1-24-4.6-8-9.5-15.8-14.4-23.4 14.2 2.1 27.9 4.7 41 7.9zm-45.8
106.5c-7.8 13.5-15.8 26.3-24.1 38.2-14.9 1.3-30 2-45.2 2-15.1 0-30.2-.7-45-1.9-8.3-11.9-
16.4-24.6-24.2-38-7.6-13.1-14.5-26.4-20.8-39.8 6.2-13.4 13.2-26.8 20.7-39.9 7.8-13.5 15.8-
26.3 24.1-38.2 14.9-1.3 30-2 45.2-2 15.1 0 30.2.7 45 1.9 8.3 11.9 16.4 24.6 24.2 38 7.6 13.1
14.5 26.4 20.8 39.8-6.3 13.4-13.2 26.8-20.7 39.9zm32.3-13c5.4 13.4 10 26.8 13.8 39.8-13.1
3.2-26.9 5.9-41.2 8 4.9-7.7 9.8-15.6 14.4-23.7 4.6-8 8.9-16.1 13-24.1zM421.2 430c-9.3-9.6-
18.6-20.3-27.8-32 9 .4 18.2.7 27.5.7 9.4 0 18.7-.2 27.8-.7-9 11.7-18.3 22.4-27.5 32zm-74.4-
58.9c-14.2-2.1-27.9-4.7-41-7.9 3.7-12.9 8.3-26.2 13.5-39.5 4.1 8 8.4 16 13.1 24 4.7 8 9.5
15.8 14.4 23.4zM420.7 163c9.3 9.6 18.6 20.3 27.8 32-9-.4-18.2-.7-27.5-.7-9.4 0-18.7.2-27.8.7
9-11.7 18.3-22.4 27.5-32zm-74 58.9c-4.9 7.7-9.8 15.6-14.4 23.7-4.6 8-8.9 16-13 24-5.4-13.4-
10-26.8-13.8-39.8 13.1-3.1 26.9-5.8 41.2-7.9zm-90.5 125.2c-35.4-15.1-58.3-34.9-58.3-50.6 0-
15.7 22.9-35.6 58.3-50.6 8.6-3.7 18-7 27.7-10.1 5.7 19.6 13.2 40 22.5 60.9-9.2 20.8-16.6
41.1-22.2 60.6-9.9-3.1-19.3-6.5-28-10.2zM310 490c-13.6-7.8-19.5-37.5-14.9-75.7 1.1-9.4 2.9-
19.3 5.1-29.4 19.6 4.8 41 8.5 63.5 10.9 13.5 18.5 27.5 35.3 41.6 50-32.6 30.3-63.2 46.9-84
46.9-4.5-.1-8.3-1-11.3-2.7zm237.2-76.2c4.7 38.2-1.1 67.9-14.6 75.8-3 1.8-6.9 2.6-11.5 2.6-
20.7 0-51.4-16.5-84-46.6 14-14.7 28-31.4 41.3-49.9 22.6-2.4 44-6.1 63.6-11 2.3 10.1 4.1 19.8
5.2 29.1zm38.5-66.7c-8.6 3.7-18 7-27.7 10.1-5.7-19.6-13.2-40-22.5-60.9 9.2-20.8 16.6-41.1
22.2-60.6 9.9 3.1 19.3 6.5 28.1 10.2 35.4 15.1 58.3 34.9 58.3 50.6-.1 15.7-23 35.6-58.4 50.6zM320.8 78.4z"/><circle cx="420.9" cy="296.5" r="45.7"/><path d="M520.5 78.1z"/></g><
/svg>
```

tudu\src\reportWebVitals.js

```
1
    const reportWebVitals = onPerfEntry => {
 2
      if (onPerfEntry && onPerfEntry instanceof Function) {
 3
        import('web-vitals').then(({ getCLS, getFID, getFCP, getLCP, getTTFB }) => {
 4
          getCLS(onPerfEntry);
 5
          getFID(onPerfEntry);
 6
          getFCP(onPerfEntry);
 7
          getLCP(onPerfEntry);
 8
          getTTFB(onPerfEntry);
 9
        });
10
11
    };
12
```

9/30/23, 7:46 PM tudu

```
13 export default reportWebVitals;
14
```

tudu\src\setupTests.js

```
// jest-dom adds custom jest matchers for asserting on DOM nodes.
// allows you to do things like:
// expect(element).toHaveTextContent(/react/i)
// learn more: https://github.com/testing-library/jest-dom
import '@testing-library/jest-dom';
```