

finger↑tips

Module-8

Common Table

Expressions (CTE)

1) Common Table Expressions

Common Table Expressions (CTEs) in SQL are temporary named result sets that are defined within the scope of a single SQL statement. They are used to simplify complex SQL queries by breaking them down into smaller, more manageable parts. CTEs are a powerful SQL feature that can help improve query performance and readability, and make complex queries easier to understand.

Here are some key features of CTEs:

- **Temporary:** CTEs are created and used only within the scope of a single SQL statement. They are not stored in the database like regular tables, and are not accessible to other SQL statements.
- **Named:** CTEs have a name, which is used to refer to the result set within the SQL statement. This allows you to refer to the same result set multiple times within the same query.
- **Recursive:** CTEs can be used to define recursive queries, where the result of one query is used as input to the next query in the recursion.

Syntax:

```
WITH my_cte AS (  
  SELECT column1, column2  
  FROM my_table  
  WHERE column3 = 'value'  
)  
SELECT *  
FROM my_cte;
```

2) What are the least delivery ratings given by each user?

with least_del as

```
(select u.name, o.delivery_rating,  
row_number() over(partition by u.name order by  
o.delivery_rating) as row_  
from users1 u join orders1 o
```

```
on u.user_id=o.user_id)
select * from least_del
where row_=1;
```

3) What is the maximum amount food ordered by each user?

```
with max_amount as
(select u.name, o.amount,
row_number() over(partition by u.name order by o.amount
desc) as row_
from users1 u join orders1 o
on u.user_id=o.user_id)
select * from max_amount
where row_=1;
```

4) What are the highest restaurant ratings given by each user?

```
with highest_res as
(select u.name, o.delivery_rating,
row_number() over(partition by u.name order by
o.restaurant_rating desc) as row_
from users1 u join orders1 o
on u.user_id=o.user_id)
select * from highest_res
where row_=1;
```

5) What is the minimum amount food ordered by each user?

```
with min_amount as
(select u.name, o.amount,
row_number() over(partition by u.name order by o.amount) as
row_
from users1 u join orders1 o
on u.user_id=o.user_id)
select * from min_amount
where row_=1;
```