AI ASSISTED CODING

ASSIGNMENT 15.5

Name:E. Madhu

Hall ticket number:2303A51846

Batch:11

<u>Task 1 – Student Attendance API</u> Task:

Create a RESTful API for student attendance tracking.

Instructions:

- Endpoints required: o GET /attendance → View attendance records o POST /attendance → Mark attendance o PUT /attendance/{id} → Update attendance record o DELETE /attendance/{id} → Remove attendance entry •

Ensure JSON-based request and response handling.

Expected Output:

- API for maintaining and updating attendance records.

<u>PROMPT:</u>

"""Generate a Python Flask REST API for student attendance with in-memory storage.

Implement GET /attendance, POST /attendance, PUT /attendance/<id>, DELETE /attendance/<id>.

Use JSON request/response and add comments."""

<u>GIVEN CODE:</u>

lab15.py > create_attendance

```python
"""Generate a Python Flask REST API for student attendance with in-memory storage.
Implement GET /attendance, POST /attendance, PUT /attendance/<id>, DELETE /attendance/<id>.
Use JSON request/response and add comments."""
from flask import Flask, request, jsonify
app = Flask(__name__)
# In-memory storage for attendance records
attendance_records = []
# GET /attendance - Retrieve all attendance records
@app.route('/attendance', methods=['GET'])
def get_attendance():
    return jsonify(attendance_records), 200
# POST /attendance - Create a new attendance record
@app.route('/attendance', methods=['POST'])
def create_attendance():
    data = request.get_json()
    if not data or 'student_name' not in data or 'date' not in data:
        return jsonify({'error': 'Invalid input'}), 400
    new_record = {
        'id': len(attendance_records) + 1,
        'student_name': data['student_name'],
        'date': data['date']
    }
    attendance_records.append(new_record)
    return jsonify(new_record), 201
# PUT /attendance/<id> - Update an existing attendance record
@app.route('/attendance/<int:record_id>', methods=['PUT'])
def update_attendance(record_id):
    data = request.get_json()
    if not data or 'student_name' not in data or 'date' not in data:
        return jsonify({'error': 'Invalid input'}), 400
    for record in attendance_records:
        if record['id'] == record_id:
            record['student_name'] = data['student_name']
            record['date'] = data['date']
            return jsonify(record), 200
    return jsonify({'error': 'Record not found'}), 404
# DELETE /attendance/<id> - Delete an attendance record
@app.route('/attendance/<int:record_id>', methods=['DELETE'])
def delete_attendance(record_id):
    global attendance_records
    attendance_records = [record for record in attendance_records if record['id'] != record_id]
    return jsonify({'message': 'Record deleted'}), 200
if __name__ == '__main__':
    app.run(debug=True)
```

Task 2 – Inventory Management API

Task:

Develop a REST API for warehouse inventory management.

Instructions:

- **Endpoints required:**

o GET /inventory → List all items o POST

/inventory → Add new item o PUT

/inventory/{id} → Update stock quantity o DELETE

/inventory/{id} → Remove an item

- **Implement validation for stock values.**

Expected Output:

- **API capable of managing inventory stock levels.**

PROMPT:

"""Create a Flask REST API for inventory management with item id, name, and quantity.

Implement GET, POST, PUT, DELETE endpoints for /inventory.

Add validation so stock quantity cannot be negative.""" **GIVEN**

CODE AND OUTPUT:

```python
"""Create a Flask REST API for inventory management with item id, name, and quantity.
Implement GET, POST, PUT, DELETE endpoints for /inventory.
Add validation so stock quantity cannot be negative."""
from flask import Flask, request, jsonify
app = Flask(__name__)
# In-memory storage for inventory items
inventory = {}
@app.route('/inventory', methods=['GET'])
def get_inventory():
    """Endpoint to retrieve the entire inventory."""
    return jsonify(inventory)
@app.route('/inventory', methods=['POST'])
def add_item():
    """Endpoint to add a new item to the inventory."""
    data = request.get_json()
    item_id = data.get('id')
    name = data.get('name')
    quantity = data.get('quantity')

    # Validate input
    if not isinstance(item_id, int) or not isinstance(name, str) or not isinstance(quantity, int):
        return jsonify({"error": "Invalid input: id must be an integer, name must be a string, and quantity must be an integer."}), 400
    if quantity < 0:
        return jsonify({"error": "Invalid input: quantity cannot be negative."}), 400

    # Add item to inventory
    inventory[item_id] = {"name": name, "quantity": quantity}
    return jsonify({"message": "Item added successfully."}), 201
@app.route('/inventory/<int:item_id>', methods=['PUT'])
def update_item(item_id):
    """Endpoint to update an existing item in the inventory."""
    if item_id not in inventory:
        return jsonify({"error": "Item not found."}), 404

    data = request.get_json()
    name = data.get('name')
    quantity = data.get('quantity')

    # Validate input
    if name is not None and not isinstance(name, str):
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS POSTMAN CONSOLE

```
 * Debugger PIN: 615-148-475
 * Serving Flask app '1ab15'
 * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on http://127.0.0.1:5000
Press CTRL+C to quit
 * Restarting with watchdog (windowsapi)
 * Debugger is active!
 * Debugger PIN: 615-148-475
```

Task 3 – Hotel Room Booking API

Task:

Develop a RESTful API for hotel room booking.

Instructions:

• Endpoints required:

o GET /rooms → View available rooms o POST /rooms/book →

Book a room o GET /rooms/{id} →

View booking details o DELETE /rooms/{id} →

Cancel booking • Implement error handling for

unavailable rooms.

Expected Output:

- **API simulating hotel room booking operations.**

PROMPT:

"""Generate a Flask REST API for hotel room booking using in-memory data.

Endpoints: GET /rooms, POST /rooms/book, GET /rooms/<id>, DELETE /rooms/<id>.

Add error handling if a room is already booked.""" **GIVEN**

OUTPUT:

```python
"""Generate a Flask REST API for hotel room booking using in-memory data.
Endpoints: GET /rooms, POST /rooms/book, GET /rooms/<id>, DELETE /rooms/<id>.
Add error handling if a room is already booked."""
from flask import Flask, request, jsonify
app = Flask(__name__)
# In-memory storage for rooms
rooms = {
    1: {"type": "single", "price": 100, "booked": False},
    2: {"type": "double", "price": 150, "booked": False},
    3: {"type": "suite", "price": 300, "booked": False}
}
@app.route('/rooms', methods=['GET'])
def get_rooms():
    """Endpoint to get the list of all rooms with their details."""
    return jsonify(rooms)
@app.route('/rooms/book', methods=['POST'])
def book_room():
    """Endpoint to book a room. Expects JSON with 'id' of the room to be booked."""
    data = request.get_json()
    room_id = data.get('id')
    if room_id not in rooms:
        return jsonify({"error": "Room not found"}), 404
    if rooms[room_id]['booked']:
        return jsonify({"error": "Room already booked"}), 400
    rooms[room_id]['booked'] = True
    return jsonify({"message": f"Room {room_id} booked successfully"})
@app.route('/rooms/<int:room_id>', methods=['GET'])
def get_room(room_id):
    """Endpoint to get details of a specific room by its ID."""
    if room_id not in rooms:
        return jsonify({"error": "Room not found"}), 404
    return jsonify(rooms[room_id])
@app.route('/rooms/<int:room_id>', methods=['DELETE'])
def delete_room(room_id):
    """Endpoint to delete a room by its ID. This will remove the room from the in-memory storage."""
    if room_id not in rooms:
        return jsonify({"error": "Room not found"}), 404
    del rooms[room_id]
    return jsonify({"message": f"Room {room_id} deleted successfully"})
if __name__ == '__main__':    app.run(debug=True)
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS POSTMAN CONSOLE

```
 * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on http://127.0.0.1:5000
Press CTRL+C to quit
 * Restarting with watchdog (windowsapi)
 * Debugger is active!
 * Debugger PIN: 615-148-475
 * Restarting with watchdog (windowsapi)
 * Debugger is active!
 * Debugger PIN: 615-148-475
```

Task 4 – Online Voting API

Task:

Create a RESTful API for an online voting system.

Instructions:

• Endpoints required:

o GET /candidates → List candidates o

POST /vote → Cast a vote o GET

/results → View voting results

• **Ensure one vote per user using in-memory validation.**

Expected Output:

• **API simulating a secure online voting process.**

<u>PROMPT:</u>

"""Create a Flask REST API for an online voting system.

Endpoints: GET /candidates, POST /vote, GET /results.

Ensure each user can vote only once using in-memory validation.""" **<u>GIVEN</u>**

<u>OUTPUT:</u>

lab15.py > ...

```python
"""Create a Flask REST API for an online voting system.
Endpoints: GET /candidates, POST /vote, GET /results.
Ensure each user can vote only once using in-memory validation."""
from flask import Flask, request, jsonify
app = Flask(__name__)
# In-memory storage for candidates and votes
candidates = ["Alice", "Bob", "Charlie"]
votes = {}
@app.route('/candidates', methods=['GET'])
def get_candidates():
    """Endpoint to retrieve the list of candidates."""
    return jsonify(candidates)
@app.route('/vote', methods=['POST'])
def cast_vote():
    """Endpoint to cast a vote for a candidate."""
    data = request.get_json()
    user_id = data.get('user_id')
    candidate = data.get('candidate')
    # Validate input
    if not user_id or not candidate:
        return jsonify({"error": "User ID and candidate are required."}), 400
    if candidate not in candidates:
        return jsonify({"error": "Invalid candidate."}), 400
    if user_id in votes:
        return jsonify({"error": "User has already voted."}), 400
    # Cast the vote
    votes[user_id] = candidate
    return jsonify({"message": "Vote cast successfully."}), 200
@app.route('/results', methods=['GET'])
def get_results():
    """Endpoint to retrieve the voting results."""
    results = {candidate: 0 for candidate in candidates}
    for vote in votes.values():
        if vote in results:
            results[vote] += 1
    return jsonify(results)
if __name__ == '__main__':
    app.run(debug=True)
#TESTING
# To test the API, you can use tools like Postman or curl to send requests to the endpoints:
# 1. Get candidates: curl http://localhost:5000/candidates
# 2. Cast a vote: curl -X POST http://localhost:5000/vote -H "Content-Type: application/json" -d '{"user_id": "user1", "candidate": "Alice"}'
# 3. Get results: curl http://localhost:5000/results
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS POSTMAN CONSOLE

```
Press CTRL+C to quit
 * Restarting with watchdog (windowsapi)
 * Debugger is active!
 * Debugger PIN: 615-148-475
 * Restarting with watchdog (windowsapi)
 * Debugger is active!
 * Debugger PIN: 615-148-475
```

<u>Task 5 – Teacher Management API</u>

Task:

Develop a RESTful API to manage teacher records.

Instructions:

• Endpoints required:

o GET /teachers → List all teachers
o POST /teachers → Add a new teacher o PUT /teachers/{id} → Update teacher details o DELETE /teachers/{id} → Remove a teacher • Ensure proper error handling and JSON responses.

Expected Output:

• Functional API for managing teacher information.

<u>PROMPT:</u>

"""Generate a Flask REST API to manage teachers with id, name, and subject.

Implement GET, POST, PUT, DELETE endpoints for /teachers.

Return JSON responses and handle errors properly."""

<u>GIVEN OUTPUT:</u>

```python
"""Generate a Flask REST API to manage teachers with id, name, and subject.
Implement GET, POST, PUT, DELETE endpoints for /teachers.
Return JSON responses and handle errors properly."""
from flask import Flask, request, jsonify
app = Flask(__name__)
# In-memory storage for teachers
teachers = {}
@app.route('/teachers', methods=['GET'])
def get_teachers():
    """Endpoint to retrieve all teachers."""
    return jsonify(list(teachers.values())), 200
@app.route('/teachers', methods=['POST'])
def add_teacher():
    """Endpoint to add a new teacher."""
    data = request.get_json()
    if not data or 'name' not in data or 'subject' not in data:
        return jsonify({'error': 'Invalid input'}), 400
    teacher_id = len(teachers) + 1
    teacher = {
        'id': teacher_id,
        'name': data['name'],
        'subject': data['subject']
    }
    teachers[teacher_id] = teacher
    return jsonify(teacher), 201
@app.route('/teachers/<int:teacher_id>', methods=['PUT'])
def update_teacher(teacher_id):
    """Endpoint to update an existing teacher."""
    if teacher_id not in teachers:
        return jsonify({'error': 'Teacher not found'}), 404
    data = request.get_json()
    if not data or 'name' not in data or 'subject' not in data:
        return jsonify({'error': 'Invalid input'}), 400
    teacher = teachers[teacher_id]
    teacher['name'] = data['name']
    teacher['subject'] = data['subject']
    return jsonify(teacher), 200
@app.route('/teache (parameter) teacher_id: Any =['DELETE'])
def delete_teacher(teacher_id):
    """Endpoint to delete a teacher."""
    if teacher_id not in teachers:
        return jsonify({'error': 'Teacher not found'}), 404
    del teachers[teacher_id]
    return jsonify({'message': 'Teacher deleted'}), 200
```

BLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS POSTMAN CONSOLE

```
ss CTRL+C to quit
Restarting with watchdog (windowsapi)
Debugger is active!
Debugger PIN: 615-148-475
Restarting with watchdog (windowsapi)
Debugger is active!
Debugger PIN: 615-148-475
```

Explanation: In this lab, we created different REST APIs using Flask with the help of AI. We implemented CRUD operations for attendance, inventory, hotel booking, voting system, and teacher management. Each API uses JSON for data handling and includes proper validation and error handling.

We also learned how to design endpoints and manage data using in-memory storage. Overall, this lab helped us understand backend development and how AI makes coding faster and easier.