# OpenCart_AI – Regression Test Suite


10/16/2026, 2:06:10 PM · 57.9s · 2 workers

env `local`

**1 of 43 tests failed**

| 98% | 42 | 1 | 43 |
|---|---|---|---|
| PASS RATE | PASSED | FAILED | TOTAL |

### Pass rate





### Environment

| | |
|---|---|
| Playwright | 1.64.1 |
| Node | v24.13.1 |
| OS | Windows_NT 10.0.26300 (x64) |
| Browsers | chromium |
| Workers | 2 |
| Commit | 60ba056 · Madhukar Pandey · Fix e2e workflow test discovery |
| Branch | master |

## Test analytics

### Outcomes by priority

Stacked pass / fail / flaky / skipped for each priority tier.




Passed Failed


### Failure categories

What kinds of failures are hurting the suite.



### Duration distribution

How the durations of the tests that ran are spread.




### Pass rate trend by priority

How each priority tier trends over the last runs.

Not enough data yet. Add meta({ priority }) or run the suite once more.

### Owner leaderboard

Failures and flakes ranked by owner. Add meta({owner:...}) to see this.

Not enough data yet. Add meta({ priority }) or run the suite once more.

## Failure analysis

1 failed or flaky · 0 new since Oct 16

### Failure clusters 1 distinct error

**1** test

Assertion failed The page URL was "https://awesomeqa.com/ui/index.php?route=account/login", expected /route=account\/account/.

```
Expected pattern: /route=account\/account/
```

› Valid login (row 1) @master @datadriven @web

### By owner 1 owner to ping

**unassigned** 1 failed

Valid login (row 1) @master @datadriven @web

### 1 failed or flaky tests

| TEST | SPEC | PRIORITY | OWNER | TICKET | ATTEMPTS | SINCE | HISTORY | |
|---|---|---|---|---|---|---|---|---|
| Valid login (row 1) @master @datadriven @web<br>Error: expect(page).toHaveURL(expected) failed | login-data-driven.spec.ts | | | | 1 | Oct 16 | | 11.7s |

## All test cases

| # | TEST | SPEC | STATUS | DURATION |
|---|---|---|---|---|
| 1 | **Valid login (row 1) @master @datadriven @web** | login-data-driven.spec.ts | Failed | 11.7s |
| 2 | **POST - Invalid login returns the authentication error @master @regression @api**<br>Authentication API Tests | auth-api.spec.ts | Passed | 808ms |
| 3 | **POST - Successful login returns a token @master @sanity @api**<br>Authentication API Tests | auth-api.spec.ts | Passed | 1.0s |
| 4 | **DELETE - Cart by ID @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 651ms |
| 5 | **GET - All carts @master @sanity @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 566ms |
| 6 | **GET - Cart by ID @master @sanity @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 672ms |
| 7 | **GET - Cart response matches schema @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 658ms |
| 8 | **GET - Carts by date range @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 839ms |
| 9 | **GET - Carts for user @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 1.7s |
| 10 | **GET - Carts sorted ascending @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 1.0s |
| 11 | **GET - Carts sorted descending @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 683ms |
| 12 | **GET - Carts with limit @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 1.9s |
| 13 | **POST - Create cart @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 1.5s |
| 14 | **POST/PUT/DELETE - Cart CRUD workflow @master @end-to-end @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 1.8s |
| 15 | **PUT - Update cart @master @regression @api**<br>Carts API Tests | carts-api.spec.ts | Passed | 650ms |
| 16 | **DELETE - Product by ID @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 927ms |
| 17 | **GET - All product categories @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 610ms |
| 18 | **GET - All products @master @sanity @api**<br>Products API Tests | products-api.spec.ts | Passed | 489ms |
| 19 | **GET - Product by ID @master @sanity @api**<br>Products API Tests | products-api.spec.ts | Passed | 478ms |

| # | TEST | SPEC | STATUS | DURATION |
|---|---|---|---|---|
| 20 | **GET - Product response matches schema @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 543ms |
| 21 | **GET - Products by category @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 867ms |
| 22 | **GET - Products sorted ascending @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 719ms |
| 23 | **GET - Products sorted descending @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 767ms |
| 24 | **GET - Products with limit @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 862ms |
| 25 | **POST - Create product @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 1.3s |
| 26 | **POST/PUT/DELETE - Product CRUD workflow @master @end-to-end @api**<br>Products API Tests | products-api.spec.ts | Passed | 2.9s |
| 27 | **PUT - Update product @master @regression @api**<br>Products API Tests | products-api.spec.ts | Passed | 1.1s |
| 28 | **DELETE - User by ID @master @regression @api**<br>Users API Tests | users-api.spec.ts | Passed | 1.1s |
| 29 | **GET - All users @master @sanity @api**<br>Users API Tests | users-api.spec.ts | Passed | 948ms |
| 30 | **GET - User by ID @master @sanity @api**<br>Users API Tests | users-api.spec.ts | Passed | 747ms |
| 31 | **GET - User response matches schema @master @regression @api**<br>Users API Tests | users-api.spec.ts | Passed | 711ms |
| 32 | **GET - Users sorted ascending @master @regression @api**<br>Users API Tests | users-api.spec.ts | Passed | 1.0s |
| 33 | **GET - Users sorted descending @master @regression @api**<br>Users API Tests | users-api.spec.ts | Passed | 1.4s |
| 34 | **GET - Users with limit @master @regression @api**<br>Users API Tests | users-api.spec.ts | Passed | 1.0s |
| 35 | **POST - Create user @master @regression @api**<br>Users API Tests | users-api.spec.ts | Passed | 1.8s |
| 36 | **POST/PUT/DELETE - User CRUD workflow @master @end-to-end @api**<br>Users API Tests | users-api.spec.ts | Passed | 3.1s |
| 37 | **PUT - Update user @master @regression @api**<br>Users API Tests | users-api.spec.ts | Passed | 945ms |
| 38 | **End-to-end shopping flow test @master @regression @end-to-end @web** | end-to-end-shopping-flow.spec.ts | Passed | 18.7s |
| 39 | **Invalid login (row 2) @master @datadriven @web** | login-data-driven.spec.ts | Passed | 2.9s |
| 40 | **Invalid login (row 3) @master @datadriven @web** | login-data-driven.spec.ts | Passed | 7.8s |
| 41 | **Invalid login (row 4) @master @datadriven @web** | login-data-driven.spec.ts | Passed | 4.0s |
| 42 | **Invalid login (row 5) @master @datadriven @web** | login-data-driven.spec.ts | Passed | 8.1s |
| 43 | **User registration flow @master @sanity @regression @web** | user-registration.spec.ts | Passed | 4.6s |

## Failure evidence

### Valid login (row 1) @master @datadriven @web Failed

`tests/web/login-data-driven.spec.ts:60 · 11.7s`

**Assertion failed**

The page URL was "https://awesomeqa.com/ui/index.php?route=account/login", expected /route=account\/account/.


The navigation may not have happened yet, or it went to a different page (a redirect, a login screen, an error page).

**Expected pattern**

```
/route=account\/account/
```

**Received string**

```
"https://awesomeqa.com/ui/index.php?route=account/login"
```




`screenshot`