

OUTPUTS

1: CREATE TABLE

```

1 • USE madhulika_2520090056;
2 • CREATE TABLE orders (
3     ord_no INT PRIMARY KEY,
4     purch_amt DECIMAL(10,2),
5     ord_date DATE,
6     customer_id INT,
7     salesman_id INT
8 );
9
10 • INSERT INTO orders VALUES
11     (70001,150.50,'2012-10-05',3005,5002),
12     (70009,270.65,'2012-09-10',3001,5005),
13     (70002,65.26,'2012-10-05',3002,5001),
14     (70004,110.50,'2012-08-17',3009,5003),
15     (70007,948.50,'2012-09-10',3005,5002),
16     (70005,2400.60,'2012-07-27',3007,5001),
17     (70008,5760.00,'2012-09-10',3002,5001),
18     (70010,1983.43,'2012-10-10',3004,5006),
19     (70003,2480.40,'2012-10-10',3009,5003),
20     (70012,250.45,'2012-06-27',3008,5002),
21     (70011,75.29,'2012-08-17',3003,5007),
22

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

#	Time	Action	Message	Duration / Fetch
1	10:59:57	USE madhulika_2520090056	0 row(s) affected	0.000 sec
2	11:00:30	CREATE TABLE orders (ord_no INT PRIMAR...	0 row(s) affected	0.125 sec

2. INSERT DATA

```

10 • INSERT INTO orders VALUES
11     (70001,150.50,'2012-10-05',3005,5002),
12     (70009,270.65,'2012-09-10',3001,5005),
13     (70002,65.26,'2012-10-05',3002,5001),
14     (70004,110.50,'2012-08-17',3009,5003),
15     (70007,948.50,'2012-09-10',3005,5002),
16     (70005,2400.60,'2012-07-27',3007,5001),
17     (70008,5760.00,'2012-09-10',3002,5001),
18     (70010,1983.43,'2012-10-10',3004,5006),
19     (70003,2480.40,'2012-10-10',3009,5003),
20     (70012,250.45,'2012-06-27',3008,5002),
21     (70011,75.29,'2012-08-17',3003,5007),
22     (70013,3045.60,'2012-04-25',3002,5001);
23
24
25
26

```

current caret position or to toggle automatic help.

Context Help Snippets

#	Time	Action	Message	Duration / Fetch
1	10:59:57	USE madhulika_2520090056	0 row(s) affected	0.000 sec
2	11:00:30	CREATE TABLE orders (ord_no INT PRIMARY K...	0 row(s) affected	0.125 sec
3	11:02:12	INSERT INTO orders VALUES (70001,150.50,'2012-...	12 row(s) affected Records: 12 Duplicates: 0 Warni...	0.000 sec

3(1). WHERE CLAUSE

manually get help for the current caret position or to toggle automatic help.

```
24 • SELECT *
25 FROM orders
26 WHERE purch_amt > 2000;
27
28
29
```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
*	NULL	NULL	NULL	NULL	NULL

orders 1 x Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	10:59:57	USE madhulika_2520090056	0 row(s) affected	0.000 sec
✓ 2	11:00:30	CREATE TABLE orders (ord_no INT PRIMARY ...	0 row(s) affected	0.125 sec
✓ 3	11:02:12	INSERT INTO orders VALUES (70001,150.50,'201...	12 row(s) affected Records: 12 Duplicates: 0 War...	0.000 sec
✓ 4	11:03:09	SELECT * FROM orders WHERE purch_amt > 200...	4 row(s) returned	0.000 sec / 0.000 sec

(2). WHERE CLAUSE

manually get help for the current caret position or to toggle automatic help.

```
28 • SELECT *
29 FROM orders
30 WHERE ord_date='2012-09-10';
31
32
33
```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005
*	NULL	NULL	NULL	NULL	NULL

orders 2 x Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	10:59:57	USE madhulika_2520090056	0 row(s) affected	0.000 sec
✓ 2	11:00:30	CREATE TABLE orders (ord_no INT PRIMARY ...	0 row(s) affected	0.125 sec
✓ 3	11:02:12	INSERT INTO orders VALUES (70001,150.50,'201...	12 row(s) affected Records: 12 Duplicates: 0 War...	0.000 sec
✓ 4	11:03:09	SELECT * FROM orders WHERE purch_amt > 200...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 5	11:04:14	SELECT * FROM orders WHERE ord_date='2012-0...	3 row(s) returned	0.000 sec / 0.000 sec

(3). WHERE CLAUSE

manually get help for the current caret position or to toggle automatic help.

```
33 • SELECT *
34 FROM orders
35 WHERE salesman_id=5001;
36
37
38
```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70002	65.26	2012-10-05	3002	5001
	70005	2400.60	2012-07-27	3007	5001
	70008	5760.00	2012-09-10	3002	5001
	70013	3045.60	2012-04-25	3002	5001
*	NULL	NULL	NULL	NULL	NULL

orders 3 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 2	11:00:30	CREATE TABLE orders (ord_no INT PRIMAR...	0 row(s) affected	0.125 sec
✓ 3	11:02:12	INSERT INTO orders VALUES (70001,150.50,'20...	12 row(s) affected Records: 12 Duplicates: 0 Wa...	0.000 sec
✓ 4	11:03:09	SELECT * FROM orders WHERE purch_amt > 20...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 5	11:04:14	SELECT * FROM orders WHERE ord_date='2012...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 6	11:04:50	SELECT * FROM orders WHERE salesman_id=5...	4 row(s) returned	0.000 sec / 0.000 sec

4. ORDER BY

manually get help for the current caret position or to toggle automatic help.

```
37 • SELECT *
38 FROM orders
39 ORDER BY purch_amt DESC;
40
41
42
```

Result Grid

	ord_no	purch_amt	ord_date	customer_id	salesman_id
	70013	3045.60	2012-04-25	3002	5001
	70003	2480.40	2012-10-10	3009	5003
	70005	2400.60	2012-07-27	3007	5001
	70010	1983.43	2012-10-10	3004	5006
	70007	948.50	2012-09-10	3005	5002
	70009	270.65	2012-09-10	3001	5005
	70012	250.45	2012-06-27	3008	5002
	70001	150.50	2012-10-05	3005	5002
	70004	110.50	2012-08-17	3009	5003
	70011	75.29	2012-08-17	3003	5007

orders 4 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 3	11:02:12	INSERT INTO orders VALUES (70001,150.50,'20...	12 row(s) affected Records: 12 Duplicates: 0 Wa...	0.000 sec
✓ 4	11:03:09	SELECT * FROM orders WHERE purch_amt > 20...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 5	11:04:14	SELECT * FROM orders WHERE ord_date='2012...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 6	11:04:50	SELECT * FROM orders WHERE salesman_id=5...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 7	11:05:45	SELECT * FROM orders ORDER BY purch_amt ...	12 row(s) returned	0.000 sec / 0.000 sec

5. ORDER BY

41 • **SELECT** *
42 **FROM** orders
43 **ORDER BY** ord_date;
44
45

Result Grid | Filter Rows: | Edit: | Export/Import: | Result Grid | Form Editor | Field Types

	ord_no	purch_amt	ord_date	customer_id	salesman_id
▶	70013	3045.60	2012-04-25	3002	5001
	70012	250.45	2012-06-27	3008	5002
	70005	2400.60	2012-07-27	3007	5001
	70004	110.50	2012-08-17	3009	5003
	70011	75.29	2012-08-17	3003	5007
	70007	948.50	2012-09-10	3005	5002
	70008	5760.00	2012-09-10	3002	5001
	70009	270.65	2012-09-10	3001	5005
	70001	150.50	2012-10-05	3005	5002
	70002	65.26	2012-10-05	3002	5001

orders 5 x Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 4	11:03:09	SELECT * FROM orders WHERE purch_amt > 20...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 5	11:04:14	SELECT * FROM orders WHERE ord_date="2012...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 6	11:04:50	SELECT * FROM orders WHERE salesman_id=5...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 7	11:05:45	SELECT * FROM orders ORDER BY purch_amt ...	12 row(s) returned	0.000 sec / 0.000 sec
✓ 8	11:06:30	SELECT * FROM orders ORDER BY ord_date LI...	12 row(s) returned	0.000 sec / 0.000 sec

6. SUM()

45 • **SELECT** SUM(purch_amt) AS total_revenue
46 **FROM** orders;
47
48

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Result Grid | Form Editor | Field Types

	total_revenue
▶	17541.18

Result 6 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 5	11:04:14	SELECT * FROM orders WHERE ord_date="2012...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 6	11:04:50	SELECT * FROM orders WHERE salesman_id=5...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 7	11:05:45	SELECT * FROM orders ORDER BY purch_amt ...	12 row(s) returned	0.000 sec / 0.000 sec
✓ 8	11:06:30	SELECT * FROM orders ORDER BY ord_date LI...	12 row(s) returned	0.000 sec / 0.000 sec
✓ 9	11:09:12	SELECT SUM(purch_amt) AS total_revenue FRO...	1 row(s) returned	0.000 sec / 0.000 sec

7. AVG()

toggle automatic help.

```
48 • SELECT AVG(purch_amt) AS average_order
49 FROM orders;
50
51
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Result Grid | Form Editor | Field Types

	average_order
▶	1461.765000

Result 7 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 6	11:04:50	SELECT * FROM orders WHERE salesman_id=5...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 7	11:05:45	SELECT * FROM orders ORDER BY purch_amt ...	12 row(s) returned	0.000 sec / 0.000 sec
✓ 8	11:06:30	SELECT * FROM orders ORDER BY ord_date LI...	12 row(s) returned	0.000 sec / 0.000 sec
✓ 9	11:09:12	SELECT SUM(purch_amt) AS total_revenue FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 10	11:09:50	SELECT AVG(purch_amt) AS average_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec

8. MAX()

toggle automatic help.

```
50
51 • SELECT MAX(purch_amt) AS highest_order
52 FROM orders;
53
54
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Result Grid | Form Editor | Field Types

	highest_order
▶	5760.00

Result 8 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 7	11:05:45	SELECT * FROM orders ORDER BY purch_amt ...	12 row(s) returned	0.000 sec / 0.000 sec
✓ 8	11:06:30	SELECT * FROM orders ORDER BY ord_date LI...	12 row(s) returned	0.000 sec / 0.000 sec
✓ 9	11:09:12	SELECT SUM(purch_amt) AS total_revenue FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 10	11:09:50	SELECT AVG(purch_amt) AS average_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 11	11:10:57	SELECT MAX(purch_amt) AS highest_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec

9. MIN()

54 • `SELECT MIN(purch_amt) AS lowest_order`
55 `FROM orders;`
56
57
58

toggle automatic help.

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: | Result Grid
lowest_order
▶ 65.26

Form Editor
Field Types

Result 10 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 9	11:09:12	SELECT SUM(purch_amt) AS total_revenue FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 10	11:09:50	SELECT AVG(purch_amt) AS average_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 11	11:10:57	SELECT MAX(purch_amt) AS highest_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 12	11:12:36	SELECT MAX(purch_amt) AS highest_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 13	11:14:19	SELECT MIN(purch_amt) AS lowest_order FROM...	1 row(s) returned	0.000 sec / 0.000 sec

10. COUNT()

57 • `SELECT COUNT(*) AS total_orders`
58 `FROM orders;`
59
60

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: | Result Grid
total_orders
▶ 12

Form Editor
Field Types

Result 11 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 10	11:09:50	SELECT AVG(purch_amt) AS average_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 11	11:10:57	SELECT MAX(purch_amt) AS highest_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 12	11:12:36	SELECT MAX(purch_amt) AS highest_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 13	11:14:19	SELECT MIN(purch_amt) AS lowest_order FROM...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 14	11:14:52	SELECT COUNT(*) AS total_orders FROM orders ...	1 row(s) returned	0.016 sec / 0.000 sec

11. GROUP BY

```
60 • SELECT salesman_id,  
61      SUM(purch_amt) AS total_sales  
62 FROM orders  
63 GROUP BY salesman_id;  
64  
65
```

manually get help for the current caret position or to toggle automatic help.

salesman_id	total_sales
5002	1349.45
5001	11271.46
5003	2590.90
5005	270.65
5006	1983.43
5007	75.29

Result 12 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 11	11:10:57	SELECT MAX(purch_amt) AS highest_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 12	11:12:36	SELECT MAX(purch_amt) AS highest_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 13	11:14:19	SELECT MIN(purch_amt) AS lowest_order FROM...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 14	11:14:52	SELECT COUNT(*) AS total_orders FROM orders ...	1 row(s) returned	0.016 sec / 0.000 sec
✓ 15	11:15:34	SELECT salesman_id, SUM(purch_amt) AS t...	6 row(s) returned	0.047 sec / 0.000 sec

12. GROUP BY

```
65 • SELECT customer_id,  
66      SUM(purch_amt) AS total_purchase  
67 FROM orders  
68 GROUP BY customer_id;  
69  
70
```

current caret position or to toggle automatic help.

customer_id	total_purchase
3005	1099.00
3002	8870.86
3009	2590.90
3007	2400.60
3001	270.65
3004	1983.43
3003	75.29
3008	250.45

Result 13 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 12	11:12:36	SELECT MAX(purch_amt) AS highest_order FRO...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 13	11:14:19	SELECT MIN(purch_amt) AS lowest_order FROM...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 14	11:14:52	SELECT COUNT(*) AS total_orders FROM orders ...	1 row(s) returned	0.016 sec / 0.000 sec
✓ 15	11:15:34	SELECT salesman_id, SUM(purch_amt) AS t...	6 row(s) returned	0.047 sec / 0.000 sec
✓ 16	11:16:04	SELECT customer_id, SUM(purch_amt) AS t...	8 row(s) returned	0.016 sec / 0.000 sec

13. GROUP BY + MAX()

70 • **SELECT** customer_id,
71 MAX(purch_amt) **AS** highest_purchase
72 **FROM** orders
73 **GROUP BY** customer_id;
74

toggle automatic help.

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	customer_id	highest_purchase
▶	3005	948.50
	3002	5760.00
	3009	2480.40
	3007	2400.60
	3001	270.65
	3004	1983.43
	3003	75.29
	3008	250.45

Result 14 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 13	11:14:19	SELECT MIN(purch_amt) AS lowest_order FROM...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 14	11:14:52	SELECT COUNT(*) AS total_orders FROM orders ...	1 row(s) returned	0.016 sec / 0.000 sec
✓ 15	11:15:34	SELECT salesman_id, SUM(purch_amt) AS t...	6 row(s) returned	0.047 sec / 0.000 sec
✓ 16	11:16:04	SELECT customer_id, SUM(purch_amt) AS t...	8 row(s) returned	0.016 sec / 0.000 sec
✓ 17	11:17:48	SELECT customer_id, MAX(purch_amt) AS hi...	8 row(s) returned	0.000 sec / 0.000 sec

14. GROUP BY + HAVING

75 • **SELECT** salesman_id,
76 SUM(purch_amt) **AS** total_sales
77 **FROM** orders
78 **GROUP BY** salesman_id
79 **HAVING** SUM(purch_amt) > 3000;
80
81

manually get help for the current caret position or to toggle automatic help.

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	salesman_id	total_sales
▶	5001	11271.46

Result 16 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	11:15:34	SELECT salesman_id, SUM(purch_amt) AS t...	6 row(s) returned	0.047 sec / 0.000 sec
✓ 16	11:16:04	SELECT customer_id, SUM(purch_amt) AS t...	8 row(s) returned	0.016 sec / 0.000 sec
✓ 17	11:17:48	SELECT customer_id, MAX(purch_amt) AS hi...	8 row(s) returned	0.000 sec / 0.000 sec
✓ 18	11:19:10	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.015 sec / 0.000 sec
✓ 19	11:19:52	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.000 sec / 0.000 sec

15. GROUP BY + HAVING

```
81 • SELECT customer_id,  
82       SUM(purch_amt) AS total_purchase  
83 FROM orders  
84 GROUP BY customer_id  
85 HAVING SUM(purch_amt) > 2500;  
86  
87
```

Result Grid

customer_id	total_purchase
3002	8870.86
3009	2590.90

Result 17 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 16	11:16:04	SELECT customer_id, SUM(purch_amt) AS t...	8 row(s) returned	0.016 sec / 0.000 sec
✓ 17	11:17:48	SELECT customer_id, MAX(purch_amt) AS hi...	8 row(s) returned	0.000 sec / 0.000 sec
✓ 18	11:19:10	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.015 sec / 0.000 sec
✓ 19	11:19:52	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 20	11:20:46	SELECT customer_id, SUM(purch_amt) AS t...	2 row(s) returned	0.000 sec / 0.000 sec

16. GROUP BY + HAVING

```
87 • SELECT customer_id,  
88       COUNT(*) AS total_orders  
89 FROM orders  
90 GROUP BY customer_id  
91 HAVING COUNT(*) > 1;  
92  
93
```

Result Grid

customer_id	total_orders
3005	2
3002	3
3009	2

Result 18 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 17	11:17:48	SELECT customer_id, MAX(purch_amt) AS hi...	8 row(s) returned	0.000 sec / 0.000 sec
✓ 18	11:19:10	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.015 sec / 0.000 sec
✓ 19	11:19:52	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 20	11:20:46	SELECT customer_id, SUM(purch_amt) AS t...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 21	11:21:26	SELECT customer_id, COUNT(*) AS total_or...	3 row(s) returned	0.000 sec / 0.000 sec

17. GROUP BY + HAVING + ORDER BY

```
93 • SELECT customer_id,
94       SUM(purch_amt) AS total_purchase
95 FROM orders
96 GROUP BY customer_id
97 HAVING SUM(purch_amt) > 1000
98 ORDER BY total_purchase DESC;
99
100
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

customer_id	total_purchase
3002	8870.86
3009	2590.90
3007	2400.60
3004	1983.43
3005	1099.00

Result 19 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 18	11:19:10	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.015 sec / 0.000 sec
✓ 19	11:19:52	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 20	11:20:46	SELECT customer_id, SUM(purch_amt) AS t...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 21	11:21:26	SELECT customer_id, COUNT(*) AS total_or...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 22	11:26:03	SELECT customer_id, SUM(purch_amt) AS t...	5 row(s) returned	0.000 sec / 0.000 sec

18. BETWEEN + HAVING

```
100 • SELECT customer_id,
101       MAX(purch_amt) AS max_purchase
102 FROM orders
103 GROUP BY customer_id
104 HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
105
106
107
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

customer_id	max_purchase
3002	5760.00
3009	2480.40
3007	2400.60

Result 20 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 19	11:19:52	SELECT salesman_id, SUM(purch_amt) AS t...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 20	11:20:46	SELECT customer_id, SUM(purch_amt) AS t...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 21	11:21:26	SELECT customer_id, COUNT(*) AS total_or...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 22	11:26:03	SELECT customer_id, SUM(purch_amt) AS t...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 23	11:26:43	SELECT customer_id, MAX(purch_amt) AS m...	3 row(s) returned	0.000 sec / 0.000 sec

19. COUNT + HAVING

106 • `SELECT salesman_id,`
107 `COUNT(*) AS total_orders`
108 `FROM orders`
109 `GROUP BY salesman_id`
110 `HAVING COUNT(*) >= 2;`
...

toggle automatic help.

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: | Result Grid | Form Editor | Field Types

salesman_id	total_orders
5002	3
5001	4
5003	2

Result 21 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 20	11:20:46	SELECT customer_id, SUM(purch_amt) AS t...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 21	11:21:26	SELECT customer_id, COUNT(*) AS total_or...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 22	11:26:03	SELECT customer_id, SUM(purch_amt) AS t...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 23	11:26:43	SELECT customer_id, MAX(purch_amt) AS m...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 24	11:27:16	SELECT salesman_id, COUNT(*) AS total_or...	3 row(s) returned	0.016 sec / 0.000 sec

20. MAX + GROUP BY + HAVING

112 • `SELECT ord_date,`
113 `MAX(purch_amt) AS highest_purchase`
114 `FROM orders`
115 `GROUP BY ord_date`
116 `HAVING MAX(purch_amt) > 2000;`
117
118
119

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: | Result Grid | Form Editor | Field Types

ord_date	highest_purchase
2012-10-10	2480.40
2012-07-27	2400.60
2012-09-10	5760.00
2012-04-25	3045.60

Result 22 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 21	11:21:26	SELECT customer_id, COUNT(*) AS total_or...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 22	11:26:03	SELECT customer_id, SUM(purch_amt) AS t...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 23	11:26:43	SELECT customer_id, MAX(purch_amt) AS m...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 24	11:27:16	SELECT salesman_id, COUNT(*) AS total_or...	3 row(s) returned	0.016 sec / 0.000 sec
✓ 25	11:28:07	SELECT ord_date, MAX(purch_amt) AS high...	4 row(s) returned	0.000 sec / 0.000 sec