

Markdown

- [Markdown](#)
- [Understanding Docs-as-Code and DITA](#)
 - [1. Introduction](#)
 - [2. Docs-as-Code Overview](#)
 - [Key Features:](#)
 - [List number](#)
 - [Table](#)
 - [Code](#)
 - [Hyperlinks](#)
 - [Image](#)
 - [HTML Code](#)

Understanding Docs-as-Code and DITA

1. Introduction

Docs-as-Code and DITA are **both powerful** approaches to technical documentation. While Docs-as-Code focuses on treating documentation like code, DITA provides a structured XML framework for modular and reusable content. This document explores their similarities, advantages, and integration possibilities.

2. Docs-as-Code Overview

Docs-as-Code is a methodology that applies software development practices—such as version control, automation, and collaboration—to documentation. [enter](#)

Key Features:

- list 1
- list 2
 - n
 - -
- List 3
- list 4
-
- Uses Git-based workflows for version control
- Supports automation through CI/CD pipelines
- Often relies on Markdown or reStructuredText for authoring

List number

1. b

- 2. b
- 3. bnb
- 4. nnnm

Table

Name	Category	Profession
Maddy	C01	TW
Julia	Co5	TW1

Code

```
{
  "status": "OK",
  "data": {
    "message": "Welcome, world!"
  }
}
```

Hyperlinks

[TWT](#)

Cross-reference <!-- Do not show this line. -->

Image



HTML Code

```
<table class="table table-striped">
<caption>Caption for this Table</caption>
<thead class="thead-dark">
<tr>
  <th width="30%">Property</th>
  <th width="70%">Description</th>
</tr>
</thead>
<tbody>
<tr>
  <td>Topic1 </td>
  <td>Topic2
    <ul>
      <li>Bullet item</li>
      <li>Bullet item</li>
    </ul>
  </td>
</tr>
<tr>
  <td>TopicA</td>
  <td>TopicB</td>
</tr>
</tbody>
</table>
```

