

Lab 9: Documentation Generation – Automatic Documentation and Code Comments

Name: Madhumitha Reddy

Hall Ticket No:

2303A51625

Task 1: Basic Docstring Generation

Manual Google-Style Docstring Implementation:

```
def sum_even_odd(numbers):  
    """  
    Calculate the sum of even and odd numbers in a list.  
  
    Args:  
        numbers (list[int]): A list of integers.  
  
    Returns:  
        tuple: A tuple containing:  
            - even_sum (int): Sum of even numbers.  
            - odd_sum (int): Sum of odd numbers.  
    """  
    even_sum = 0  
    odd_sum = 0  
  
    for num in numbers:  
        if num % 2 == 0:  
            even_sum += num  
        else:  
            odd_sum += num  
  
    return even_sum, odd_sum  
  
# Output Example  
nums = [1, 2, 3, 4, 5, 6]  
print(sum_even_odd(nums))  
# Output: (12, 9)
```

AI-Generated Docstring:

AI-Generated Docstring (Simulated):

```
"""
```

Returns the sum of even and odd numbers from a given list.


Parameters:

numbers (list): List of integers.

Returns:

tuple: (sum_of_even_numbers, sum_of_odd_numbers)

```
"""
```



The screenshot shows a web-based Python IDE. The editor contains a function `sum_even_odd` that takes a list of integers and returns a tuple of their sums. Below the function, a list `nums` is defined, and the function is called. The output panel shows the results of the function call.

```
1 def sum_even_odd(numbers):
2
3     even_sum = 0
4     odd_sum = 0
5
6     for num in numbers:
7         if num % 2 == 0:
8             even_sum += num
9         else:
10            odd_sum += num
11
12    return even_sum, odd_sum
13
14
15
16 nums = [1, 2, 3, 4, 5, 6]
17
18 even_sum, odd_sum = sum_even_odd(nums)
19
20 print("Input List:", nums)
21 print("Sum of Even Numbers:", even_sum)
22 print("Sum of Odd Numbers:", odd_sum)
```

Output:

```
Input List: [1, 2, 3, 4, 5, 6]
Sum of Even Numbers: 12
Sum of Odd Number: 9
=== Code Execution Successful ===
```

Comparison Analysis.

The manual docstring clearly defines argument types (list[int]) and return structure with descriptive labels.

The AI-generated docstring is shorter and less detailed but still correct.

Manual documentation is more structured and readable.

AI documentation is concise but slightly less descriptive.

Task 2: Automatic Inline Comments

Manual Inline Comments Implementation:

```
class sru_student:
```

```

# Constructor to initialize student details
def __init__(self, name, roll_no, hostel_status):
    self.name = name          # Store student name
    self.roll_no = roll_no    # Store roll number
    self.hostel_status = hostel_status # Store hostel status (Yes/No)

# Method to update student fee
def fee_update(self, amount):
    print(f"Fee updated by {amount} for {self.name}")

# Method to display student details
def display_details(self):
    print("Name:", self.name)
    print("Roll No:", self.roll_no)
    print("Hostel Status:", self.hostel_status)

# Output Example
student1 = sru_student("Sarayu", "2303A51842", "Yes")
student1.fee_update(5000)
student1.display_details()

```

The screenshot shows a web-based Python IDE. The editor contains the following code:

```

1 class sru_student:
2
3     def __init__(self, name, roll_no, hostel_status):
4         self.name = name
5         self.roll_no = roll_no
6         self.hostel_status = hostel_status
7
8     def fee_update(self, amount):
9         print(f"Fee updated by {amount} for {self.name}")
10
11    def display_details(self):
12        print("Name:", self.name)
13        print("Roll No:", self.roll_no)
14        print("Hostel Status:", self.hostel_status)
15
16
17 student1 = sru_student("Student", "12345", "Yes")
18
19 student1.fee_update(5000)
20 print()
21 student1.display_details()

```

The output panel on the right shows the following results:

```

Fee updated by 5000 for Student
Name: Student
Roll No: 12345
Hostel Status: Yes
=== Code Execution Successful ===

```

AI-Generated Inline Comments (Simulated):

The AI added comments explaining constructor purpose, attribute assignments, and method functionality. However, some comments were redundant such as 'Assign name to self.name', which is obvious from code.

Comparative Analysis:

Manual comments are precise and placed only where needed.
AI-generated comments tend to over-explain simple lines.
AI helps beginners but may create redundant explanations.

Task 3: Module-Level and Function-Level Documentation

Calculator Module with NumPy-Style Docstrings:

```
"""
```

Calculator Module

This module provides basic arithmetic operations:
addition, subtraction, multiplication, and division.

```
"""
```

```
def add(a, b):
```

```
    """
```

Add two numbers.

Parameters

```
-----
```

a : int or float

b : int or float

Returns

```
-----
```

int or float

Sum of a and b

```
"""
```

```
    return a + b
```

```
def subtract(a, b):
```

```
    """
```

Subtract two numbers.

Parameters

a : int or float

b : int or float

Returns

int or float

 Difference of a and b
"""

return a - b

def multiply(a, b):

"""

 Multiply two numbers.

Parameters

a : int or float

b : int or float

Returns

int or float

 Product of a and b
"""

return a * b

def divide(a, b):

"""

 Divide two numbers.

Parameters

a : int or float

b : int or float

Returns


float
Result of division

Raises

```
-----  
ZeroDivisionError  
    If b is zero  
    """  
if b == 0:  
    raise ZeroDivisionError("Cannot divide by zero")  
return a / b
```

```
# Output Example  
print(add(10, 5))  
print(subtract(10, 5))  
print(multiply(10, 5))  
print(divide(10, 5))
```

```
# Output:  
# 15  
# 5  
# 50  
# 2.0
```



```
main.py  
Python Online Compiler  
1 def add(a, b):  
2     return a + b  
3  
4  
5 def subtract(a, b):  
6     return a - b  
7  
8  
9 def multiply(a, b):  
10    return a * b  
11  
12  
13 def divide(a, b):  
14     if b == 0:  
15         raise ZeroDivisionError("Cannot divide by zero")  
16     return a / b  
17  
18  
19 print("Addition:", add(10, 5))  
20 print("Subtraction:", subtract(10, 5))  
21 print("Multiplication:", multiply(10, 5))  
22 print("Division:", divide(10, 5))
```

Output

```
Addition: 15  
Subtraction: 5  
Multiplication: 50  
Division: 2.0  
  
=== Code Execution Success
```

AI-Generated Documentation Analysis.

AI-generated module-level documentation was accurate and well-structured.
Function-level docstrings generated by AI were correct but sometimes missed the 'Raises' section in `divide()`.
Manual documentation ensured completeness and better structure.

Conclusion

This lab demonstrated how AI-assisted tools help generate documentation and comments.
AI tools improve productivity but require human verification for clarity, accuracy, and completeness.
Manual documentation remains important for professional-quality software projects.