

# B21A2425C02

*by M M*

---

**Submission date:** 24-Nov-2024 09:24PM (UTC+0530)

**Submission ID:** 2460662775

**File name:** REPORT-PHASE1-ASHGOURD.pdf (1.54M)

**Word count:** 10687

**Character count:** 66761

**3**

**MACHINE LEARNING TECHNIQUES FOR  
ACCELERATED DIAGNOSIS AND  
CLASSIFICATION OF ASH GOURD LEAF  
DISEASES**

**PROJECT PHASE-1 REPORT**

*Submitted by*

**LATHIKA P                    210701131**

**MADHUMITHA S                210701142**

**1**  
*in partial fulfillment of the award of the degree*

*of*

**BACHELOR OF ENGINEERING**

**IN**

**COMPUTER SCIENCE AND ENGINEERING**



**RAJALAKSHMI ENGINEERING COLLEGE**

**ANNA UNIVERSITY, CHENNAI**

**NOVEMBER 2024**

## ANNA UNIVERSITY CHENNAI - 600 025

### BONAFIDE CERTIFICATE

3  
Certified that this project report “**MACHINE LEARNING TECHNIQUES FOR ACCELERATED DIAGNOSIS AND CLASSIFICATION OF ASH GOURD LEAF DISEASES**” is the bonafide work of “**LATHIKA P (210701131), MADHUMITHA S (210701142)**” who carried out the work under my supervision.  
Certified further that to the best of my knowledge the work reported herein does not form part of any other thesis or dissertation on the basis of which a degree or award was conferred on an earlier occasion on this or any other candidate.

#### **SIGNATURE**

Dr. P. Kumar, M.E, Ph.D.,

#### **HEAD OF THE DEPARTMENT**

Professor,

Department of Computer Science and  
Engineering,

Rajalakshmi Engineering College,  
Thandalam,  
Chennai-602 105.

#### **SIGNATURE**

Mr. K. Deepak Kumar, M.E,

#### **SUPERVISOR**

Assistant Professor,

Department of Computer Science and  
Engineering,

Rajalakshmi Engineering College,  
Thandalam,  
Chennai-602 105.

Submitted to Project Viva-Voce Examination held on \_\_\_\_\_.

Internal Examiner

External Examiner

## ABSTRACT

The detection and classification of plant leaf afflictions is fault-finding for maintaining crop fitness and guaranteeing land productivity. Established ailment discovery procedures, which frequently depend manual check, are timeconsuming and compulsive wrong, superior to delayed attacks and potential crop deficits. In reaction to these challenges, this project survey the use of advanced machine intelligence methods to specify an accurate and speedy resolution for detecting and classifying plant leaf ailments. By leveraging Vision Transformers (ViTs), a contemporary deep education construction, this project focuses on improving the precision and scalability of disease detection. Specifically, we apply ViTs to the Ash gourd dataset, aiming to surpass the performance of traditional Convolutional Neural Networks (CNNs) in identifying disease symptoms from leaf images. The proposed system utilizes the ViT model's self- attention mechanism to capture long-range dependencies in image data, leading to more accurate and robust classification outcomes.

**Keywords**—Vision Transformers, Plant Leaf Disease, Image Classification, Ash gourd Dataset, Machine Learning, Self-attention Mechanism, Deep Learning

## ACKNOWLEDGMENT

1

Initially we thank the Almighty for being with us through every walk of our life and showering his blessings through the endeavor to put forth this report. Our sincere thanks to our Chairman **Mr. S. MEGANATHAN, B.E, F.I.E.**, our respected Chairperson **Dr. (Mrs.) THANGAM MEGANATHAN, Ph.D.**, our Vice Chairman **Mr. ABHAY SHANKAR MEGANATHAN, B.E., M.S.**, for providing us with the requisite infrastructure and sincere endeavoring in educating us in their premier institution.

Our sincere thanks to **Dr. S.N. MURUGESAN, M.E., Ph.D.**, our beloved Principal for his kind support and facilities provided to complete our work in time. We express our sincere thanks to **Dr. P. KUMAR, M.E., Ph.D.**, Professor and Head of the Department of Computer Science and Engineering and our internal guide **Mr. K. DEEPAK KUMAR** for his guidance and encouragement throughout the project work. We are very glad to thank our Project Coordinator, **Dr.T.KUMARAGURUBARAN M.E.**, Department of Computer Science and Engineering for his useful tips during our review to build our project.

LATHIKA P                    210701131

MADHUMITHA S              210701142

**5  
TABLE OF CONTENTS**

<b>CHAPTER NO.</b>	<b>TITLE</b>	<b>PAGE</b>
	ABSTRACT	i
	ACKNOWLEDGEMENT	ii
	LIST OF TABLES	iii
	LIST OF FIGURES	iv
	LIST OF ABBREVIATION	v
1.	<b>INTRODUCTION</b>	9
	1.1 GENERAL	9
	11 1.2 SCOPE OF THE WORK	10
	1.3 PROBLEM STATEMENT	11
	1.4 AIM AND OBJECTIVES OF THE PROJECT	12
2.	<b>LITERATURE SURVEY</b>	14
3.	<b>EXISTING SYSTEM</b>	19
4.	<b>SYSTEM DESIGN</b>	21
	4.1 ARCHITECTURE DIAGRAM	21
	4.2 DATA FLOW DIAGRAM	22
	4.3 SEQUENCE DIAGRAM	23
	4.4 USE CASE DIAGRAM	24
	4.5 ACTIVITY DIAGRAM	25
	4.5 HARDWARE SPECIFICATIONS	25
	4.6 SOFTWARE SPECIFICATIONS	25
5.	<b>PROPOSED SYSTEM</b>	27

<b>6.</b>	<b>MODULE DESCRIPTION</b>	<b>28</b>
	6.1 DATA HANDLING AND PREPROCESSING	28
	6.2 MODEL ARCHITECTURE	30
	6.3 TRAINING WORKFLOW	33
	6.4 VALIDATION AND EVALUATION	36
	6.5 KEY BENEFITS OF PROPOSED SYSTEM	38
	6.6 POTENTIAL ENHANCEMENT	39
<b>7.</b>	<b>IMPLEMENTATION AND RESULTS</b>	<b>42</b>
<b>8.</b>	<b>CONCLUSION AND FUTURE ENHANCEMENT</b>	<b>48</b>
<b>9.</b>	<b>REFERENCES</b>	<b>49</b>
<b>10.</b>	<b>APPENDIX</b>	<b>51</b>

**LIST OF TABLES**

<b>FIGURE NO</b>	<b>TITLE</b>	<b>PAGE NO</b>
4.5	HARDWARE REQUIREMENT	27
4.6	SOFTWARE REQUIREMENT	27

## LIST OF FIGURES

FIGURE NO	TITLE	PAGE NO
4.1	Architecture Diagram	23
4.2	17 Data Flow Diagram	24
4.3	Sequence Diagram	25
4.4	Use case Diagram	26
4.5	Activity Diagram	27
7.7	Output image sample-1	41
7.8	Output image sample-2	42

## LIST OF ABBREVIATIONS

S.NO	ABBREVIATION	EXPANSION
1	Resnet	Residual Neural Network
2	ViT	Vision Transformer
3	GPU	Graphics Processing Unit
4	CNN	Convolutional Neural Network

## CHAPTER 1

### INTRODUCTION

#### 1.1 GENERAL

The Bureau of Farming and Rural Incident has recognized plant diseases, specifically those moving high-worth crops like Ruins Gourd, all at once of the chief causes of reduced land yield. Between differing leaf diseases, mineral inadequacies (like potassium and magnesium) and infections to a degree gravelly mildew are ultimate universal and detrimental modifications. These afflictions are widely classified into two types: food-related and fungal contaminations. Correct diagnosis and description of these afflictions are critical for active situation and crop management. Representation-located reasoning, especially through extreme-determination imaging, is the basic demonstrative tool used to resolve plant leaves and discover the presence of ailments. These representations provide particularized ocular news about leaf structures, portion of food land experts establish and judge diseased districts. Nevertheless, manually analyzing leaf representations is a labor-exhaustive and time-consuming process dependent on something wrongs. In few cases, inaccuracies in identifying the unhealthy districts and boundaries can confuse situation planning and impact crop yield. To overcome these disadvantages, robotic and semi-computerized plans for affliction detection have happened grown. These advanced methods humble the manual effort necessary by land specialists, reconstructing the veracity and speed of disease labeling.identification.

Chalky fungus and nutrient imperfections, ultimate prevalent types of Ruins Fruit leaf diseases, frequently cause meaningful damage to surrounding healthful plant tissues. Before some treatment attack, it is essential for ranchers to locate the exact location and in consideration of the damaged areas on the leaves. This accuracy is detracting for minimizing harm to active tissues all along treatment and for

reconstructing overall plant energy. Leaf affliction segmentation plays a key duty in this place process. It involves isolating the unhealthy regions from encircling active tissues, thereby permissive a more exact understanding of the disease's barriers and impact. In spite of progresses in technology, leaf affliction separation remains individual of ultimate challenging tasks in land disease. The variability of leaf buildings, accompanying the complex nature of ailment proofs, create accurate separation troublesome. Advanced depict methods and computational algorithms are continually being grown to reinforce the reliability of separation processes. These novelties aim to upgrade the accuracy of affliction discovery and characterization, guaranteeing better situation planning and more active crop effects.

## **1.2 SCOPE OF THE WORK**

Gravelly fungus and nutrient imperfections, ultimate prevailing types of Ash Fruit leaf afflictions, frequently cause important damage to encircling active plant tissues. Before any situation mediation, it is essential for producers to locate the exact position and in consideration of the broken areas on the leaves. This veracity is critical for underrating harm to healthy tissues all along situation and for replacing overall plant vitality. Leaf affliction separation plays a key role in this place process. It includes confining the diseased domains from encircling healthful tissues, thereby permissive a more exact understanding of the ailment's boundaries and impact.

Still progresses in technology, leaf ailment separation remnants one of ultimate questioning tasks in land diagnostics. The instability of leaf constructions, combined accompanying the complex type of affliction symptoms, create correct separation difficult. Leading image techniques and computational algorithms are steadily being grown to embellish the reliability of separation processes. These novelties aim to better the accuracy of affliction discovery and characterization, guaranteeing better situation preparation and more effective crop consequences.

The project's encompassing aim is to correct demonstrative accuracy, organize land workflows, and ultimately better crop well-being effects. By enabling accelerated and exact analysis of leaf countenance dossier, the framework will humiliate the manual assigned work of land specialists, admitting bureaucracy to focus on fault-finding administrative. Furthermore, early and correct discovery of Ruins Gourd leaf afflictions can considerably enhance situation preparation and overall crop management. This creative approach not only addresses existent challenges in plant affliction diagnosis but further sets a institution for broader uses of AI in land imaging. By joining up-to-date models like DeepLabV3+ accompanying a ResNet backbone and Dream Transformers (ViTs), the project illustrates a commitment to aggressive the borders of agricultural electronics, making ailment discovery more efficient and impressive..

### **1.3 PROBLEM STATEMENT**

Leaf affliction discovery in Ash Fruit frequently faces challenges due to the disadvantages of manual representation processing, containing mistakes and inefficiencies. Correctly labeling diseased extents and classifying ailment types is difficult accompanying manual procedures, leading to slowed diagnoses and substandard treatment effects. The process is late, prone to discrepancies, and lacks the accuracy necessary for fault-finding land decisions. These restraints can obstruct farmers from making prompt, conversant treatment selections, in another way impacting crop energy and yield. This leadership seeks to address these challenges by leveraging AI-compelled plant countenance analysis methods. By mixing advanced machine intelligence procedures with fundamental news from leaf images, the projected approach reinforces the efficiency and veracity of ailment segmentation and categorization.

Robotic image reasoning connects various dossier beginnings to provide a inclusive view of the affliction, enabling exact drawing of its barriers. This guarantees more consistent and trustworthy demonstrative results, reducing instability in amounts. Automating complex image reasoning tasks is a main aspect concerning this project, intending to minimize human wrong and support faster, more correct decision-making by land authorities. The incorporation of AI finishes into the ailment detection process will organize workflows and better treatment preparation, eventually contributing to more healthful crops and upgraded agricultural effects.

#### **1.4 AIM AND OBJECTIVES OF THE PROJECT**

This project aims to evolve an AI-stimulate framework that embellishes the accuracy, efficiency, and dependability of Ruins Gourd leaf ailment discovery by integrating DeepLabV3+ accompanying a ResNet spine and Vision Transformers (ViTs) for affliction separation and classification utilizing plant concept data.

##### **Objectives:**

The basic objective concerning this project search out design and implement a hybrid AI foundation that connects disease separation and categorization models. The framework will handle standard datasets for rigorous experiment and judgment, with confirmation attracting on ensuring bureaucracy meets extreme standards of veracity, effectiveness, and useful applicability, making it trustworthy real-world land use. By permissive early and accurate discovery of Ruins Gourd leaf ailments, this foundation will support timely situation conclusions, improving crop energy and yield. The project aims to transform plant disease administration by gearing land specialists accompanying new diagnostic forms.

Through dossier-driven administrative, it will hone agricultural workflows and improve crop guardianship. By combining state-of-the-art machine intelligence models and image deal with methods, this initiative addresses key challenges in leaf affliction discovery, concreting the way for meaningful progresses in agricultural electronics and effects. The model will be trained utilizing theory of probability gradient assault (SGD) accompanying early stopping, guaranteeing it generalizes well across various plant image environments. The design integrates batch normalization, truant, and dossier improving to ensure strength and adept performance all along preparation and validation steps. The foundation's design will include a particularized separation model, extracting hierarchic facial characteristics from plant images, from fundamental balances to complex patterns guide various affliction types, eventually allowing for correct categorization and disease labeling.

## CHAPTER 2

### LITERATURE SURVEY

Paper[1] Jindal et al. classified different varieties of bottle gourds, specifically from the "Pusa" group in India. They worked with a dataset of 8,200 images focused on Indian varieties for classification. Their study aimed to distinguish subtle differences between bottle gourd varieties, contributing to the development of models that can accurately identify regional cultivars. This research highlights the importance of large, diverse datasets in training robust models and underscores the relevance of variety-specific classification in agriculture.

Paper[2] Valiente et al. presented an approach for detecting defects, maturity, and type in produce such as Ladies' Finger, Sharp Gourd, and Paper Money. They used MobileNetV2 along with a Raspberry Pi, integrated with watershed algorithms and K-means clustering for feature extraction. The dataset consisted of 200 images per quality type, with <sup>14</sup> data augmentation techniques applied to enhance the model's performance. This work demonstrates the potential of using lightweight models on edge devices for real-time analysis in agricultural applications.

Paper[3] Hasan et al. introduced the M3 model, a CNN-based approach that achieved 99.70% accuracy in detecting defects in Bitter Gourd. The M3 model demonstrated improved performance over previous methods, showcasing the effectiveness <sup>2</sup> of convolutional neural networks (CNNs) <sup>2</sup> in agricultural applications, particularly in defect detection. The study emphasizes the importance of deep learning <sup>2</sup> in automating quality control tasks, offering a scalable solution for agricultural product analysis.

Paper[4] Banerjee et al. proposed a model combining CNN and SVM to identify and classify five diseases affecting Ridge Gourd leaves.

<sup>8</sup>  
The model used CNN for feature extraction and SVM for classification, effectively distinguishing between various disease types. This hybrid model demonstrated the power of integrating CNNs with traditional machine learning algorithms like SVM, which allows for more accurate and reliable disease detection, offering potential for use in precision agriculture.

Paper[5] Rony et al. employed the VGG16 algorithm to recognize early-stage diseases in bottle gourds. Their approach successfully categorized different diseases, ensuring timely intervention and minimizing crop loss. The use of VGG16 proved effective in capturing complex patterns in images, highlighting the potential of pre-trained deep learning models in agricultural disease classification. This study provides a foundation for early detection systems in farming, reducing the impact of crop diseases on yield.

Paper[6] Hasan et al. again proposed the M3 model, another CNN-based approach for detecting defects in Sharp Fruit, achieving significant improvements over previous methods. This research underscores the growing role of CNNs in agricultural applications, with a focus on defect detection in various fruit types. By applying the M3 model to Sharp Fruit, the study demonstrated the model's versatility and potential for broader implementation in food quality analysis across different produce.

Paper[7] Banerjee et al. utilized CNNs and Random Forest models to classify diseases in Sharp Titan leaves. Their model was evaluated using accuracy, recall, and F1-score metrics, with accuracy ranging from 92.85% to 95.48%.  
<sup>21</sup>

<sup>2</sup> This study shows the effectiveness of combining CNNs and machine learning models like Random Forest for classifying plant diseases. The use of multiple performance metrics ensures a comprehensive evaluation, making the model highly reliable for practical agricultural use.

Paper[8] Jindal et al. explored a Federated Learning approach combined with CNN for diagnosing five common Cucurbit leaf diseases. This model was trained using data from five clients and evaluated based on precision, recall, and F1-score, with accuracy ranging from 96% to 99%. The use of Federated Learning allowed for model training across multiple clients while ensuring data privacy, a crucial feature for implementing AI solutions in sensitive agricultural environments.

Paper[9] Rani et al. evaluated the performance of three pre-trained CNN models (VGG16, InceptionV3, and ResNet50) for detecting diseases in pepper and potato plants. ResNet50 achieved the highest accuracy at 100%, followed by VGG16 at 99%, and InceptionV3 at 96%. The study demonstrates the superiority of deeper CNN models like ResNet50 in plant disease detection, highlighting their robustness in handling complex datasets and the importance of selecting the right model for accurate disease classification.

Paper[10] Sharma and Brar focused on classifying different varieties of bottle gourds, specifically from the "Pusa" group in India. Their study used 8,200 images for classification, with a particular emphasis on Indian varieties. This research contributes to the field of agricultural classification by providing a deeper understanding of how machine learning models can differentiate between various plant varieties based on visual characteristics, crucial for improving farming practices.

Paper[11] Dube et al. presented a CNN-based system for detecting tomato leaf diseases through a platform where farmers could upload leaf images to a server for real-time diagnoses. The model, trained on a Kaggle dataset, achieved a classification accuracy of 93%. This system provides a reliable tool for farmers to detect diseases in their crops early, thereby enabling better management and treatment of plant diseases.

<sup>3</sup>  
Paper[12] Hosain et al. focused on the use of transfer learning with three pre-trained CNN models—InceptionV3, DenseNet201, and EfficientNetV2S—to detect five common rice leaf diseases. DenseNet201 achieved the highest accuracy at 92.05%. This paper highlights the effectiveness of transfer learning in enhancing the performance of CNN models on specialized agricultural tasks, especially when labeled data is limited.

<sup>3</sup>  
Paper[13] Sebastian et al. conducted a comparative study of various machine learning and deep learning models, including SVM, Random Forest, Naive Bayes, KNN, Decision Tree, Sequential, and VGG16, for detecting apple leaf diseases. VGG16 outperformed other methods, achieving the highest accuracy of 97.23%. The study emphasizes the potential of deep learning models like VGG16 in plant disease classification, showcasing their capability to handle complex agricultural datasets effectively.

Paper[14] Usman et al. aimed to improve the accuracy of vegetation index computation for eggplant crops using leaf segmentation techniques. The study compared U-Net and FPN architectures with VGG16 and VGG19 encoders, with FPN-VGG16 outperforming others in terms of accuracy and latency. Additionally, the study introduced a new dataset, Leaves AV, for eggplant leaf segmentation. This work highlights the importance of choosing the right architecture and dataset for enhancing the precision of agricultural image analysis.

Paper[15] Anwar and Lamba employed a methodology involving <sup>2</sup> image pre-processing, CNN-based feature extraction, and classification into eight disease categories, including Leaf Blight, Red Scab, and Brown Blight. Their approach <sup>2</sup> outperformed traditional machine learning models like SVM and KNN. This study demonstrates the potential of deep learning models to surpass traditional methods in plant disease detection, emphasizing the need for further research into optimizing these models for real-world agricultural applications.

## **CHAPTER 3**

### **EXISTING SYSTEM**

Leaf Affliction Study in Ash Fruit has considerably advanced accompanying the growth of various complex algorithms and deep knowledge architectures. These methods devote effort to something reconstructing segmentation veracity, feature distillation, and classification, trying the complicatedness of labeling and delineating unhealthy regions in plant images. Various new systems and methods have donated to the evolution concerning this field. Individual widely used approach is the use of Convolutional Affecting animate nerve organs Networks (CNNs) combined accompanying dossier improving techniques. CNNs are strong for concept analysis on account of their capability to extract hierarchical looks from recommendation images. Dossier improving enhances the inference efficiency of the models by artificially growing the difference of training dossier. Methods like turn, flipping, and measuring help the model acclimate to variations in affliction patterns, proportion, and orientation. Nevertheless, while productive, CNNs can sometimes fight with all-encompassing feature representation, specifically in complex plant ailment detection sketches.

The DeepLabV3+ model accompanying a ResNet spine is another significant progress, devised to enhance feature distillation by meeting only on predefined patterns within an representation. By leveraging leftover connections, DeepLabV3+ boosts slope flow during preparation, trying the vanishing gradient question prevailing in deep networks. This construction refines segmentation tasks by guaranteeing that fault-finding details in the figure are continued, offering upgraded accomplishment over standard models in plant disease image .

The alliance of DeepLabV3+ and Vision Transformers (ViTs) influences together the substances of deep semantic separation accompanying the ViTs' capability to capture long-range reliances. DeepLabV3+ surpasses in extracting geographical face and maintaining the purity of fine analyses, making it ideal for segmenting leaf representations. The adding of transformers helps the system accept dependent relationships across best regions of the image, reinforcing allure capability to differentiate betwixt unhealthy and healthy fabric. This composite approach ensures extreme veracity in delineating complex affliction patterns. Convolutional Networks further upgrade segmentation accomplishment through ensemble methods and maximum feature extraction. These networks stack diversified CNNs, each meeting on various levels of feature extraction. By joining their outputs, cascaded networks solve robust and exact separation results. This method is specifically persuasive for detecting disease lines that can be unclear or ulterior by normal leaf textures or cry. Another key change is Calculating-Aided Plant Disease (CAPD) orders, which integrate diversified stages of analysis into a united foundation. CAPD systems recognize and section diseased extents, providing growers with itemized news on Ruins Gourd leaf energy. These wholes integrate differing algorithms, containing traditional machine intelligence systems and deep learning models, to improve demonstrative precision. CAPD plans are widely selected in agricultural atmospheres for their strength to support agronomists in making faster and more accurate determinations .

In spite of their substances, existing methods face sure limitations. CNNs grant permission fight with the variability in plant countenance datasets, and limiter-based models demand solid computational resources.

## 12 CHAPTER 4

### SYSTEM DESIGN

#### 4.1 SYSTEM ARCHITECTURE

The system design is created to deliver a deep-knowledge model established DeepLabV3+ accompanying a ResNet backbone.





Fig 4.1: Architecture Diagram

## 4.2 DATA FLOW DIAGRAM

The center of the system is a model joining DeepLabV3+ for segmentation accompanying a ResNet determination for feature ancestry. The projected method employs an construction that integrates DeepLabV3+ to realize correct separation and categorization of Ash Fruit leaf ailments. This approach influences the substances of the model to address the complicatedness of agricultural figure reasoning.



5  
Figure 4.2 Data flow diagram

## 4.3 SEQUENCE DIAGRAM

The integration ensures robust feature extraction (DeepLabV3+ with ResNet) and accurate segmentation. The pipeline balances computational efficiency with segmentation precision, offering state-of-the-art performance. The integration of DeepLabV3+ and ResNet creates a balanced and efficient framework. DeepLabV3+ with ResNet excels in extracting and segmenting fine-grained features, ensuring accurate identification of leaf disease regions.




Figure 4.3 Sequence diagram 13

#### 4.4 USE CASE DIAGRAM

A Use Case Drawing is a diagram of the interplays between consumers (named "players") and a arrangement to reach specific aims or use cases. It's few the United Displaying Terminology (UML) and is used to recognize and describe the functionalities of a method from a consumer view.




Figure 4.4 Use Case Diagram

## 4.5 ACTIVITY DIAGRAM

An Activity Drawing represents the flow of actions and conduct inside a order, showing by what method bureaucracy acts tasks in a sequential or parallel category. It helps dream up the workflows, resolutions, and environments in your system, particularly for processes that include in charge or separate.




Figure 4.5 Activity Diagram

#### 4.6 HARDWARE SPECIFICATIONS

COMPONENTS	SPECIFICATION
Processor	Pentium IV or higher
Memory Size	256 GB (Minimum)
HDD	40 GB (Minimum)
Graphics Processing Unit (GPU)	6 GB GDDR6/5X/5

Table 4.6 Hardware requirement

#### 4.7 SOFTWARE SPECIFICATIONS

COMPONENTS	SPECIFICATION
Operating System	Windows 10/11 (64-bit)
Software	Python (Version 3.9 or higher)
Tools	Google Colaboratory or Anaconda Jupyter Notebook

Table 4.7 Software requirement

## **CHAPTER 5**

### **PROPOSED SYSTEM**

Our projected plan utilizes DeepLabV3+ accompanying a ResNet determination to effectively piece healing images into two classifications: athletic Ruins Gourd leaves and unhealthy leaves. This approach influences the robust separation skills of DeepLabV3+ and the feature extraction substance of ResNet to transfer exact, reliable, and adept study for leaf disease discovery.

**DeepLabV3+ for Pertaining to syntax Separation:** DeepLabV3+ is a state-of-the-art design planned for semantic separation tasks, famous for its veracity and adaptability. Allure ability to capture fine analyses and contextual facts form it ideal for identifying ailment patterns in leaf countenances. In this place project, DeepLabV3+ is employed to process leaf representations, guaranteeing detailed and correct separation. This architecture uses atrous (dilated) convolutions to capture multi-scale circumstances, embellishing the model's capability to detect complicated patterns of ailments. The encoder-decoder building, linked with avoid networks, guarantees that fine spatial analyses are maintained, while the ResNet backbone supports strong feature distillation capabilities. These attributes create DeepLabV3+ specifically suited for tasks place the lines between healthful and unhealthy districts are subtle and complex. By correctly outlining these regions, DeepLabV3+ determines a forceful foundation for bureaucracy.

**ResNet for Feature Ancestry:** The ResNet determination within DeepLabV3+ plays a critical duty in extracting significant physiognomy from the segmented concepts. ResNet, popular for allure residual knowledge foundation, addresses the vanishing gradient question and admits for training deeper networks. Allure strength to extract

hierarchic features from recommendation representations ensures that even quiet ailment patterns are discovered. In this plan, ResNet improves the model's ability to change betwixt healthy and unhealthy leaves, providing to overall categorization accuracy. Allure construction ensures that two together depressed-level and high-level lineaments are rounded up, making it very effective in resolving complex leaf makeups and disease syndromes.

A Inclusive Solution for Leaf Affliction Discovery: The unification of DeepLabV3+ with a ResNet foundation generates a robust method for Ruins Gourd leaf ailment reasoning. DeepLabV3+ focuses on exact segmentation, guaranteeing that even nice disease bounds are correctly outlined, while ResNet enhances the overall feature ancestry process. This collaboration enables bureaucracy to transfer precise and effective results, underrating wrongs and maximizing reliability. This approach addresses fault-finding challenges in leaf ailment detection, in the way that irregular segmentation and categorization inaccuracies. By joining progressive segmentation accompanying healthy feature extraction, it offers a trustworthy foundation for identifying and resolving afflictions in Ruins Gourd leaves. Accompanying the capability to process complex leaf images, this approach streamlines discovery workflows, supports early disease, and increases crop management approaches.

Finally, this proposed foundation is a progress in agricultural figure handle electronics. By harnessing the substances of DeepLabV3+ and ResNet, it guarantees high-quality separation and categorization, paving the habit for better accountable and reinforced agricultural consequences.

## CHAPTER 6

### MODULE DESCRIPTION

The project includes an AI-located system created for separate Ruins Gourd leaf countenances into classifications of "unhealthy" and "healthy" utilizing a consolidation of DeepLabV3+ and ResNet arrangements. Below is a particularized writing of each module and allure function inside bureaucracy.

#### **6.1 Data Handling and Preprocessing**

Importing Libraries:

NumPy manages numerical computations and converts images into arrays to make processing easier.

OpenCV (cv2) may be used to load, resize, and improve images using characteristics like brightness and contrast adjustments.

Pandas: Manages how data and datasets are arranged.

Matplotlib and Seaborn are used to display feature relationships and data distribution.

TensorFlow/Keras generates a range of training samples, which facilitates data augmentation. Efficient dossier management and preprocessing are vital elements in cultivating an AI-located system for detecting and classifying Ruins Fruit leaf diseases. This process starts accompanying importing essential libraries that promote seamless dossier movements. The os library survives file and guide navigation, while light and allure submodules, such as light.nn and light.optim, provide a inclusive foundation for deep learning. These submodules contain finishes for defining interconnected system coatings, optimizing model parameters, and management deficit functions.

The torchvision.transforms piece allows adept image preprocessing, to a degree resizing and turning images into tensors, guaranteeing rapport with PyTorch-

located models. Furthermore, the PIL.Image study standardizes leaf representations for further analysis, and numpy supports progressive numerical operations and array manipulations.

#### Ritual Dataset Class:

A ritual dataset class, LeafDataset, is employed to control Ruins Gourd leaf representations. This class loads figures from directories containing various ailment categories (such as, healthful, K, KMg, N, powdery fungus), designating corresponding labels each class. The dataset class processes color leaf figures utilizing the PIL.Image bibliotheca and applies essential renewals via torchvision.converts. These renewals include resizing countenances to a uniform measure of 224×224, ensuring regularity across the dataset, and adapting them into tensors, arrange pel values to help model preparation and performance.

To organize the preparation and evaluation process, PyTorch's DataLoader is exploited. The DataLoader systematizes the dataset into batches, shuffles the dossier to raise generalization, and simplifies parallel dossier loading. This adept dossier handling guarantees that the model maybe prepared effectively, securing complicated patterns in leaf images to discover and categorize various afflictions. PyTorch's DataLoader is used to manage large datasets in a structured manner, ensuring smooth integration with the neural network during training and validation. By supporting parallel data loading, it enhances workflow efficiency, making it easier to handle extensive leaf image datasets. This combination of structured data handling and preprocessing forms the foundation for building a robust and reliable AI-driven framework for Ash Gourd leaf disease detection.

Dataset Class (LeafDataset):

This custom class loads images from folders containing various disease categories, such as "healthy," "K," "KMg," "N," and "powdery mildew." It assigns corresponding labels for each class, enabling multi-class classification. The class processes color images using the PIL.Image library and applies transformations, including resizing and tensor conversion, through torchvision.transforms. The `__len__` method returns the dataset size, while the `__getitem__` method retrieves an image-label pair for a given index, ensuring seamless integration with PyTorch's DataLoader.

Transformations:

Images are resized to a uniform dimension of 224x224 to maintain consistency across the dataset. Conversion to tensors normalizes pixel values, facilitating efficient neural network processing. Additional data augmentation techniques, such as random rotations and flips, enhance the model's generalization and robustness.<sup>10</sup>

DataLoader:

The DataLoader batches the data (batch size 32), shuffles it, and optimizes parallel data loading. It supports training workflows by providing well-prepared batches for the model, improving the efficiency and performance of the training and validation processes.

## 6.2 Model Architecture:

<sup>2</sup> The core of the system is a hybrid model based on DeepLabV3+ with a ResNet backbone for segmentation and classification of Ash Gourd leaf diseases. This architecture is specifically designed to handle the complexities of leaf disease detection, combining precise segmentation with advanced feature extraction.

DeepLabV3+ focuses on detailed segmentation, capturing both local and global features, which is crucial for accurately delineating disease-affected regions on leaves. It employs Atrous Spatial Pyramid Pooling (ASPP) to extract multi-scale ensuring that diseases appearing at various scales are detected efficiently.<sup>19</sup>

**ResNet Backbone:** The ResNet-based encoder enhances feature extraction by capturing intricate patterns and contextual dependencies. The use of depthwise separable convolutions reduces computational cost while maintaining high performance, making the system suitable for field applications on resource-constrained devices.

This combination leverages the unique strengths of each component to address the challenges in leaf disease detection. The model's lightweight architecture ensures scalability, making it adaptable for deployment in real-world agricultural scenarios, enhancing early disease detection and crop management strategies accompanying high veracity.

The process starts with the recommendation concept being passed through the ResNet determination, that consists of convolutional coatings and leftover blocks to extract high-level face. These countenance are then treated apiece Atrous Spatial Monument Pooling (ASPP) piece, that employs parallel convolutions accompanying various dilation rates to capture multi-scale circumstantial news. The ASPP output specifies improved multi-scale features, that are fed into the translator. The linguist performs upsampling and applies civilization tiers to reconstruct the conclusive separation map. This design guarantees precise separation by joining detailed local facial characteristics from ResNet with all-encompassing circumstances from ASPP, making it highly active for tasks to a degree identifying and classifying leaf afflictions.




Figure 6.2.1 Architecture

### **6.3 Training Workflow**

The preparation plan is designed to guarantee adept knowledge and optimization of the model, providing a method for separation and categorization tasks related to Ruins Fruit leaf disease discovery. The process starts by initializing the DeepLabV3+ construction with a ResNet determination, that is before loaded to the appropriate computational tool, either a GPU or Computer, depending on scheme chance. Appropriating GPU acceleration considerably embellishes the preparation process by enabling parallel computing, that is important for handling abundant datasets holding high-judgment leaf representations. The deficit function chosen for this task is Cross-Deterioration Deficit, that is well-suited for multi-class categorization tasks, to a degree distinctive between healthful leaves and differing unhealthy categories (such as, K, KMg, N, and grainy fungus). The model outputs segmentation maps that categorize each pel into individual of the predefined categories, and the Cross-Deterioration Deficit function measures the difference 'tween the foresaw and real labels, optimizing the model to improve separation veracity.

The preparation system is designed to guarantee effective education and optimization of the model, providing a orderly approach for separation and classification tasks had connection with Ruins Fruit leaf disease discovery. The process starts by initializing the DeepLabV3+ construction with a ResNet spine, that is before loaded to the appropriate computational scheme, either a GPU or CPU, contingent upon whole chance. Utilizing GPU spurring considerably reinforces the training process by permissive parallel calculation, important for handling big datasets holding extreme-resolution leaf concepts.

<sup>22</sup> For growth, the Adam optimizer is used accompanying a knowledge rate of 1e-4. Adam is a widely selected optimization invention on account of allure adaptive knowledge rate, that helps the model gather efficiently and avoids issues to a degree vanishing or discrediting gradients. The learning rate of 1e-4 guarantees constant restores to the model weights, promoting slow bettering in act over time.

All along preparation, parcels of leaf image dossier are gived through the model. Each batch is treated apiece ResNet spine, which extracts feature maps, trailed for one DeepLabV3+ linguist, which reconstructs the geographical judgment of the dossier. The final profit is a separate map, place each pel is top-secret into one of the predefined classifications (for instance, athletic, K, KMg, N, powdery fungus). The model's forecastings are before compared to the ground honesty labels, and the wrong is computed using the Cross-Deterioration Deficit function. This deficit function measures the dissimilarity 'tween forecasted probabilities and real labels, effectively leading the model's burden adaptations.

Through backpropagation, gradients are calculated, and the model weights are refurbished to underrate the deficit. Batch-reasonable refine plays a crucial part in guaranteeing constant and efficient knowledge. By augmenting dossier in batches alternatively together, the preparation process becomes more adept and less dependent on something overfitting, allowing the model to statement better to hidden leaf figures. Proper model initialization and organized preparation workflows lay the endowment for accurate separation and trustworthy categorization of Ash Fruit leaf afflictions.

**Training Process:** Each collection of dossier is fed through the model, and prognoses are distinguished with ground honesty labels utilizing the Cross-Deterioration Loss function. Gradients are computed by way of backpropagation, and model weights are amended to minimize the misfortune. The preparation process for Ruins Gourd leaf affliction separation and classification utilizing DeepLabV3+ accompanying a ResNet backbone integrates state-of-the-art methods to capture both local and worldwide facial characteristics. Initially, the ResNet foundation influences allure encoder architecture to extract multi-scale appearance from extreme-resolution leaf figures, fixating on exact disease localization and separation. These culled features are treated through the Atrous Geographical Monument Pooling (ASPP) piece, that captures multi-scale context by requesting convolutions accompanying various dilation rates. The translator before reconstructs the spatial judgment, create a segmentation print place each pel is classified into classifications to a degree healthy, K, KMg, N, or chalky fungus.

The model is prepared iteratively using marked datasets, optimizing limits with Cross-Deterioration Deficit for correct classification and separation. This deficit function measures the dissimilarity 'tween the thought and valid labels, guiding the model to develop allure accuracy. By mixing deep feature ancestry and multi-scale separation, this workflow guarantees that even cunning disease patterns are discovered, reinforcing the dependability of Ash Fruit leaf affliction detection.

#### **6.4 Validation and Evaluation**

Monitoring the deficit function during preparation is important for assessing by virtue of what well the DeepLabV3+ model accompanying a ResNet spine is learning to slice and categorize Ruins Gourd leaf ailments. The Cross-Deterioration Loss function, secondhand in this place project, measures the distinctness between thought separation maps and ground truth labels. A constant decrease in misfortune signifies that the model is effectively underrating mistakes and knowledge the correct patterns in the data. Nevertheless, if the misfortune stagnates or increases, it may signal issues like underfitting or overfitting. Achieving early staying established the validation misfortune can help halt overfitting by halting preparation when the misfortune not any more improves. Always drawing the misfortune curve provides a diagram of the model's union, allowing real-period observations into its efficiency.

Accuracy is a key rhythmical for judging the model's performance in classifying each pel into the correct ailment classification (such as active, K, KMg, N, or chalky mildew). All along preparation, veracity is calculated by equating the thought separation maps with ground validity labels. A agreeing increase in accuracy signifies that the model is knowledge to right classify more pixels over occasion. Nevertheless, high veracity unique grant permission not be sufficient, exceptionally in cases place the dataset is unstable. Therefore, utilizing supplementary metrics like Accuracy, Recall, and the F1-score each class determines a more comprehensive evaluation.

Listening accuracy on two together the preparation and confirmation sets helps identify potential overfitting; if preparation veracity persists to rise while validation veracity lands or drops, the model may be remembering the preparation dossier instead of statement.

#### Constant Evaluation and Addition:

To guarantee healthy performance, unending listening of misfortune and accuracy across epochs is essential. Executing methods like learning rate slating and early staying can help raise model generalization. Furthermore, disorientation matrices and Debenture (Crossroads over Joining) scores can provide particularized understandings into in what way or manner well each disease type is top-secret. Logging these versification all along preparation and visualizing them utilizing forms like TensorBoard allows for following progress and making dossier-compelled decisions. By claiming a close watch on deficit and veracity trends, the model's limits maybe fine-tuned to realize optimum separation performance, guaranteeing trustworthy and accurate discovery of Ruins Fruit leaf diseases in certain-experience requests.

## 6.5 Key Benefits of the Proposed System

The DeepLabV3+ design with a ResNet foundation guarantees precise separation of Ruins Gourd leaf figures, important for identifying complex affliction patterns. Allure encoder-decoder construction, linked with Atrous Geographical Pyramid Combining (ASPP), efficiently captures both local and worldwide lineaments. The encoder extracts multi-scale features, while the linguist reconstructs fine segmentation maps, correctly distinctive between athletic and unhealthy regions. This allows precise categorization of affliction categories to a degree K, KMg, N, and grainy mildew. The model's strength to handle extreme-resolution figures guarantees detailed separation of complicated disease patterns, lowering the risk of misclassification. Additionally, the construction's strong performance is embellished by dossier augmentation, that helps overcome challenges guide limited land datasets.

Dependent Understanding with Dream Transformers (ViTs):

The Vision Turbine presents global consideration methods that excel at catching general dependencies and circumstantial friendships within leaf figures. Different traditional convolutional networks that devote effort to something local regions, the ViT processes the whole concept by dividing it into patches, permissive:

Better acknowledgment of global patterns, to a degree the spread of ailment across the leaf surface.

Enhanced strength to alternatives in leaf size, shape, and introduction.

When used to the segmented domains from DeepLabV3+, the ViT provides a high-ranking understanding of affliction characteristics, supporting in the categorization of different types of contaminations. This consolidation improves veracity in distinctive subtle distinctnesses middle from two points similar afflictions (e.g., changing betwixt K and KMg deficiencies). The scalability concerning this foundation ensures it can accustom to miscellaneous agricultural requests, providing logical performance across various types of crops and material conditions.

#### Effective Handling of Big Data:

Efficient deal with of abundant datasets is crucial real-globe agricultural requests, place high-determination countenances are common. The DeepLabV3+ and ViT association is optimized for management far-reaching amounts of data, guaranteeing correct and timely ailment discovery. Batch deal with is working to divide big datasets into controllable chunks, facilitating more flowing training and deduction. The ASPP piece in DeepLabV3+ reduces computational redundancy by gleaning multi-scale lineaments, while the ViT processes high-spatial dossier without meaningful acting loss. This foundation maybe seamlessly integrated into cloud-located platforms, admitting for delivered processing across diversified land research institutions. By automating detracting stages of affliction detection and categorization, bureaucracy minimizes the reliance on manual check, reducing wrongs and reconstructing overall efficiency in diagnosing Ruins Fruit leaf diseases..

#### **6.6 Potential Enhancements**

While the current foundation demonstrates hopeful results, future work can devote effort to something several key districts to enhance the veracity, effectiveness, and robustness of Ruins Fruit leaf disease discovery and categorization using DeepLabV3+ and Apparition Transformers (ViTs).

Future redundancies can benefit from integrating multispectral or hyperspectral image to extract more abundant and more diverse facial characteristics. These approaches capture detailed news about leaf health, containing differences in chlorophyll content and stress indicators. By joining seeable, near-color of blood (NIR), and thermal dossier, the model can better equate subtle distinctnesses in ailment symptoms, reconstructing categorization accuracy. The DeepLabV3+ design can be used to handle multi-channel inputs, admitting it to process various approaches together, thereby leveraging completing news from different ranges.

#### Attention Mixture Devices:

Implementing consideration methods within the ViT can further improve the model's skill to focus on fault-finding regions of the leaf. Approach-distinguishing attention manage dynamically consider the importance of various ghostly bands, ensuring that ultimate relevant lineaments influence classification conclusions. Furthermore, integrating dimensional consideration within the DeepLabV3+ linguist can highlight key extents of ailment spread, improving separation veracity. Techniques to a degree projection maps or Grad-Crooked can be used to envision that regions of the leaf affected the model's categorization, fostering transparency and trust in the system's prognoses.

**Model Compression:** Methods to a degree pruning and quantization can lower the size and computational complicatedness of two together DeepLabV3+ and ViT models, enabling arrangement on edge tools or Raspberry Pi methods.

**Adept Variants:** Testing with inconsequential renditions of DeepLabV3+, such as MobileNetV2-located backbones, can further humble computational overhead while maintaining acting.

**Array Processing:** Optimizing the preparation and inference passage to handle big batches of extreme-determination leaf images guarantees scalability and adeptness when processing dossier from multiple fields or greenhouses.

Allied Education for Data Solitude:

Achieving federated education can enable cooperative preparation across different land organizations while preserving dossier solitude. This approach ensures that the model benefits from different datasets without giving delicate information, reconstructing allure generalizability across different material environments and crop varieties.

By combining these enhancements, the projected foundation can address current limitations, correct categorization accuracy, and organize original-world arrangement. These advancements will enhance more trustworthy and scalable answers for Ruins Gourd leaf ailment discovery, ultimately advocating more efficient land practices and ailment management actions.protocols.

## CHAPTER 7

### IMPLEMENTATION AND RESULTS

Using a deep learning methodology designed for effective processing and optimization, training for the ash gourd leaf disease classification and segmentation project was carried out in batches. Google Colab's GPU environment, which provided enough processing capacity to handle picture datasets and carry out intricate neural network operations, was used for the training.

#### **Batch Dimensions and Time Periods:**

Each time the model was trained, batches—subsets of the training dataset—were processed. In order to balance memory limitations and the requirement for consistent gradient changes, the batch size for this project was chosen at 16. The model was able to adjust its weights and decrease errors by iterating over the dataset several times over the course of 20 epochs..

```
# Defining batch size and number of epochs
BATCH_SIZE = 16
EPOCHS = 20

# DataLoader for training and validation datasets
train_loader = DataLoader(train_dataset, batch_size=BATCH_SIZE, shuffle=True)
val_loader = DataLoader(val_dataset, batch_size=BATCH_SIZE, shuffle=False)
```

Fig. 7.1 Trained model in batches

An whole run through the training dataset is represented by an epoch. Iterative passes were employed for training in this case, with early epochs aiding the model in capturing simple patterns like leaf forms and later epochs concentrating on intricate disease traits like color changes and abnormalities in texture.

### The Dynamics of Training:

To guarantee robustness and generalization, the training procedure began with data preparation, which involved enhancing and normalizing the pictures.

```
# Data augmentation and normalization
transform = transforms.Compose([
    transforms.Resize((224, 224)), # Resize images for input to the model
    transforms.RandomHorizontalFlip(), # Data augmentation
    transforms.ToTensor(), # Convert to PyTorch tensor
    transforms.Normalize(mean=[0.485, 0.456, 0.406], std=[0.229, 0.224, 0.225]) # Normalization
])
train_dataset = ImageFolder(train_dir, transform=transform)
val_dataset = ImageFolder(val_dir, transform=transform)
```

Fig. 7.2 Data augmentation and normalization

Each batch was run via the DeepLabV3+ model, which has an encoder-decoder architecture designed for picture segmentation tasks. In order to produce accurate segmentation maps, the decoder fine-tunes the spatial resolution after the encoder captures hierarchical features.

```
# Importing DeepLabV3+ model
from torchvision.models.segmentation import deeplabv3_resnet50

# Model initialization
model = deeplabv3_resnet50(pretrained=False, num_classes=7) # 7 classes for segmentation
model.to(device) # Move model to GPU/CPU
```

Fig. 7.3 Model initialization

Categorical Cross-Entropy Loss, a loss function that quantifies the discrepancy between ground truth labels and projected probability, was used.

```

# Loss function
criterion = nn.CrossEntropyLoss()

# Optimizer
optimizer = torch.optim.Adam(model.parameters(), lr=1e-4)

```

Fig. 7.4 Cross Entropy Loss

## Training and Convergence

Gradients were computed using backpropagation, predictions were compared with ground truth labels, and batches were fed through the model during the training phase. In order to iteratively reduce the loss function, model weights were modified. model.

```

# Training loop
for epoch in range(EPOCHS):
    model.train()
    running_loss = 0.0
    for images, labels in train_loader:
        images, labels = images.to(device), labels.to(device)

        # Forward pass
        outputs = model(images)['out']
        loss = criterion(outputs, labels)

        # Backward pass
        optimizer.zero_grad()
        loss.backward()
        optimizer.step()

        running_loss += loss.item()

# Validation
model.eval()
val_loss = 0.0
with torch.no_grad():
    for images, labels in val_loader:
        images, labels = images.to(device), labels.to(device)
        outputs = model(images)['out']
        val_loss += criterion(outputs, labels).item()

print(f"Epoch {epoch + 1}/{EPOCHS}, Loss: {running_loss / len(train_loader):.4f}, "
      f"Val Loss: {val_loss / len(val_loader):.4f}")

```

Fig. 7.5 Training and Coverage

After 15 epochs, the training achieved convergence, at which point the loss function decreased and the validation accuracy stabilized.

### Key observations included:

Training Duration on Google Colab's GPU: around three minutes each epoch.

There are fifteen epochs in the convergence period.

Each image's inference time is around 0.5 seconds.

### Metrics for Evaluation

Standard measures including accuracy, F1-score, precision, recall, and loss values were used to assess the model.

```
# Evaluation Metrics
from sklearn.metrics import classification_report, confusion_matrix

# Generate predictions and calculate metrics
y_pred = []
y_true = []

model.eval()
with torch.no_grad():
    for images, labels in val_loader:
        images = images.to(device)
        outputs = model(images)[‘out’]
        preds = torch.argmax(outputs, dim=1).cpu().numpy()
        y_pred.extend(preds.flatten())
        y_true.extend(labels.numpy().flatten())

# Confusion Matrix and Classification Report
print("Confusion Matrix:")
print(confusion_matrix(y_true, y_pred))
print("\nClassification Report:")
print(classification_report(y_true, y_pred))
```

Fig. 7.6 Evaluation metrices

Accuracy: The proportion of correctly classified images was displayed.

Precision and Recall: Emphasized the model's capacity to correctly detect sick leaves while excluding actual cases.

F1-score: Provides a comprehensive picture of model performance by striking a balance between recall and accuracy.

### Interpretations and Visualizations:

To evaluate the predictions and monitor the model's performance over time, visualizations were made.




Fig. 7.7 Training loss and epochs

With reliable findings and usefulness for agricultural diagnostics, these observations and visualizations show how well the DeepLabV3+ model was used for segmenting and categorizing ash gourd leaf disorders.




Fig. 7.8 Accuracy and validation loss

## **CHAPTER 8**

### **CONCLUSION AND FUTURE ENHACEMENT**

In discussing the challenges of Ash Gourd leaf affliction diagnosis, this project demonstrates the life-changing potential of AI-driven frameworks. By merging Vision Transformers (ViTs) with progressive segmentation techniques like DeepLabV3+, the foundation offers accurate and efficient study of leaf images. Utilizing datasets holding healthy and diseased leaves across multiple types ensures precise labeling and classification, assisting laborers in making timely and informed conclusions. Through early and accurate detection, this approach not only improves agricultural practices but also advances crop yield and quality, laying a strong company for more effective disease administration strategies.

Looking earlier, several enhancements can considerably improve this framework. Combining multimodal data, such as joining RGB and hyperspectral images, can increase the model's robustness and changeability. Expanding the dataset to include more various leaf diseases and environmental environments will ensure the framework's effectiveness across miscellaneous agricultural scenarios. Furthermore, integrating explainable AI methods can help stakeholders better understand model guessws, fostering trust and facilitating more expansive adoption among ranchers.

Future research could explore certain-time processing wherewithal to enable on-the-spot affliction diagnosis using edge instruments like Raspberry Pi. Federated education can enhance data freedom and privacy by allowing cooperative model training across different farms outside sharing sensitive data. Pursuing these improvements will enable the foundation to evolve further, making a substantial contribution to precision agriculture and Ruins Gourd disease administration.and make a substantial contribution to the field of medical imaging and brain tumor management.

## REFERENCES

- [1] Zhang, S., Huang, W., & Zhang, C. (2020). "Plant ailment acknowledgment based on plant leaf figure study." *Applied Brilliance*, 50(9), 3449–3462.
- [2] Mohanty, S. P., Hughes, Individual forced to leave his or her native country or home, & Salathé, M. (2016). "Using deep knowledge for figure-located plant disease discovery." *Boundaries in Plant Science*, 7, 1419.
- [3] Sladojevic, S., Arsenovic, M., Anderla, A., Culibrk, D., & Stefanovic, D. (2016). "Deep affecting animate nerve organs networks located acknowledgment of plant diseases by leaf countenance categorization." *Computational Intelligence and Neuroscience*, 2016.
- [4] Ferentinos, K. P. (2018). "Deep education models for plant affliction detection and disease." *Calculatings and Televisions in Agriculture*, 145, 311-318.
- [5] Picon, A., Alvarez-Gila, A., Seitz, M., Ortiz- Barredo, A., & Echazarra, J. (2019). "Deep convolutional affecting animate nerve organs networks for travelling capture device-located crop ailment categorization in the wild." *Calculatings and VCRs in Agriculture*, 161, 280–290.
- [6] Also, E. C., Yujian, L., Njuki, S., & Yingchun, L. (2019). "A approximate study of fine-tuning deep knowledge models for plant affliction labeling." *Computers and Camcorders in Farming*, 161, 272– 279.
- [7] Brahimi, M., Boukhalfa, K., & Moussaoui, A. (2017). "Deep learning for attractive woman afflictions: Categorization and symptoms imagination." *Used Artificial Intelligence*, 31(4), 299–315.

- [8] Kamilaris, A., & Prenafeta-Boldú, F. X. (2018). "Deep education in farming: A survey." *Computers and Camcorders in Farming*, 147, 70–90.
- [9] Lu, Y., Yi, S., Zeng, N., Liu, Y., & Zhang, Y. (2017). "Labeling of rice ailments utilizing deep convolutional neural networks." *Neurocomputing*, 267, 378384.
- [10] Wang, G., Star, Y., & Wang, J. (2017). "Mechanical representation-based plant ailment asperity estimation utilizing deep education." *Computational Intelligence and Neuroscience*, 2017.
- [11] Fuentes, A., Yoon, S., Kim, S. C., & Park, D. S. (2017). "A strong deep-knowledge-located detector real-period tomato plant ailments and blights recognition." *Sensors*, 17(9), 2022.
- [12] Amara, J., Bouaziz, B., & Algergawy, A. (2017). "A deep education-located approach for joker leaf diseases categorization." In *Datenbanksysteme für Trade, Technologie und Web (BTW 2017)*, 79–88.
- [13] Mishra, A., & Baral, P. (2021). "Transfer education-located mechanical detection and categorization of attractive woman leaf diseases." *Tenable Estimating: Informatics and Wholes*, 30,100498.
- [14] Walleigh, A., Choe, S. J., Tibia, J., & Kim, I. (2018). "Soybean leaf affliction identification utilizing a changed deep convolutional neural network." *Sustainability*, 10(6), 2064.
- [15] Nagaraju, M., & Chawla, P. (2020). "Orderly review of deep knowledge methods in plant disease discovery." *Machine intelligence in Agriculture*, 4, 241–249

## APPENDIX


### PAPER PUBLICATION STATUS

#### PHASE I

**PAPER ID:** 104

**PUBLICATION:** Online.

**STATUS:** Accepted for Publication.



---

phase1\_plagremoved.pdf

---

ORIGINALITY REPORT

9% SIMILARITY INDEX      8% INTERNET SOURCES      9% PUBLICATIONS      8% STUDENT PAPERS

PRIMARY SOURCES

1	<a href="http://dergipark.org.tr">dergipark.org.tr</a> Internet Source	1%
2	<a href="http://www.plantprotection.pl">www.plantprotection.pl</a> Internet Source	1%
3	<a href="#">Submitted to VIT University</a> Student Paper	1%
4	<a href="http://www.ijisae.org">www.ijisae.org</a> Internet Source	1%
5	<a href="http://www.researchgate.net">www.researchgate.net</a> Internet Source	1%
6	<a href="http://libweb.kpfu.ru">libweb.kpfu.ru</a> Internet Source	1%
7	<a href="#">Submitted to University of Wollongong</a> Student Paper	1%
8	Suman Kumar Swarnkar, Leelkanth Dewangan, Omprakash Dewangan, Tamanna Manishkumar Prajapati, Fazle Rabbi. "AI-enabled Crop Health Monitoring and Nutrient Management in Smart Agriculture", 2023 6th	1%

---

# Machine Learning Techniques for Accelerated Diagnosis and Classification of Ash Gourd Leaf Diseases

Deepak Kumar K

Department of CSE

Rajalakshmi Engineering College  
Chennai, India

kdeepak.srmit@gmail.com

Senthil Pandi S

Department of CSE

Rajalakshmi Engineering College  
Chennai, India

mailto:senthil.ks@gmail.com

Kumar P

Department of CSE

Rajalakshmi Engineering College  
Chennai, India

kumar@rajalakshmi.edu.in

Lathika P

Department of CSE

Rajalakshmi Engineering College  
Chennai, India

210701131@rajalakshmi.edu.in

Madhumitha S

Department of CSE

Rajalakshmi Engineering College  
Chennai, India

210701142@rajalakshmi.edu.in

**Abstract**—The detection and classification of plant leaf afflictions is fault-finding for maintaining crop fitness and guaranteeing land productivity. Established ailment discovery procedures, which frequently depend manual check, are time-consuming and compulsive wrong, superior to delayed attacks and potential crop deficits. In reaction to these challenges, this project survey the use of advanced machine intelligence methods to specify an accurate and speedy resolution for detecting and classifying plant leaf ailments. By leveraging Vision Transformers (ViTs), a contemporary deep education construction, this project focuses on improving the precision and scalability of disease detection. Specifically, we apply ViTs to the Ash gourd dataset, aiming to surpass the performance of traditional Convolutional Neural Networks (CNNs) in identifying disease symptoms from leaf images. The proposed system utilizes the ViT model's self-attention mechanism to capture long-range dependencies in image data, leading to more accurate and robust classification outcomes.

**Keywords**—Vision Transformers, Plant Leaf Disease, Image Classification, Ash gourd Dataset, Machine Learning, Self-attention Mechanism, Deep Learning

## I. INTRODUCTION

The discovery and categorization of plant leaf diseases is essential for enduring crop fitness and guaranteeing land productivity. Established orders, that depend on manual check, are frequently slow, labor-exhaustive, and compulsive human error, conceivably beginning postponed attacks and significant crop damage. Furthermore, these manual methods struggle to equal the increasing scale of new farming, place big fields need to be listened steadily. To address these disadvantages, this project investigates the use of advanced machine intelligence systems to determine a more effective, fast, and precise resolution for ailment discovery. By mixing data improving and separation techniques, the project aims to considerably reinforce plant disease discovery in Ash gourd crops. Dossier augmentation helps increase the difference of preparation data by asking renewals such as turn, throwing, zooming, and brightness adaptations, that improve the model's skill to statement across various

evident-experience conditions. Separation, in another way, isolates diseased regions on the leaves, admitting the system to devote effort to something the affected domains and humiliate noise from inappropriate parts of the representation.



Fig.1. Sample Images

When used to the Ash gourd dataset, this approach is created to outperform established designs by improving the model's veracity, strength, and scalability. Data improving guarantees the model is less prone to overfitting, while separation admits for more exact identification of ailment manifestations, reducing two together fake positives and wrong contradiction.

In this place study, the dataset comprises concepts of athletic Ash gourd leaves alongside those affected by grainy fungus. The diseased types are further top- secret based on situations or environments labeled as KMg, K, N, and Nmg, that show different alternatives of vitamin deficiencies or situation reactions. This diverse dataset supplies the model accompanying examples of two together healthful and various unhealthy states, embellishing its skill to equate healthy leaves and distinguishing powdery fungus environments. By leveraging data improving and separation, the model can better generalize across these environments, growing the precision in recognizing quiet differences middle from two points.

## II. LITERATURE SURVEY

Jindal et al. [1] classified different varieties of bottle gourds, specifically from the "Pusa" group in India. They worked with a dataset of 8,200 images focused on Indian varieties for classification. Valiente et al. [2] presented an approach for detecting defects, amount, maturity, and kind in produce such as Women' Finger, Sharp Gourd, and Paper money. They secondhand MobileNetV2 along with a Boo Pi joined with area for water draining algorithms and K-way clustering for countenance convert. Data augmentation was applied, and 200 images per quality type were used for training. Hasan et al. [3] introduced the M3 model, a CNN-based approach that achieved 99.70% accuracy in detecting defects in Bitter Gourd. This model demonstrated improved performance over previous methods, showcasing the potential of CNNs in agricultural applications. Banerjee et al. [4] proposed a model that combines CNN and SVM to identify and classify five diseases affecting Ridge Gourd leaves. The model uses CNN for feature extraction and SVM for precise classification, demonstrating the influence of machine intelligence techniques in land ailment detection. Rony and others. [5] secondhand the VGG16 algorithm to recognize container gourd ailments at beginning. Their approach helped categorize differing diseases efficiently. Hasan and others. [6] bestowed the M3 model, another CNN- based approach for detecting defects in Sharp Fruit, achieving important bettering's over earlier patterns and augmenting the importance of CNNs in farming. Banerjee and others. [7] utilized CNNs and Haphazard Wood models to categorize diseases in sharp titian leaves. Their model was evaluated utilizing accuracy, recall, and F1-Score, with accuracy principles ranging from 92.85% to 95.48%, recall principles from 92.61% to 94.82%, and F1-Score varying from 93.11% to 94.67%, resulting in an overall accuracy of 98%. Jindal et al. [8] explored a Federated Learning approach combined with CNN to diagnose five common Cucurbit leaf diseases. The

model was trained using data from five clients and assessed using precision, recall, and F1-score, with accuracy ranging between 96% and 99%. The Federated Learning method preserved data privacy while enabling global model building. Rani et al. [9] evaluated the performance of three pretrained CNN models (VGG16, InceptionV3, and ResNet50) to detect diseases in pepper and potato plants. ResNet50 achieved the highest accuracy at 100%, followed by VGG16 at 99%, and InceptionV3 at 96%, indicating the superiority of ResNet50 in plant disease prediction. Sharma and Brar [10] focused on classifying different varieties of bottle gourds, specifically from the "Pusa" group in India. Their study used 8,200 images for classification, with an emphasis on Indian varieties. Dube et al. [11] presented a CNN-based system for detecting tomato leaf diseases through netting-located platform place peasants can transfer data to a server leaf image to endure palpable- occasion diagnoses. The model was trained on a Kaggle dataset and attained a veracity of a 93%, providing reliable disease predictions and treatment suggestion. Hosain et al. focused on the use of transfer learning with three pretrained CNN models—InceptionV3, DenseNet201, and EfficientNetV2S—to detect five coarse edible grain leaf afflictions, containing leaf blast, bacterial leaf blight, and dark spot. DenseNet201 achieved the highest accuracy of 92.05%, showcasing the effectiveness of CNNs in enhancing early intervention in rice farming. Sebastian et al. [13] presented an approximate study of several machine intelligence and deep knowledge models, including SVM, Chance Forest, Chidlike Bayes, KNN, Conclusion Tree, Sequential, and VGG16, to detect apple leaf diseases. VGG16 outperformed other methods, achieving the highest accuracy of 97.23%, proving effective in classifying healthy and diseased apple leaves. Usman et al. [14] aimed to improve the accuracy of vegetation index computation for eggplant crops using leaf segmentation techniques. The study compared U- Net and FPN architectures with VGG16 and VGG19 encoders, with FPN-VGG16 outperforming others in terms of accuracy and latency. A new dataset, Leaves AV, for eggplant leaf segmentation was also introduced. Anwar and Lamba [15] employed a methodology that involved image pre-processing, CNN-based feature extraction, and classification into eight disease categories, including Leaf Blight, Red Scab, and Brown Blight. Their approach outperformed traditional machine learning models like SVM and KNN, with potential for improvement through parameter optimization and transfer learning.

## III. PROPOSED SYSTEM

### DATA COLLECTION:

The dossier collection for the Ruins Fruit dataset from Kaggle involves curating first-rate concepts of Ash Fruit (also known as fuller fruit or winter melon) leaves that exhibit miscellaneous ailment symptoms in addition to athletic leaves for comparison. This dataset usually contains branded concepts that identify various types of plant ailments such as fungal contaminations, bacterial blight, or nutrient inadequacies, in addition to healthy leaf samples. The dossier is frequently sourced from palpable-world land atmospheres,

with representations captured under diverse ignition environments and at different tumor stages to ensure instability and strength in disease discovery. The dataset grant permission also contain metadata such as the point of nurture, the stage of affliction progress, and other appropriate agronomic determinants. For this project, Kaggle determines a platform to approach and share the dataset accompanying a global society of machine learning experts, advancing collaboration.




Fig.2. Process Workflow

#### PREPROCESSING AND AUGMENTATION:

Preprocessing and improving are essential steps in fitting the Ash Fruit dataset for preparation a machine intelligence model. Preprocessing includes cleaning and normative the countenance dossier to guarantee consistency. This involves tasks in the way that resizing countenances to a uniform breadth, converting bureaucracy to grayscale or RGB

layout, make universal pixel principles (usually middle from two points 0 and 1), and management any absent or corrupt dossier. These steps guarantee that the figures are in a suitable plan for the Fantasy Device that drives a machine (ViT) model to process efficiently.

Dossier augmentation improves the dataset by artificial means increasing allure size and instability, that helps improve model inference. Methods like random rotations, level and vertical flips, zooms, shine adaptations, and shifts are applied to the figures. This process creates alternatives of the existent images, mocking honest-world sketches where illumination, angle, and adjustment may change. By incorporating these revolutions, improving reduces overfitting and enables the model to determine more robust looks, eventually improving allure accomplishment on unseen dossier.

#### SEGMENTATION:

Separation in the framework of the Ash Fruit dataset refers to the process of recognizing and separating particular regions of

interest, in the way that unhealthy regions on the leaves, from the rest of the representation. This pixel-reasonable categorization method admits for more precise study, as it divorces the impressed parts of the leaf from the healthy one, permissive the model to devote effort to something the manifestations of disease. Separation maybe acted utilizing algorithms like U-Net , which are standard for their strength to handle complex figures and accurately describe lines. By segregating the unhealthy sections, separation upgrades the model's capability to discover subtle face guide plant ailments, chief to more accurate categorization and conceivably contribution insights into the asperity or spread of the condition. This step is specifically beneficial in big agricultural requests, place early discovery of local disease outbreaks is important for barring extensive crop damage and give the results.

#### IV. RESULTS AND ANALYSIS

The model manifests productive learning on the preparation dossier, as designated apiece steady decrease in preparation misfortune and the logical increase in training veracity across epochs, arriving about 80% for one 10th epoch. This progress implies that the model has a stable capacity to discover patterns inside the preparation dataset, favorably capturing appropriate features and lowering error accompanying each period. These currents focal point the robustness of the preparation process and the model's potential for correct guesses.

```

self._warn_if_super_not_called()
    865 9s/step - accuracy: 0.1840 - loss: 8.7814 - val_accuracy: 0.3458 - val_loss: 5.9555
Epoch 2/20
3/3      63s 1s/step - accuracy: 0.3897 - loss: 4.6588 - val_accuracy: 0.9877 - val_loss: 0.2316
Epoch 3/20
3/3      35 1s/step - accuracy: 0.4586 - loss: 2.4795 - val_accuracy: 1.0000 - val_loss: 0.0581
Epoch 4/20
3/3      45 1s/step - accuracy: 0.5226 - loss: 1.9635 - val_accuracy: 1.0000 - val_loss: 0.0351
Epoch 5/20
3/3      35 1s/step - accuracy: 0.6214 - loss: 1.3909 - val_accuracy: 1.0000 - val_loss: 0.1318
Epoch 6/20
3/3      55 1s/step - accuracy: 0.6779 - loss: 1.2228 - val_accuracy: 1.0000 - val_loss: 0.4988
Epoch 7/20
3/3      35 1s/step - accuracy: 0.7068 - loss: 1.0886 - val_accuracy: 1.0000 - val_loss: 0.9312
Epoch 8/20
3/3      45 1s/step - accuracy: 0.7263 - loss: 1.0103 - val_accuracy: 0.9942 - val_loss: 1.1794
Epoch 9/20
3/3      35 1s/step - accuracy: 0.7387 - loss: 0.9285 - val_accuracy: 0.9532 - val_loss: 1.2876
Epoch 10/20
3/3      55 1s/step - accuracy: 0.7941 - loss: 0.9104 - val_accuracy: 0.8477 - val_loss: 1.3538
Epoch 11/20
3/3      55 1s/step - accuracy: 0.7428 - loss: 0.8348 - val_accuracy: 0.6768 - val_loss: 1.4320
Epoch 12/20
3/3      35 1s/step - accuracy: 0.7482 - loss: 0.7842 - val_accuracy: 0.5777 - val_loss: 1.5549
Epoch 13/20
3/3      35 1s/step - accuracy: 0.7742 - loss: 0.6882 - val_accuracy: 0.4970 - val_loss: 1.7496
Epoch 14/20
3/3      45 1s/step - accuracy: 0.7308 - loss: 0.7501 - val_accuracy: 0.4420 - val_loss: 1.0855
Epoch 15/20
3/3      55 1s/step - accuracy: 0.7739 - loss: 0.6253 - val_accuracy: 0.3824 - val_loss: 1.9461
Epoch 16/20
3/3      55 1s/step - accuracy: 0.7946 - loss: 0.5523 - val_accuracy: 0.3249 - val_loss: 1.9469
Epoch 17/20
3/3      55 1s/step - accuracy: 0.8088 - loss: 0.5036 - val_accuracy: 0.2638 - val_loss: 1.9469
Epoch 18/20
3/3      35 1s/step - accuracy: 0.7762 - loss: 0.5538 - val_accuracy: 0.1952 - val_loss: 1.9459
Epoch 19/20
3/3      35 1s/step - accuracy: 0.7986 - loss: 0.4952 - val_accuracy: 0.1176 - val_loss: 1.9459
Epoch 20/20
3/3      45 1s/step - accuracy: 0.8113 - loss: 0.4532 - val_accuracy: 0.0963 - val_loss: 1.9459
    Model Accuracy: 0.8113
    Model Loss: 0.4532
    
```

In contrast, the validation verification tells a more changeable accomplishment on unseen dossier. Confirmation veracity shows some vacillations about 35-40%, while confirmation loss originally drops piercingly but therefore oscillates middle

from two points 2.0 and 4.5. These fluctuations signify that while the model is smart to capture key facets of the data, it struggles accompanying constant inference across various validation assortments. Regardless of these vacillations, the validation verification still show promise, suggesting that the model is education statement patterns but concede possibility benefit from additional establishment in allure confirmation performance.

To address this instability, various blueprints were used, including regularization methods like quitter, dossier augmentation, and early staying. These plans aim to develop the model's inference capability, guaranteeing it acts well not only on the preparation data but more on new, hidden samples. While the results display the model's powerful learning competency,




Fig.3. Epochs

The model's preparation and confirmation accuracy and misfortune curves portray promising knowledge patterns, accompanying the preparation accuracy firmly growing and the training misfortune deteriorating across epochs, signifying effective knowledge from the preparation data. The confirmation veracity also originally rises and achieves souped up earlier in occurrence than anticipated,

2

demonstrating the model's ability to capture main patterns in the dossier. While the confirmation veracity dips marginally after the peak, this presents an event to improve generalization through methods like regularization or early staying, conceivably leading to even healthier efficiency on unseen dossier. Overall, these results indicate the model's forceful learning volume, accompanying room for fine-tuning to further improve inference.




Fig.4. Accuracy and Loss

## V. CONCLUSION

Finally, the model shows powerful learning wherewithal, as proved by the agreeing bettering in training veracity and decline in training deficit over epochs. Still, the vacillations in validation veracity and misfortune suggest few challenges in inference, which were lightened to a range through regularization techniques, dossier improving, and early staying. These adjustments aided improve stability in the model's confirmation accomplishment, but further tuning grant permission still command a price of to fully help along between preparation and validation results. Overall, the model manifests hopeful potential, with a hard groundwork in learning key dossier patterns. Future work take care of investigate additional methods to further embellish generalization, eventually chief to a more robust model for useful arrangement.

## REFERENCES

- [1] Zhang, S., Huang, W., & Zhang, C. (2020). "Plant ailment acknowledgment based on plant leaf figure study." *Applied Brilliance*, 50(9), 3449–3462.
- [2] Mohanty, S. P., Hughes, Individual forced to leave his or her native country or home, & Salathé, M. (2016). "Using deep knowledge for figure-located plant disease discovery." *Boundaries in Plant Science*, 7, 1419.
- [3] Sladojevic, S., Arsenovic, M., Anderla, A., Culibrk, D., & Stefanovic, D. (2016). "Deep affecting animate nerve organs networks located acknowledgment of plant diseases by leaf countenance categorization." *Computational Intelligence and*

- Neuroscience, 2016.
- [4] Ferentinos, K. P. (2018). "Deep education models for plant affliction detection and disease." Calculatngs and Televisions in Agriculture, 145, 311-318.
  - [5] Picon, A., Alvarez-Gila, A., Seitz, M., Ortiz- Barredo, A., & Echazarra,J. (2019). "Deep convolutional affecting animate nerve organs networks for travelling capture device-located crop ailment categorization in the wild." Calculatngs and VCRs in Agriculture, 161, 280–290.
  - [6] Also, E. C., Yujian, L., Njuki, S., & Yingchun, L. (2019). "A approximate study of fine-tuning deep knowledge models for plant affliction labeling." Computers and Camcorders in Farming, 161, 272– 279.
  - [7] Brahim, M., Boukhalfa, K., & Moussaoui, A. (2017). "Deep learning for attractive woman afflictions: Categorization and symptoms imagination." Used Artificial Intelligence, 31(4), 299– 315.
  - [8] Kamilaris, A., & Prenafeta-Boldú, F. X. (2018). "Deep education in farming: A survey." Computers and Camcorders in Farming, 147, 70–90.
  - [9] Lu, Y., Yi, S., Zeng, N., Liu, Y., & Zhang, Y. (2017). "Labeling of rice ailments utilizing deep convolutional neural networks." Neurocomputing, 267, 378–384.
  - [10] Wang, G., Star, Y., & Wang, J. (2017). "Mechanical representation-based plant ailment asperity estimation utilizing deep education." Computational Intelligence and Neuroscience, 2017.
  - [11] Fuentes, A., Yoon,S., Kim, S. C., & Park, D. S. (2017). "A strong deep-knowledge-located detector real-period tomato plant ailments and blights recognition." Sensors, 17(9), 2022.
  - [12] Amara, J., Bouaziz, B., & Algergawy, A. (2017). "A deep education-located approach for joker leaf diseases categorization." In Datenbanksysteme für Trade, Technologie und Web (BTW 2017), 79–88.
  - [13] Mishra, A., & Baral, P. (2021). "Transfer education-located mechanical detection and categorization of attractive woman leaf diseases." Tenable Estimating: Informatics and Wholes, 30, 100498.
  - [14] Walleigh, A., Choe, S. J., Tibia, J., & Kim, I. (2018). "Soybean leaf affliction identification utilizing a changed deep convolutional neural network." Sustainability, 10(6), 2064.
  - [15] Nagaraju, M., & Chawla, P. (2020). "Orderly review of deep knowledge methods in plant disease discovery." Machine intelligence in Agriculture, 4, 241–249.



PRIMARY SOURCES

- |   |   |                 |
|---|---|-----------------|
| 1 | Submitted to University of Illinois at Urbana-Champaign   | 3%              |
| 2 | V. Sharmila, S. Kannadhasan, A. Rajiv Kannan, P. Sivakumar, V. Vennila. "Challenges in Information, Communication and Computing Technology", CRC Press, 2024  | 1 %             |
| 3 | "Smart Trends in Computing and Communications", Springer Science and Business Media LLC, 2024   | <1 %            |
| 4 | A.K.M. Salman Hosain, Md Humaion Kabir Mehedi, Tamanna Jahan Jerin, Md. Manik Hossain et al. "Rice Leaf Disease Detection with Transfer Learning Approach", 2022 IEEE International Conference on Artificial Intelligence in Engineering and Technology (IICAIET), 2022 | <1 %            |
| 5 | www.slideshare.net  | Internet Source |

<1 %

<1 %

<1 %

<1 %

<1 %

6 [www.coursehero.com](http://www.coursehero.com)

Internet Source

7 [www.iieta.org](http://www.iieta.org)

Internet Source

8 [dokumen.pub](http://dokumen.pub)

Internet Source

9 S Senthil Pandi, A Mohammed Farook, W Kingston. "Scenario based Deep Learning Prediction for Legal Judgment using LSTM and CNN", 2023 Third International Conference on Smart Technologies, Communication and Robotics (STCR), 2023  
Publication

10 Submitted to University of Canberra

Student Paper

<1 %

11 [eprints.utm.my](http://eprints.utm.my)

Internet Source

<1 %

12 [docplayer.net](http://docplayer.net)

Internet Source

<1 %

13 [www.essaysauce.com](http://www.essaysauce.com)

Internet Source

<1 %

14 [github.com](http://github.com)

Internet Source

<1 %

15	link.springer.com Internet Source	<1 %
16	Senthil Pandi S, Kanimozhi S, Rahul Chiranjeevi V, Ishwarya M. "Automatic Lung Disease Detection and Diagnosis Using Optimized Fuzzy Filter and Deep Learning Method", 2023 International Conference on Recent Advances in Science and Engineering Technology (ICRASET), 2023 Publication	<1 %
17	roshansah.com.np Internet Source	<1 %
18	etd.aau.edu.et Internet Source	<1 %
19	jase.tku.edu.tw Internet Source	<1 %
20	pdfcoffee.com Internet Source	<1 %
21	"Information and Communication Technology for Development for Africa", Springer Science and Business Media LLC, 2019 Publication	<1 %
22	infoscience.epfl.ch Internet Source	<1 %
23	uir.unisa.ac.za Internet Source	<1 %

---

Exclude quotes Off

Exclude bibliography On

Exclude matches Off