

100 React Interview Q&A

Made by



Coding Hubs
Programmer

Want More



Search Coding Hubs
On Telegram & Join Channel



1. What is React?

React is a popular JavaScript library for building user interfaces. It allows developers to create reusable UI components and efficiently update and render them based on changes in data.

2. What are the key features of React?

Some key features of React include:

- **Virtual DOM:** React uses a virtual representation of the actual DOM, which improves performance by minimizing direct manipulations to the real DOM.
- **Component-based architecture:** React promotes the creation of reusable UI components.
- **One-way data flow:** React follows a unidirectional data flow, making it easier to track and manage changes in the application state.
- **JSX:** React uses JSX, a syntax extension that allows you to write HTML-like code within JavaScript.

3. What is JSX in React?

JSX is a syntax extension used in React that allows you to write HTML-like code within JavaScript. It provides a convenient way to define the structure and appearance of React components.

4. What is the difference between React and React Native?

React is a library for building web applications, while React Native is a framework for building native mobile applications. React Native allows you to write components using React syntax, but it compiles them to native code rather than rendering them as HTML elements.

5. What is a functional component in React?

A functional component, also known as a stateless component, is a JavaScript function that returns JSX to define the structure and appearance of a React component. Functional components are primarily used for presenting UI and don't have their own internal state.

6. What is a class component in React?

A class component is a JavaScript class that extends the `React.Component` class. It uses the `render()` method to define the structure and appearance of a React component. Class components can have their own state and lifecycle methods.

7. What is the difference between functional and class components?

Functional components are simpler and easier to read and test compared to class components. They don't have their own state or lifecycle methods. Class components, on the other hand, can manage their own state and have access to lifecycle methods such as `componentDidMount()` and `componentDidUpdate()`.

8. What is state in React?

State is a built-in object in React that holds component-specific data. It represents the mutable values that can change over time and trigger a re-render of the component.

9. What is props in React?

Props (short for properties) are used to pass data from a parent component to a child component. Props are read-only and cannot be modified by the child component. They are passed as attributes to the child component in JSX.

10. What is the purpose of the virtual DOM in React?

The virtual DOM is a lightweight copy of the actual DOM maintained by React. It allows React to perform efficient updates and minimize direct manipulations to the real DOM. React compares the virtual DOM with the previous version and updates only the necessary parts, improving performance.

11. What is a React component lifecycle?

React component lifecycle refers to a series of phases that a component goes through from initialization to destruction. The key lifecycle methods

are:

- Mounting: constructor(), render(), componentDidMount()
- Updating: render(), componentDidUpdate()
- Unmounting: componentWillUnmount()

12. What is the significance of the render() method in React?

The render() method is a required method in React components. It returns JSX that describes the structure and appearance of the component. The render() method is called whenever the component needs to be re-rendered due to changes in props or state.

13. What is the purpose of the componentDidMount() method?

The componentDidMount() method is a lifecycle method that is called after a component has been mounted (inserted into the DOM). It is commonly used for performing side effects, such as fetching data from an API or subscribing to events.

14. What is the difference between controlled and uncontrolled components in React?

In a controlled component, the value of the form elements is controlled by React. The component's state is used to manage the value, and any changes to the value are handled by updating the state. In an uncontrolled component, the value of the form elements is managed by the DOM itself, and React doesn't control or track the value.

15. What is the purpose of keys in React lists?

Keys are used in React lists to give each item a unique identifier. They help React identify which items have changed, been added, or been removed in a list, improving performance and avoiding unnecessary re-rendering of components.

16. What are React refs used for?

Refs are used in React to get direct access to a DOM element or a React component instance. They provide a way to interact with the underlying DOM or component imperatively, outside of the typical React data flow.

17. What is conditional rendering in React?

Conditional rendering in React allows you to render different content or components based on certain conditions or state. It enables dynamic

rendering and helps in creating responsive and interactive UIs.

18. What is the purpose of the `shouldComponentUpdate()` method?

The `shouldComponentUpdate()` method is a lifecycle method that allows you to optimize performance by controlling whether or not a component should re-render. By implementing this method, you can compare the current props and state with the next props and state and decide if a re-render is necessary.

19. What are React Hooks?

React Hooks are functions introduced in React 16.8 that allow you to use state and other React features in functional components. Hooks provide a way to use local component state, lifecycle methods, and other React features without writing a class.

20. What is the `useState()` Hook used for?

The `useState()` Hook is a built-in Hook in React that allows functional components to manage local state. It returns an array with two elements: the current state value and a function to update the state. It replaces the need for using a class and `this.setState()` to manage state.

21. What is the `useContext()` Hook used for?

The `useContext()` Hook is a built-in Hook in React that allows functional components to access a context directly. It retrieves the current value of a context and subscribes the component to updates when the context value changes.

22. What is the `useEffect()` Hook used for?

The `useEffect()` Hook is a built-in Hook in React that allows functional components to perform side effects. It replaces the lifecycle methods like `componentDidMount()`, `componentDidUpdate()`, and `componentWillUnmount()`. The `useEffect()` Hook runs after every render by default.

23. What is the purpose of the `useMemo()` Hook?

The `useMemo()` Hook is a built-in Hook in React that memoizes the result of a computation and returns the cached result when the dependencies haven't changed. It helps in optimizing performance by avoiding unnecessary expensive calculations.

24. What is the `useReducer()` Hook used for?

The `useReducer()` Hook is a built-in Hook in React that provides a way to manage complex state logic in a predictable way. It is an alternative to `useState()` for managing state when the state transitions are more complex and involve multiple sub-values.

25. What is React Router used for?

React Router is a popular library for routing in React applications. It provides a way to handle navigation and routing between different components and views in a single-page application.

26. What are React Fragments?

React Fragments are a feature in React that allows you to group a list of children without adding extra nodes to the DOM. They are useful when you need to return multiple elements from a component's `render()` method, but they don't need a parent container element.

27. What is the purpose of the `useCallback()` Hook?

The `useCallback()` Hook is a built-in Hook in React that returns a memoized version of the callback function that only changes if one of the dependencies has changed. It helps in optimizing performance by preventing unnecessary re-rendering of components that depend on the callback.

28. What is the purpose of the `useRef()` Hook?

The `useRef()` Hook is a built-in Hook in React that provides a way to create a mutable reference that persists across re-renders of a component. It can be used to access DOM elements or store mutable values that won't trigger re-renders.

29. What is React context?

React context provides a way to pass data through the component tree without having to pass props manually at every level. It allows you to create a global state accessible to all components within a context provider.

30. What is the significance of the `displayName` property in React?

The `displayName` property is an optional property that you can define on a React component. It is used by React in debugging messages and component identification. It helps in identifying components in React DevTools and error messages.

31. What is the purpose of the `dangerouslySetInnerHTML` attribute in React?

The `dangerouslySetInnerHTML` attribute is used in React to render raw HTML content inside a component. It is typically used when you need to render HTML received from an external source, but you need to be cautious as it can expose your application to cross-site scripting (XSS) attacks if used improperly.

32. What is the difference between a controlled and an uncontrolled component in React forms?

In a controlled component, the value of the form input is controlled by React using the `value` prop, and any changes to the input value are handled by updating the state. In an uncontrolled component, the value of the form input is managed by the DOM, and React doesn't control or track the value.

33. What is the purpose of the React Developer Tools extension?

The React Developer Tools extension is a browser extension that helps in debugging and inspecting React component hierarchies. It provides a visual representation of component trees, allows inspection of component props and state, and helps in understanding the component's lifecycle.

34. How can you optimize performance in React applications?

Some techniques to optimize performance in React applications include:

- Using `React.memo()` to memoize functional components
- Using `shouldComponentUpdate()` or `React.memo()` to prevent unnecessary re-renders
- Using `useMemo()` or `useCallback()` to memoize expensive calculations or event handlers
- Using lazy loading and code splitting to load components on-demand
- Optimizing list rendering using keys and React's reconciliation algorithm

35. What is the purpose of the `PureComponent` in React?

The `PureComponent` is a base class in React that automatically implements the `shouldComponentUpdate()` method with a shallow prop and state comparison. It helps in optimizing performance by preventing unnecessary re-renders when the prop and state values haven't changed.

36. What is the difference between `createElement` and JSX?

`createElement` is a method provided by React to create React elements programmatically. JSX, on the other hand, is a syntax extension that allows you to write HTML-like code within JavaScript, which is then transpiled to `createElement` calls during the build process.

37. What is the significance of the `key` prop in React lists?

The `key` prop is used in React lists to give each item a unique identifier. It helps React identify which items have changed, been added, or been removed in a list, improving performance and avoiding unnecessary re-rendering of components.

38. What is the purpose of the `componentDidCatch()` method?

The `componentDidCatch()` method is a lifecycle method in React that is called when an error occurs during rendering, in a lifecycle method, or in the constructor of any child component. It provides an opportunity to handle the error gracefully and display an error message.

39. What is ReactRouter's history object used for?

React Router's history object is used for programmatically navigating between different routes in a React application. It provides methods and properties for managing the browser history, such as pushing new routes, replacing the current route, or going back and forward in the history.

40. What is the purpose of the `withRouter()` higher-order component in React Router?

The `withRouter()` higher-order component is used in React Router to wrap a component and provide access to the router's history, match, and location objects. It allows a component that is not directly rendered by a `Route` component to access the router-related props.

41. What is the difference between the `react-router-dom` and `react-router-native` packages?

The react-router-dom package is used for routing in web applications built with React, while the react-router-native package is used for routing in React Native applications. The core functionality of routing is the same, but the packages provide different implementations based on the target platform.

42. What is the purpose of the react-transition-group library?

The react-transition-group library is used to create animated transitions in React components. It provides a way to animate the mounting and unmounting of components and allows for easy integration with CSS transitions or animations.

43. What is the React Context API and when is it useful?

The React Context API provides a way to share data across a component tree without manually passing props down through every level. It is useful when you have data that needs to be accessed by multiple components at different levels in the component hierarchy.

44. What is the purpose of the useCallback() Hook in React?

The useCallback() Hook is used to memoize a function. It returns a memoized version of the function that only changes if one of the dependencies has changed. It is useful when passing callbacks to child components to prevent unnecessary re-renders.

45. What is the React DevTools Profiler used for?

The React DevTools Profiler is a tool used for profiling and optimizing the performance of React applications. It allows you to analyze and measure component render times and interactions to identify performance bottlenecks and optimize your application.

46. What is the purpose of the react-router-config package?

The react-router-config package is used to configure and render routes in React Router. It provides a way to define routes as a configuration object or array, making it easier to manage and maintain route configurations in large applications.

47. What are React Hooks rules or guidelines?

Some rules or guidelines for using React Hooks include:

- Hooks should only be used in functional components or custom Hooks, not in regular JavaScript functions or class components.
- Hooks should be called at the top level of a functional component, not within loops, conditions, or nested functions.
- Hooks should always be called in the same order in every render of a component.
- Hooks should not be called conditionally based on some condition or branch of code.
- Custom Hooks should always start with the word "use" to indicate that they follow the rules of Hooks.

48. What is the purpose of the react-router-dom's Link component?

The Link component in react-router-dom is used to create links to different routes in a React application. It allows for easy navigation between different views without reloading the page and provides a declarative way to define navigation links.

49. What is the purpose of the React.StrictMode component?

The React.StrictMode component is used to highlight potential problems in a React application during development. It enables additional checks and warnings, and helps in identifying common mistakes or anti-patterns.

50. How can you handle form submissions in React?

To handle form submissions in React, you can use the onSubmit event handler on the form element. You can prevent the default form submission behavior using event.preventDefault() and then access the form data from the event object to perform further processing or submit data to a server.