Department of Computer Applications

18MX24 – DBMS

Relational Algebra based Queries & Answers

Query 1. Retrieve the name and address of all employees who work for the 'Research' department.

$$\text{RESEARCH\_DEPT} \leftarrow \sigma_{\text{Dname='Research'}}(\text{DEPARTMENT})$$
$$\text{RESEARCH\_EMPS} \leftarrow (\text{RESEARCH\_DEPT} \bowtie_{\text{Dnumber=Dno}} \text{EMPLOYEE})$$
$$\text{RESULT} \leftarrow \pi_{\text{Fname, Lname, Address}}(\text{RESEARCH\_EMPS})$$

As a single in-line expression, this query becomes:

$$\pi_{\text{Fname, Lname, Address}} (\sigma_{\text{Dname='Research'}}(\text{DEPARTMENT} \bowtie_{\text{Dnumber=Dno}} (\text{EMPLOYEE}))$$

Query 2. For every project located in 'Stafford', list the project number, the controlling department number, and the department manager's last name, address, and birth date.

$$\text{STAFFORD\_PROJS} \leftarrow \sigma_{\text{Plocation='Stafford'}}(\text{PROJECT})$$
$$\text{CONTR\_DEPTS} \leftarrow (\text{STAFFORD\_PROJS} \bowtie_{\text{Dnum=Dnumber}} \text{DEPARTMENT})$$
$$\text{PROJ\_DEPT\_MGRS} \leftarrow (\text{CONTR\_DEPTS} \bowtie_{\text{Mgr\_ssn=Ssn}} \text{EMPLOYEE})$$
$$\text{RESULT} \leftarrow \pi_{\text{Pnumber, Dnum, Lname, Address, Bdate}}(\text{PROJ\_DEPT\_MGRS})$$

Query 3. Find the names of employees who work on *all* the projects controlled by department number 5.

$$\text{DEPT5\_PROJS} \leftarrow \rho_{(\text{Pno})}(\pi_{\text{Pnumber}}(\sigma_{\text{Dnum=5}}(\text{PROJECT})))$$
$$\text{EMP\_PROJ} \leftarrow \rho_{(\text{Ssn, Pno})}(\pi_{\text{Essn, Pno}}(\text{WORKS\_ON}))$$
$$\text{RESULT\_EMP\_SSNS} \leftarrow \text{EMP\_PROJ} \div \text{DEPT5\_PROJS}$$
$$\text{RESULT} \leftarrow \pi_{\text{Lname, Fname}}(\text{RESULT\_EMP\_SSNS} * \text{EMPLOYEE})$$

Query 6. Retrieve the names of employees who have no dependents.

This is an example of the type of query that uses the MINUS (SET DIFFERENCE) operation.

$$\text{ALL\_EMPS} \leftarrow \pi_{\text{Ssn}}(\text{EMPLOYEE})$$
$$\text{EMPS\_WITH\_DEPS(Ssn)} \leftarrow \pi_{\text{Essn}}(\text{DEPENDENT})$$
$$\text{EMPS\_WITHOUT\_DEPS} \leftarrow (\text{ALL\_EMPS} - \text{EMPS\_WITH\_DEPS})$$
$$\text{RESULT} \leftarrow \pi_{\text{Lname, Fname}}(\text{EMPS\_WITHOUT\_DEPS} * \text{EMPLOYEE})$$

Query 7. List the names of managers who have at least one dependent.

$$\text{MGRS(Ssn)} \leftarrow \pi_{\text{Mgr\_ssn}}(\text{DEPARTMENT})$$
$$\text{EMPS\_WITH\_DEPS(Ssn)} \leftarrow \pi_{\text{Essn}}(\text{DEPENDENT})$$
$$\text{MGRS\_WITH\_DEPS} \leftarrow (\text{MGRS} \cap \text{EMPS\_WITH\_DEPS})$$
$$\text{RESULT} \leftarrow \pi_{\text{Lname, Fname}}(\text{MGRS\_WITH\_DEPS} * \text{EMPLOYEE})$$

Sample Questions to answer

Using the above samples, answer the following queries using Relational Algebra

a) Find the name(s) of the employees with the highest salary in the company
b) Count the number of employees who earns more than twice as much as the average salary
c) List the SSN of employees who involve in exactly 3 projects.
d) List the department names that have more than 10 employees with salary ≥ $100,000
e) List the names of departments whose best-paid employees earn more than $200,000.
f) Use outer joins to count the number of employees who are not working on any project.
g) Use outer joins to list SSNs of employees who do not supervise anyone.