Root screen

Hardcopy of Root screen



General					
Name	Root screen	**Background color**	181, 182, 181	**Grid color**	0, 0, 0
Number	1	**Template**	Template_1	**Tooltip**	
Layers					
Active layer	0				

Layer_0	Checked
Layer_1	Checked
Layer_2	Checked
Layer_3	Checked
Layer_4	Checked
Layer_5	Checked
Layer_6	Checked
Layer_7	Checked
Layer_8	Checked
Layer_9	Checked
Layer_10	Checked
Layer_11	Checked
Layer_12	Checked
Layer_13	Checked
Layer_14	Checked
Layer_15	Checked
Layer_16	Checked
Layer_17	Checked
Layer_18	Checked
Layer_19	Checked
Layer_20	Checked
Layer_21	Checked
Layer_22	Checked
Layer_23	Checked
Layer_24	Checked
Layer_25	Checked
Layer_26	Checked
Layer_27	Checked
Layer_28	Checked
Layer_29	Checked
Layer_30	Checked
Layer_31	Checked

HmiScreenItemData

Type	Text field				
General					
Text					
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	0, 0, 0	**Border width**	0	**Line style**	Double line
Border color	156, 154, 165	**Border background color**	231, 227, 231		
Layout					
X position	80	**Y position**	200	**Width**	640
Height	25	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Unchecked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Centered
Vertical alignment	Middle	**Line break**	Unchecked		
Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	HmiScreenItemData	**Layer**	0 - Layer_0		

I/O field_1

Type	I/O field				
General					
Process value		**Mode**	Input/output	**Display format**	Decimal
Shift decimal point	0	**Field length**	10	**Show leading zeros**	Unchecked
Format pattern	9999999				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Solid	**Corner radius**	3
Foreground color	49, 52, 74	**Unit**		**Border width**	4
Line style	Double line	**Border color**	66, 73, 82	**Border background color**	99, 101, 115

Characteristics					
Hidden input	Unchecked				
Layout					
X position	671	**Y position**	168	**Width**	96
Height	32	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Unchecked
Text format					
Font	Tahoma, 16px	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Limits					
Color for High limit violated	239, 89, 99	**Color for Low limit violated**	247, 162, 41		
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	I/O field_1	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		
Dynamizations\Tag connection					
Property name	Process value	**Tag**	Substation_TotPwr		

Text field_1

Type	Text field				
General					
Text	Total Power				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	662	**Y position**	141	**Width**	105
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked

Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Text field_1	**Layer**	0 - Layer_0		

Button_1

Type	Button				
General					
Mode	Check back with text	**Hotkey**	None	**Text OFF**	TV
Text ON	TV ON	**Text list**		**Graphic OFF**	
Graphic ON		**Graphic list**		**Process value**	
Bit number	0				
Appearance					
Background color	99, 101, 115	**Background fill pattern**	Vertical gradient	**Corner radius (border)**	3
Foreground color	255, 255, 255	**Border width**	2	**Line style**	Solid
Border color	66, 73, 82	**Border background color**	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	**Gradient 1 (fill pattern)**	Checked	**Color gradient 1 (fill pattern)**	132, 134, 140
Offset gradient 1 (fill pattern)	15	**Gradient 2 (fill pattern)**	Checked	**Color gradient 2 (fill pattern)**	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	**Focus color**	148, 182, 231		
Layout					
X position	19	**Y position**	43	**Width**	96
Height	32	**Fit graphic to size**	Stretch graphic	**Horizontal alignment of the graphic**	Centered

Vertical alignment of the graphic	Middle	**Fit object to contents**	Unchecked	**Margin left text (layout)**	0
Margin top text (layout)	0	**Margin right text (layout)**	0	**Margin bottom text (layout)**	0
Margin left graphic (layout)	0	**Margin top graphic (layout)**	0	**Margin right graphic (layout)**	0
Margin bottom graphic (layout)	0				
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment of the text**	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Button_1	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		

Dynamizations\Event	
Event name	Click

Function list\InvertBit

Tag	Substation_HseTVON

Button_2

Type	Button				
General					
Mode	Text	**Hotkey**	None	**Text OFF**	Fan
Text ON	Text	**Text list**		**Graphic OFF**	
Graphic ON		**Graphic list**		**Process value**	
Bit number	0				
Appearance					
Background color	99, 101, 115	**Background fill pattern**	Vertical gradient	**Corner radius (border)**	3

Foreground color	255, 255, 255	**Border width**	2	**Line style**	Solid
Border color	66, 73, 82	**Border background color**	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	**Gradient 1 (fill pattern)**	Checked	**Color gradient 1 (fill pattern)**	132, 134, 140
Offset gradient 1 (fill pattern)	15	**Gradient 2 (fill pattern)**	Checked	**Color gradient 2 (fill pattern)**	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	**Focus color**	148, 182, 231		
Layout					
X position	21	**Y position**	90	**Width**	96
Height	32	**Fit graphic to size**	Stretch graphic	**Horizontal alignment of the graphic**	Centered
Vertical alignment of the graphic	Middle	**Fit object to contents**	Unchecked	**Margin left text (layout)**	0
Margin top text (layout)	0	**Margin right text (layout)**	0	**Margin bottom text (layout)**	0
Margin left graphic (layout)	0	**Margin top graphic (layout)**	0	**Margin right graphic (layout)**	0
Margin bottom graphic (layout)	0				
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment of the text**	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Button_2	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		

Dynamizations\Event	
Event name	Click

Function list\InvertBit

Tag	Substation_HseFanoN

Button_3

Type	Button				
General					
Mode	Text	**Hotkey**	None	**Text OFF**	Grinder
Text ON	Text	**Text list**		**Graphic OFF**	
Graphic ON		**Graphic list**		**Process value**	
Bit number	0				
Appearance					
Background color	99, 101, 115	**Background fill pattern**	Vertical gradient	**Corner radius (border)**	3
Foreground color	255, 255, 255	**Border width**	2	**Line style**	Solid
Border color	66, 73, 82	**Border background color**	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	**Gradient 1 (fill pattern)**	Checked	**Color gradient 1 (fill pattern)**	132, 134, 140
Offset gradient 1 (fill pattern)	15	**Gradient 2 (fill pattern)**	Checked	**Color gradient 2 (fill pattern)**	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	**Focus color**	148, 182, 231		
Layout					
X position	19	**Y position**	143	**Width**	96
Height	32	**Fit graphic to size**	Stretch graphic	**Horizontal alignment of the graphic**	Centered
Vertical alignment of the graphic	Middle	**Fit object to contents**	Unchecked	**Margin left text (layout)**	0
Margin top text (layout)	0	**Margin right text (layout)**	0	**Margin bottom text (layout)**	0
Margin left graphic (layout)	0	**Margin top graphic (layout)**	0	**Margin right graphic (layout)**	0
Margin bottom graphic (layout)	0				

Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment of the text**	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Button_3	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		

Dynamizations\Event	
Event name	Click

Function list\InvertBit

Tag	Substation_HseHL

Text field_2

Type	Text field				
General					
Text	Home				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	44	**Y position**	12	**Width**	52
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		

Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Text field_2	**Layer**	0 - Layer_0		

I/O field_2

Type	I/O field				
General					
Process value		**Mode**	Input/output	**Display format**	Decimal
Shift decimal point	0	**Field length**	13	**Show leading zeros**	Unchecked
Format pattern	999999999.999				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Solid	**Corner radius**	3
Foreground color	49, 52, 74	**Unit**		**Border width**	4
Line style	Double line	**Border color**	66, 73, 82	**Border background color**	99, 101, 115
Characteristics					
Hidden input	Unchecked				
Layout					
X position	25	**Y position**	224	**Width**	96
Height	32	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Unchecked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Limits					
Color for High limit violated	239, 89, 99	**Color for Low limit violated**	247, 162, 41		
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	I/O field_2	**Layer**	0 - Layer_0	**Tooltip**	

Security					
Authorization		**Allow operator control**	Checked		
Dynamizations\Tag connection					
Property name	Process value	**Tag**	Substation_HsePwr		

Text field_3

Type	Text field				
General					
Text	House Power				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	19	**Y position**	192	**Width**	112
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Text field_3	**Layer**	0 - Layer_0		

Softkey_F2

Type	Function key				
General					
Key code	221	**Global assignment**	Checked	**Graphic**	
Authorization		**LED tag**		**Bit in the LED tag**	0

Softkey_F3

Type	Function key				
General					
Key code	222	**Global assignment**	Checked	**Graphic**	
Authorization		**LED tag**		**Bit in the LED tag**	0

Softkey_F1

Type	Function key				
General					
Key code	220	**Global assignment**	Checked	**Graphic**	
Authorization		**LED tag**		**Bit in the LED tag**	0

Softkey_F4

Type	Function key				
General					
Key code	223	**Global assignment**	Checked	**Graphic**	
Authorization		**LED tag**		**Bit in the LED tag**	0

Softkey_F5

Type	Function key				
General					
Key code	224	**Global assignment**	Checked	**Graphic**	
Authorization		**LED tag**		**Bit in the LED tag**	0

Softkey_F6

Type	Function key				
General					
Key code	225	**Global assignment**	Checked	**Graphic**	
Authorization		**LED tag**		**Bit in the LED tag**	0

Softkey_F7

Type	Function key				
General					
Key code	226	**Global assignment**	Checked	**Graphic**	

Authorization		**LED tag**		**Bit in the LED tag**	0

Softkey_F8

Type	Function key				
General					
Key code	227	**Global assignment**	Checked	**Graphic**	
Authorization		**LED tag**		**Bit in the LED tag**	0

Button_4

Type	Button				
General					
Mode	Text	**Hotkey**	None	**Text OFF**	Motor ON
Text ON	Text	**Text list**		**Graphic OFF**	
Graphic ON		**Graphic list**		**Process value**	
Bit number	0				
Appearance					
Background color	99, 101, 115	**Background fill pattern**	Vertical gradient	**Corner radius (border)**	3
Foreground color	255, 255, 255	**Border width**	2	**Line style**	Solid
Border color	66, 73, 82	**Border background color**	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	**Gradient 1 (fill pattern)**	Checked	**Color gradient 1 (fill pattern)**	132, 134, 140
Offset gradient 1 (fill pattern)	15	**Gradient 2 (fill pattern)**	Checked	**Color gradient 2 (fill pattern)**	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	**Focus color**	148, 182, 231		
Layout					
X position	229	**Y position**	43	**Width**	96
Height	32	**Fit graphic to size**	Stretch graphic	**Horizontal alignment of the graphic**	Centered
Vertical alignment of the graphic	Middle	**Fit object to contents**	Unchecked	**Margin left text (layout)**	0
Margin top text (layout)	0	**Margin right text (layout)**	0	**Margin bottom text (layout)**	0

Margin left graphic (layout)	0	**Margin top graphic (layout)**	0	**Margin right graphic (layout)**	0
Margin bottom graphic (layout)	0				
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment of the text**	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Button_4	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		

Dynamizations\Event	
Event name	Click

Function list\InvertBit

Tag	Substation_FacMRun

I/O field_3

Type	I/O field				
General					
Process value		**Mode**	Input/output	**Display format**	Decimal
Shift decimal point	0	**Field length**	13	**Show leading zeros**	Unchecked
Format pattern	999999999.999				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Solid	**Corner radius**	3
Foreground color	49, 52, 74	**Unit**		**Border width**	4
Line style	Double line	**Border color**	66, 73, 82	**Border background color**	99, 101, 115
Characteristics					
Hidden input	Unchecked				

Layout					
X position	235	**Y position**	128	**Width**	96
Height	32	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Unchecked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Limits					
Color for High limit violated	239, 89, 99	**Color for Low limit violated**	247, 162, 41		
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	I/O field_3	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		
Dynamizations\Tag connection					
Property name	Process value	**Tag**	Substation_FacPwr		

Text field_4

Type	Text field				
General					
Text	Factory Power				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	222	**Y position**	99	**Width**	122
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		

Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Text field_4	**Layer**	0 - Layer_0		

Button_5

Type	Button				
General					
Mode	Text	**Hotkey**	None	**Text OFF**	Machine
Text ON	Text	**Text list**		**Graphic OFF**	
Graphic ON		**Graphic list**		**Process value**	
Bit number	0				
Appearance					
Background color	99, 101, 115	**Background fill pattern**	Vertical gradient	**Corner radius (border)**	3
Foreground color	255, 255, 255	**Border width**	2	**Line style**	Solid
Border color	66, 73, 82	**Border background color**	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	**Gradient 1 (fill pattern)**	Checked	**Color gradient 1 (fill pattern)**	132, 134, 140
Offset gradient 1 (fill pattern)	15	**Gradient 2 (fill pattern)**	Checked	**Color gradient 2 (fill pattern)**	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	**Focus color**	148, 182, 231		
Layout					
X position	410	**Y position**	36	**Width**	96
Height	32	**Fit graphic to size**	Stretch graphic	**Horizontal alignment of the graphic**	Centered
Vertical alignment of the graphic	Middle	**Fit object to contents**	Unchecked	**Margin left text (layout)**	0
Margin top text (layout)	0	**Margin right text (layout)**	0	**Margin bottom text (layout)**	0

Margin left graphic (layout)	0	**Margin top graphic (layout)**	0	**Margin right graphic (layout)**	0
Margin bottom graphic (layout)	0				
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment of the text**	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Button_5	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		

Dynamizations\Event	
Event name	Click

Function list\InvertBit

Tag	Substation_IndON

Text field_5

Type	Text field				
General					
Text	Factory				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	235	**Y position**	11	**Width**	69
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked

Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Text field_5	**Layer**	0 - Layer_0		

Text field_6

Type	Text field				
General					
Text	Industry				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	429	**Y position**	11	**Width**	133
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Text field_6	**Layer**	0 - Layer_0		

Button_6

Type	Button				
General					
Mode	Text	**Hotkey**	None	**Text OFF**	Heavy Load
Text ON	Text	**Text list**		**Graphic OFF**	
Graphic ON		**Graphic list**		**Process value**	
Bit number	0				
Appearance					
Background color	99, 101, 115	**Background fill pattern**	Vertical gradient	**Corner radius (border)**	3
Foreground color	255, 255, 255	**Border width**	2	**Line style**	Solid
Border color	66, 73, 82	**Border background color**	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	**Gradient 1 (fill pattern)**	Checked	**Color gradient 1 (fill pattern)**	132, 134, 140
Offset gradient 1 (fill pattern)	15	**Gradient 2 (fill pattern)**	Checked	**Color gradient 2 (fill pattern)**	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	**Focus color**	148, 182, 231		
Layout					
X position	411	**Y position**	90	**Width**	96
Height	32	**Fit graphic to size**	Stretch graphic	**Horizontal alignment of the graphic**	Centered
Vertical alignment of the graphic	Middle	**Fit object to contents**	Unchecked	**Margin left text (layout)**	0
Margin top text (layout)	0	**Margin right text (layout)**	0	**Margin bottom text (layout)**	0
Margin left graphic (layout)	0	**Margin top graphic (layout)**	0	**Margin right graphic (layout)**	0
Margin bottom graphic (layout)	0				
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment of the text**	Centered

Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Button_6	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		

Dynamizations\Event	
Event name	Click

Function list\InvertBit

Tag	Substation_IndHL

I/O field_4

Type	I/O field				
General					
Process value		**Mode**	Input/output	**Display format**	Decimal
Shift decimal point	0	**Field length**	13	**Show leading zeros**	Unchecked
Format pattern	999999999.999				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Solid	**Corner radius**	3
Foreground color	49, 52, 74	**Unit**		**Border width**	4
Line style	Double line	**Border color**	66, 73, 82	**Border background color**	99, 101, 115
Characteristics					
Hidden input	Unchecked				
Layout					
X position	410	**Y position**	160	**Width**	96
Height	32	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Unchecked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left

Vertical alignment	Middle	**Line break**	Unchecked		
Limits					
Color for High limit violated	239, 89, 99	**Color for Low limit violated**	247, 162, 41		
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	I/O field_4	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		
Dynamizations\Tag connection					
Property name	Process value	**Tag**	Substation_IndPwr		

Text field_7

Type	Text field				
General					
Text	Industry Power				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	394	**Y position**	133	**Width**	130
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			

Miscellaneous			
Name	Text field_7	**Layer**	0 - Layer_0

I/O field_5

Type	I/O field				
General					
Process value		**Mode**	Input/output	**Display format**	Decimal
Shift decimal point	0	**Field length**	5	**Show leading zeros**	Unchecked
Format pattern	99999				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Solid	**Corner radius**	3
Foreground color	49, 52, 74	**Unit**		**Border width**	4
Line style	Double line	**Border color**	66, 73, 82	**Border background color**	99, 101, 115
Characteristics					
Hidden input	Unchecked				
Layout					
X position	662	**Y position**	62	**Width**	96
Height	32	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Unchecked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Limits					
Color for High limit violated	239, 89, 99	**Color for Low limit violated**	247, 162, 41		
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	I/O field_5	**Layer**	0 - Layer_0	**Tooltip**	
Security					
Authorization		**Allow operator control**	Checked		
Dynamizations\Tag connection					
Property name	Process value	**Tag**	Substation_CurHr		

Text field_8

Type	Text field				
General					
Text	Current Hour				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	658	**Y position**	36	**Width**	111
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Text field_8	**Layer**	0 - Layer_0		

Circle_1

Type	Circle				
Appearance					
Background color	222, 219, 222	**Background fill pattern**	Solid	**Border width**	1
Line style	Solid	**Border color**	24, 28, 49		
Layout					
X position	429	**Y position**	324	**Width**	48
Height	48	**Radius**	24		
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			

Miscellaneous					
Name	Circle_1	**Layer**	0 - Layer_0		
Dynamizations\Appearance					
Tag - Cycle	Substation_Warning -	**Data type**	Range	**Range**	0..0
Foreground color	24, 28, 49	**Background color**	255, 255, 255	**Flashing**	No
Range	1..1	**Foreground color**	24, 28, 49	**Background color**	255, 255, 0
Flashing	No				

Text field_9

Type	Text field				
General					
Text	Heavy Load				
Appearance					
Background color	255, 255, 255	**Background fill pattern**	Transparent	**Corner radius (border)**	3
Foreground color	49, 52, 74	**Border width**	0	**Line style**	Double line
Border color	66, 73, 82	**Border background color**	99, 101, 115		
Layout					
X position	393	**Y position**	375	**Width**	99
Height	23	**Left margin**	3	**Top margin**	2
Right margin	2	**Bottom margin**	2	**Fit object to contents**	Checked
Text format					
Font	Tahoma, 16px, style=Bold	**Orientation**	Horizontal	**Horizontal alignment**	Left
Vertical alignment	Middle	**Line break**	Unchecked		
Flashing					
Flashing	Disabled				
Styles/Designs					
Use style/design	Unchecked	**Style item appearance**			
Miscellaneous					
Name	Text field_9	**Layer**	0 - Layer_0		