



# COMMITTED FOR SUPERIOR QUALITY

www.salstones.com







# **SAL STONES**

Is the leading Manufacturer and service providers of Premium quality Eco friendly Natural paving blocks and tiles. We have lots of varieties in pavers like Fusion Pavers, Oblong Pavers, True Quad Pavers, Waves Pavers, I-Lock Pavers, Curly Pavers.

These products are manufactured using high quality Raw materials, which is sourced from reputed vendors of the industry. Owing to their special features like durability, high pressure bearing, excellent finish and weather resistant, these products are extensively used by everybody in the construction – residential, commercial, industrial & institutional etc.

We are committed to high quality, cost effective and sustainable solutions tailored to meet clients' budgets and expectations. Our manufacturing plant incorporates the very latest in batching, distribution, casting and handling systems ensuring the highest quality products.



01 www.salstones.com 02

Our quality controllers check the quality of these products ensuring that these conform to international quality standard. Moreover, we customize these products based on the specification given by the clients. Apart from these, our company provides these products to the customers at market-best prices.





# **OUR VISION**

Our core values are integrity, respect, imagination, innovation and passion. Our service is the value that bridges our past & future. It reflects our reliability, quality and excellent performance for our clients and our goal is to create SAL Stones as the most respected company in engineering world.



# **OUR MISSION**

We manufacture a variety of reliable building materials and ensure timely delivery to our customers. "To be our customers" preferred engineering partner by providing innovative and cost effective engineering solutions whilst maintaining service excellence and maximising returns to all stakeholders.







#### **INTEGRITY**

We are fair and ethical while taking every decision



#### DISCIPLINE

We create and adhere to a strict code of conduct



#### **TRANSPERANCY**

We share evert learning and failure with the world and be open for feedback



#### **INNOVATION**

Being innovative is the belief and priority of SAL Stones. It defines us and contributes greatly in our purpose of making lives more beautiful.



## **TEAM WORK**

We are committed to create an environment of team work. Every member of SAL Stones team is valued



## **QUALITY & CUSTOMER FOCUS**

SAL Stones provide highest quality of products with and objective to add value to the success of our customers.



# **CONTINUOUS IMPROVEMENT**

We consistently strive to improve our products, services, internal practices, skills and overall culture of the organisation through incremental and breakthrough progress.

03

# **PRODUCTS**



# **SOLID & CELLULAR BLOCKS**

Our Kerbs are utilized to separate areas providing physical or virtual delineation and necessary requisition for pavement construction. Whatever be the requirement, United Stones provides solution - for rich granite Conservation Kerb units suited to the best standards.












- ♦ High Strength
- ♦ Zero Breakage
- ♦ Superior Finish
- ♦ Straight Edge and Corners
  - ♦ Durable & Long Lasting


# FUSION™ PAVERS


Sal Stones offer fine crafted pavers for providing enrichment to exotic landscape for Home, Office and Gated Communities. Fusion Pavers(FUSION™ PAVERS) make a difference to your Neighborhood be it an Apartment, villa or condominiums.

# **TECHNICAL SPECIFICATION**

Description as per IS 15658: 2006







#### **Dimension Tolerance** Length ± 2mm Width ± 2mm Chamfer Thickness ± 3mm ± 1mm Compressive 35-40 N/mm2 ± 2mm Squareness Strength Water Absorption <6%



# OBLONG™ PAVERS

The Rectangle pavers (OBLONG™ PAVERS) are available in many sizes, colors. Just the kind our clients require for driveways, illuminated walkways, theme parks, amphi theatres. Custom created and manufactured for the right kind of install.

## **TECHNICAL SPECIFICATION**

Description as per IS 15658: 2006







#### Dimension Tolerance

- Length
- ±2mm ±3mm
- Width Chamfer
- ± 1mm

±2mm

- ◆ Thickness Squareness
- ± 2mm <6%
- Strength
- Compressive 35-40 N/mm2



# TRUE QUAD™ PAVERS


Water Absorption

The largest collection of interior design and decorative suited best for kitchens and other essentials. The square paver's (TRUE QUAD™ PAVERS) best suited for modern house architecture. Square Pavers provide you the best look and feel of your facade.

# **TECHNICAL SPECIFICATION**

Description as per IS 15658: 2006

Water Absorption







Dimension Tolerance			
<b>♦</b> Length	± 2mm	<b>♦</b> Width	± 2mm
◆ Thickness	± 3mm	◆ Chamfer	± lmm
◆ Squareness	± 2mm	Compressive Strength	35-40 N/mm2
A \A/ 1 Al 1.	-C0/	Strength	

<6%

05 06



# WAVESTM PAVERS

The Waves<sup>™</sup> Paving Blocks are available in various patterns which vitality to any environment. Waves, pavers offers numerous options to architects and floor designers to make exotic and high appeal patterns of exterior floors. The pavers are available in different dimensions, finishing, designs and excellent patters.

#### **TECHNICAL SPECIFICATION**

Description as per IS 15658: 2006







Dimension Tolerance				
<b>♦</b> Length	± 2mm	◆ Width	± 2mm	
◆ Thickness	± 3mm	◆ Chamfer	± 1mm	
Squareness	± 2mm	Compressive Strength	35-40 N/mm2	
♦ Water Absorption	<6%			

# 6

# I-LOCK™ PAVERS

I Section (I - LOCKS™ PAVERS) Paver Block is manufactured using best quality materials. Utilization of best resources is done to bring the best fit solution. We scope the work and accordingly design and develop I section paver.

#### **TECHNICAL SPECIFICATION**

Description as per IS 15658: 2006







Dimension Tolerance			
◆ Length	± 2mm	<b>♦</b> Width	± 2mm
◆ Thickness	± 3mm	◆ Chamfer	± 1mm
◆ Squareness	± 2mm	Compressive Strength	35-40 N/mm2
◆ Water Absorption	<6%		



# **CURLY™ PAVERS**


Interlockers are 60mm or 80mm thick and used in roads, parking lots, intersections, traffic circles and industrial building drivable areas. S SHAPED PAVERS (CURLY LOCK<sup>TM</sup> PAVERS) interlock with one another when installed giving the best application durability and robustness as compared to other pavers Edges of the face/top are chamfered for alignment and fitment.

# **TECHNICAL SPECIFICATION**

Description as per IS 15658: 2006









Dimension Tolerance					
<b>♦</b> Length	± 2mm	<b>♦</b> Width	± 2mm		
◆ Thickness	± 3mm	◆ Chamfer	± lmm		
◆ Squareness	± 2mm	Compressive Strength	35-40 N/mm2		
♦ Water Absorption	<6%				

# 8

# **KERBS & SLABS**

Our Kerbs are utilized to separate areas providing physical or virtual delineation and necessary requisition for pavement construction. Whatever be the requirement, United Stones provides solution - for rich granite Conservation Kerb units suited to the best standards.









07

www.salstones.com





# **QUALITY POLICY**

Within a short span of time, we have successfully established our grip over a major share of market owing to our dedication and commitment to the clients. Our exclusive and wide product range is the result of years of perseverance and focused quality efforts.

The series of tests are performed at various levels so as to ensure the quality of the products delivered to the customers. Throughout our rapid growth, core values have remained constant.



# **SAFETY POLICY**

SAL Stones has implemented this Accident Prevention Program in order to provide every employee with a safe and healthy workplace. Our goal is zero accidents, injuries, and occupational illnesses. This program details the procedures used to prevent occupational injuries and illnesses at SAL Stones. All employees, supervisors, and managers must comply with the requirements of and perform their responsibilities defined in this program.

# WHY SAL STONES

- Customer Satisfaction
- Reasonable and best price
- Time Delivery
- Large scale production capacity
- Quality without Compromise
- Mutual Trust and Respect
- Honesty and Integrity
- Open Communications & Teamwork
- High quality concrete interlocking paver's
- World class standards.
- 100+ Happy customers







TIME SAVER









EASY TO APPLY







# COMMITTED FOR SUPERIOR QUALITY

## **SAL STONES**

72/1, 73/3, Meesagaanahalli Main Road, Behind Bemi Layout, Bangalore Urban, Near Fiesta Resort, Bangalore - 562 157

> Ph: +91 98803 00019, 98806 00019 Mail: info@salstones.com