

Frontend Lab Assignment-2

1. Student Marksheet Using Table

```
<!DOCTYPE html>

<html>

<head>

  <title>Student Marksheet</title>

</head>

<body>


  <h1>Student Marksheet</h1>


  <table border="1" cellpadding="10">

    <tr>

      <th>Subject</th>

      <th>Marks</th>

      <th>Grade</th>

    </tr>


    <tr>

      <td>Mathematics</td>

      <td>85</td>

      <td>A</td>

    </tr>


    <tr>

      <td>Computer Science</td>

      <td>90</td>

      <td>A+</td>

    </tr>

  </table>


```

</tr>

<tr>

<td>English</td>

<td>78</td>

<td>B+</td>

</tr>

<tr>

<td>Physics</td>

<td>82</td>

<td>A</td>

</tr>

<tr>

<td>Chemistry</td>

<td>75</td>

<td>B+</td>

</tr>

<tr>

<th>Total</th>

<th>410</th>

<th>A</th>

</tr>

</table>

</body>

</html>

Important tags:

- <table> → creates table
 - <tr> → table row
 - <th> → table heading
 - <td> → table data
-

2. Resume Web Page

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>My Resume</title>
```

```
</head>
```

```
<body>
```

```
  <h1>Shreya Jain</h1>
```

```
  <p>
```

```
    Email: shreya@example.com<br>
```

```
    Phone: 9876543210<br>
```

```
    Location: Delhi, India
```

```
  </p>
```

```
  <hr>
```

```
  <h2>Career Objective</h2>
```

```
  <p>
```

```
    To obtain an opportunity where I can use my technical  
    and problem-solving skills and learn new technologies.
```

```
  </p>
```

<h2>Education</h2>

<table border="1" cellpadding="8">

<tr>

<th>Course</th>

<th>Institute</th>

<th>Year</th>

<th>Percentage/CGPA</th>

</tr>

<tr>

<td>B.Tech CSE</td>

<td>GLA University</td>

<td>2029</td>

<td>8.5 CGPA</td>

</tr>

<tr>

<td>12th</td>

<td>CBSE</td>

<td>2024</td>

<td>80.6%</td>

</tr>

<tr>

<td>10th</td>

<td>CBSE</td>

<td>2022</td>

<td>92.8%</td>
</tr>

</table>

<h2>Technical Skills</h2>

- Python
- Java
- HTML
- CSS
- SQL
- Machine Learning

<h2>Projects</h2>

- Cyber Attack Detection System
- Student Performance Prediction
- AI Resume Matcher

<h2>Hobbies</h2>

- Coding
- Reading
- Learning new technologies

</body>

</html>

3. Restaurant Menu Using List

Here we can use unordered lists for food categories and items.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Restaurant Menu</title>
```

```
</head>
```

```
<body>
```

```
  <h1>ABC Restaurant</h1>
```

```
  <h2>Restaurant Menu</h2>
```

```
    <h3>Starters</h3>
```

```
      <ul>
```

```
        <li>Paneer Tikka - ₹180</li>
```

```
        <li>Spring Roll - ₹150</li>
```

```
        <li>French Fries - ₹120</li>
```

```
        <li>Manchurian - ₹160</li>
```

```
      </ul>
```

```
    <h3>Main Course</h3>
```


Paneer Butter Masala - ₹250

Dal Makhani - ₹200

Veg Biryani - ₹220

Fried Rice - ₹180

<h3>Breads</h3>

Butter Naan - ₹50

Garlic Naan - ₹70

Tandoori Roti - ₹30

<h3>Drinks</h3>

Cold Drink - ₹60

Fresh Lime Soda - ₹80

Milkshake - ₹120

<h3>Desserts</h3>

Gulab Jamun - ₹80

Ice Cream - ₹100

Brownie - ₹120

</body>

</html>

List tags:

- → unordered list
- → ordered list
- → list item

4. Registration Form

This question specifically asks for:

- Text
- Email
- Password
- Radio buttons
- Checkboxes
- Dropdown
- Submit button
- Proper <label> and for attributes

<!DOCTYPE html>

<html>

<head>

<title>Registration Form</title>

</head>

<body>

<h1>Registration Form</h1>

<form>

<label for="name">Name:</label>

<input type="text" id="name" name="name">

<label for="email">Email:</label>

<input type="email" id="email" name="email">

<label for="password">Password:</label>

<input type="password" id="password" name="password">

<label>Gender:</label>

<input type="radio" id="male" name="gender" value="male">

<label for="male">Male</label>

<input type="radio" id="female" name="gender" value="female">

<label for="female">Female</label>

<label>Hobbies:</label>

<input type="checkbox" id="coding" name="hobby" value="coding">

```
<label for="coding">Coding</label>
```

```
<input type="checkbox" id="reading" name="hobby" value="reading">
```

```
<label for="reading">Reading</label>
```

```
<input type="checkbox" id="sports" name="hobby" value="sports">
```

```
<label for="sports">Sports</label>
```

```
<br><br>
```

```
<label for="course">Select Course:</label>
```

```
<select id="course" name="course">
```

```
  <option value="cse">Computer Science</option>
```

```
  <option value="it">Information Technology</option>
```

```
  <option value="ece">Electronics</option>
```

```
  <option value="me">Mechanical</option>
```

```
</select>
```

```
<br><br>
```

```
<input type="submit" value="Register">
```

```
</form>
```

```
</body>
```

```
</html>
```

Important point about label and for

For example:

```
<label for="email">Email:</label>
```

```
<input type="email" id="email">
```

Here:

```
for="email"
```

↓

```
id="email"
```

The for value of the label should match the id of the input.

5. Login Page

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Login Page</title>
```

```
</head>
```

```
<body>
```

```
  <h1>Login</h1>
```

```
  <form>
```

```
    <label for="email">Email:</label>
```

```
    <input type="email" id="email" name="email">
```

```
    <br><br>
```

```
    <label for="password">Password:</label>
```

```
    <input type="password" id="password" name="password">
```

```
    <br><br>
```

<input type="submit" value="Login">

</form>

</body>

</html>