Statistical Inference Course Project Part I

Madhushree Sharma

June 3, 2016

Statistical Inference Course Project 1 Overview

In this project I will investigate the exponential distribution in R and compare it with the Central Limit Theorem. The exponential distribution can be simulated in R with rexp(n, lambda) where lambda is the rate parameter. The mean of exponential distribution is 1/lambda and the standard deviation is also 1/lambda. I will set lambda = 0.2 for all of the simulations. I will investigate the distribution of averages of 40 exponentials. Note that I will need to do a thousand simulations.


Simulations

```
# Load nec cesary libraries
library (ggplot2)

# set constants
lambda <- 0.2 # lambda for rexp
n <- 40 # number of exponetials
numberOfSimulations <- 1000 # number of tests

# set the seed to create
reproducability set.seed (11081979)

# run the test resulting in n x n umberOfSimulations matrix
exponentialDistributions <- matrix (data=rexp (n * numberOfSimulations, lambda),
nrow=numberOfSi mulations)
exponentialDistributionMeans <- data.frame (means=apply (exponentialDistributions, 1, mean))</pre>
```



Sample Mean versus Theoretical Mean

```
The expected mean \mu of a exponential distribution of rate \lambda is

mu <-
1/lambda mu

## [1] 5

Let X be the average sample mean of 1000 simulations of 40 randomly sampled exponential distributions.

meanOfMeans <-
mean(exponentialDistributionMeans$means) meanOfMeans

## [1] 5.027126
```

As you can see the expected mean and the avarage sample mean are very close

Sample Variance versus Theoretical Variance

The e

```
 sd <- 1/lambda/sqrt(n) 
 sd 
 ## [1] 0.7905694 
 The variance Var of standard deviation <math>\sigma is  Var = \sigma^2 
 Var <- sd^2 
 Var 
 ## [1] 0.625
```

 $Let \ Var_x \ be \ the \ variance \ of \ the \ average \ sample \ mean \ of \ 1000 \ simulations \ of \ 40 \ randomly \ sampled \ exponential \ distribution, \ and \ \sigma_x \ the \ corresponding \ standard \ deviation.$


```
sd_x <- sd(exponentialDistributionMeans$means)
sd_x
## [1] 0.8020334

Var_x <- var(exponentialDistributionMeans$means)
Var_x
## [1] 0.6432577</pre>
```

As you can see the standard deviations are very close Since variance is the square of the standard deviations, minor differnces will we enhanced, but are still pretty close.

Distribution

Comparing the population means & standard deviation with a normal distribution of the expected values. Added lines for the calculated and expected means



As you can see from the graph, the calculated distribution of means of random sampled exponantial distributions, overlaps quite nice with the normal distribution with the expected values based on the given lamba