


Architectural Framework

CS6.401 Software Engineering

Dr. Karthik Vaidhyanthan

karthik.vaidhyanthan@iiit.ac.in

<https://karthikvaidhyanthan.com>



INTERNATIONAL INSTITUTE OF
INFORMATION TECHNOLOGY

HYDERABAD

Acknowledgements

The materials used in this presentation have been gathered/adapted/generate from various sources as well as based on my own experiences and knowledge -- Karthik Vaidhyanathan


Sources:

1. Software Architecture in Practice, Len Bass, 3rd edition
2. ISO/IEC/IEEE 42010, Systems and Software Engineering – Architecture Description



Architecture Description


Architecture Description





Apply IEEE 42010 to NdR Case Study

NdR: European Researchers Night



The NdR Case

Key Observations

1. Around 35K visitors per year
2. Late hours are more crowded than early hours
3. Weather affects user's preferences

Goal

1. A solution for crowd management
2. Automated venue and parking lot management

Constraints

Limited power and service accuracy constraints





Lets get the requirements
right

Functional and Non-functional Requirements

Functional Requirements

FR1: The app shall allow users to register to the NdR event

FR2: The app shall allow users to provide their preferred events

....

Extra(Non)-functional Requirements

NFR1: The app must provide 1 second response time or less in web browsers

NFR2: The app should be able to support 1000 users/second while maintaining optimal performance

.....



Who are the stakeholders?


Stakeholders




Software Developers



IoT Engineers



Urban planning



Software architect(s)

Many more....

Concerns

Language choice, the
modules,
Interactions, ...




Software Developers

Memory,
Battery,
platform ...




IoT Engineers

Space constraints,
Location for sensors,



Urban planning

System performance,
Integration,
Management,...




Software architect(s)



What can be the viewpoints
and views?

Can we create some models for each view?





What are some scenarios?

What can be some scenarios?

Book venue

Check
availability


Check weather

Get
recommendations

Get confirmation

Book parking lots

Many more...each can be associated to a type of user



Can we break this into
multiple systems?


Subsystems in NdR System

IoT System

Booking System

Weather System

Analytics System



How do we break down
each subsystem further?

IoT system

Sensor
Controller

IoT middleware

Database

Visualization
Engine

Booking System

Web Application

Mobile Application

Database

NdR Backend



We can go further

NdR Backend

Venue Booking
Manager

Parking Lot
Booking Manager

Recommendation
Generator

Payment Manager

And many more..can you name?




Further breakdown? – Think
of classes...



How to model? – UML,
C4Model,.....

C4Model

- Created by Simon Brown, Independent consultant (specialization: Software architecture)
- Overcome the challenges of UML, more intuitive language
- Visualize architectures in terms of Context, Containers, Components and Code
- Very developer friendly approach to software architecture diagramming



Some times General purpose
language may not suffice –
ADL!!

Is Software Architecture just some box and arrow?

*“Aside from providing clear and precise documentation, the primary purpose of specifications is to provide **automated analysis** of the document and to expose various kinds of problems that would otherwise go undetected”*

- Perry and Wolf, 1992

*“An architectural system representation is often essential to the **analysis and description** of the high-level properties of a complex system”*

– Garlan and Shaw, 1994

Architecture Description Languages

An Architecture Description language (ADL) or an Architecture Definition Language is a

- Formal specification language
- For describing the structure and behavior of a software system


Some popular ADLs: Darwin, ACME, AADL,.....

Architecture Description Languages - CAPS




- Evaluate the systems **early** in the design process before the system or prototypes are built [IoT Systems]
- Avoiding **costly** redesign/re-development cycles

Multi-view Modeling Framework




SAML – Software view, HWML – Hardware view, SPML – Space view

Software Architecture Modeling Language



Hardware Modeling Language




Space Modeling Language



This will be converted to an xml model

Space Modeling Language



Normal mode
representation in
Senscript
(initial mode)

Conditions
representation in
Senscript


Mode transitions
in Senscript

Critical mode
representation in
Senscript

```
1 set mod 1
2 loop
3 if ($mod==1)
4 areadsensor var
5 rdata $var t o2
6 data p Oxygen $o2
7 send $p 3
8 printfile $p
9 while ($o2>0.19)
10 println mode1
11 areadsensor var
12 rdata $var t o2
13 data p Oxygen $o2
14 send $p 3
15 printfile $p
16 delay 100000
17 end
18 if ($o2<0.19)
19 set mod 2
20 end
21 end
22 if ($mod==2)
23 while ($o2<0.23)
24 println mode2
25 areadsensor var
26 rdata $var t o2
27 data p Oxygen $o2
28 send $p 3
29 printfile $p
30 delay 5000
31 end
32 if ($o2>0.23)
33 set mod 1
34 end
35 end
```

<https://cupcarbon.com>





How do you guarantee
quality – Can we think of
tactics?

Thank You



Course website: karthikv1392.github.io/cs6401_se

Email: karthik.vaidhyanathan@iiit.ac.in

Web: <https://karthikvaidhyanathan.com>

Twitter: @karthi_ishere

