



SmartBank

Agentic AI Banking Operations Platform

UiPath AgentHack (Track 2 — Maestro BPMN)
UBL FinTech Innovation Hackathon

AI Agents

BPMN 2.0

RPA

Open Banking

OCR

Human-in-the-Loop

v2.0 · Professional Prompt Document · 2025

Table of Contents

10 Phases · Complete Prompt Reference

#	Phase	Topic	Page
01	Phase 01	Product Architecture — Enterprise-Grade Platform Design	4
02	Phase 02	AI Request Classification Agent — Intelligent Intent Detection & Routing	6
03	Phase 03	UiPath Maestro BPMN Workflow — End-to-End Process Orchestration	8
04	Phase 04	UiPath RPA Automation Robots — Back-Office Robot Workforce	10
05	Phase 05	Document AI & OCR Module — AI-Powered Identity Verification	12
06	Phase 06	FinTech AI Customer Assistant — Inclusive, Multi-Lingual Banking Companion	14
07	Phase 07	Open Banking API Integration — Secure API Gateway & PSD2-Aligned Connectors	16
08	Phase 08	Coding Agent Acceleration — AI-Assisted Development with Claude Code / Codex	18
09	Phase 09	Demo Video Script — 5-Minute Hackathon Showcase	20
010	Phase 10	GitHub README & Documentation — Open-Source Professional Documentation	22

Project Alignment

UiPath AgentHack Track 2	UBL FinTech Innovation Hackathon
✓ Maestro BPMN Orchestration	✓ Artificial Intelligence in Banking
✓ Human-in-the-Loop Approvals	✓ Open Banking APIs
✓ AI Agents + RPA + APIs	✓ Digital Banking Experience
✓ UiPath Automation Cloud	✓ Scalable FinTech Operations

01

Phase 01 — Product Architecture

Enterprise-Grade Platform Design

Architecture	Cloud	Security	Scalability
--------------	-------	----------	-------------

This phase defines the end-to-end technical architecture for SmartBank — a production-ready, cloud-native banking automation platform. The architecture must satisfy enterprise security, regulatory compliance, and infinite horizontal scalability.

■ DETAILED PROMPT

ROLE → Senior FinTech Solution Architect (10+ yrs, cloud-native banking systems)

OBJECTIVE

Design a fully production-ready SmartBank AI Platform architecture that can be deployed on UiPath Automation Cloud and integrated with a Tier-1 commercial bank's core banking system.

DELIVERABLES (respond with each section clearly labelled)

[A] ARCHITECTURE OVERVIEW

- Draw an ASCII or describe a layered architecture diagram with:
Layer 0 — Customer Channels (Web, Mobile, IVR, WhatsApp)
Layer 1 — AI Request Understanding (Claude / GPT NLU Agent)
Layer 2 — Orchestration (UiPath Maestro BPMN Engine)
Layer 3 — Execution (UiPath RPA Robots + API Connectors)
Layer 4 — Core Banking (CBS / Temenos / Finacle simulation)
Layer 5 — Data & Audit (PostgreSQL, Elasticsearch, S3)
Layer 6 — Notification (Email, SMS, WhatsApp Gateway)

[B] COMPONENT RESPONSIBILITIES

For each component list: Purpose | Inputs | Outputs | Owner Team | SLA

[C] DATA FLOW (step-by-step numbered sequence from customer request → resolution)

[D] SECURITY FRAMEWORK

- OAuth 2.0 + PKCE for all API calls
- AES-256 encryption at rest; TLS 1.3 in transit
- PCI-DSS, SBP (State Bank of Pakistan) compliance checklist
- Secret rotation strategy (Vault / AWS Secrets Manager)
- Fraud detection hooks

[E] SCALABILITY STRATEGY

- Kubernetes HPA rules for RPA robot pools
- Queue-based load levelling (RabbitMQ / SQS)
- Multi-region active-passive failover
- Target SLAs: 99.95% uptime, <2s P99 latency

[F] TECH STACK TABLE (Component | Technology | Justification | License)

FORMAT → Use Markdown headers (##, ###), tables, and numbered lists.

LENGTH → Minimum 1,200 words. Be precise and avoid generic statements.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 01 artefacts. Review outputs against the acceptance criteria before committing to the repository.


```
"entities": { "account_number": "****1234", "cnic": "****-***1234-*", ... },
"missing_fields": ["dob", "registered_mobile"],
"follow_up_question": "Please provide your registered mobile number.",
"escalate_to_human": false,
"escalation_reason": null,
"maestro_payload": { ... }
}
```

[C] MULTI-TURN DIALOGUE SCRIPT

Write a realistic 6-turn conversation for DEB03 (card blocking) showing:

- Initial ambiguous input
- Entity extraction questions
- Validation failure + retry
- Successful classification
- Handoff message to customer

[D] EDGE CASES & FALLBACK STRATEGY

List 10 edge cases (e.g., profanity, multiple intents, voice noise) and the agent's exact response for each.

[E] TESTING MATRIX (20 test cases: input | expected intent | confidence band)

FORMAT → Markdown. Include actual JSON examples, not placeholders.

LENGTH → Minimum 1,500 words.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 02 artefacts. Review outputs against the acceptance criteria before committing to the repository.

03

Phase 03 — UiPath Maestro BPMN Workflow

End-to-End Process Orchestration

BPMN 2.0	Maestro	Orchestration	SLA	Human Approval
----------	---------	---------------	-----	----------------

Design every BPMN 2.0 workflow required to handle all 8 banking request types inside UiPath Maestro. Each workflow must include exception handling, SLA timers, retry logic, and mandatory human-approval gates for high-risk operations.

■ DETAILED PROMPT

ROLE → UiPath Certified Maestro BPMN Architect

OBJECTIVE

Produce complete, deployable BPMN 2.0 process definitions for all 8 SmartBank request flows.

MASTER ORCHESTRATOR FLOW

START EVENT (Message: CustomerRequest received)

- Service Task: Invoke AI Classification Agent (REST call)
- Exclusive Gateway: Route on intent.code
 - ATM01 → Sub-Process: ATM Activation
 - PIN02 → Sub-Process: PIN Generation
 - DEB03 → Sub-Process: Card Block/Unblock
 - STM04 → Sub-Process: Statement Generation
 - LTR05 → Sub-Process: Account Letter
 - NIC06 → Sub-Process: ID Update
 - IB07 → Sub-Process: Internet Banking Reset
 - MB08 → Sub-Process: Mobile Banking Activation
 - DEFAULT → User Task: Human Agent Triage
- End Event (Message: CaseResolved)

For EACH sub-process provide:

[A] ELEMENT LIST (ID | Type | Name | Performer | Inputs | Outputs | Timeout)

[B] GATEWAY LOGIC (condition expressions in UiPath formula language)

[C] EXCEPTION HANDLING

- Boundary Error Events on every Service Task
- Retry policies: max 3 attempts, exponential back-off (2s, 4s, 8s)
- Dead-letter queue for unresolvable cases

[D] HUMAN APPROVAL GATES (specify which tasks require manager sign-off and why)

[E] SLA TIMERS

- Timer Boundary Events with ISO-8601 durations (e.g., PT4H for 4 hours)
- Escalation path when SLA breaches

[F] FULL PSEUDO-BPMN XML SNIPPET

Write valid BPMN 2.0 XML for the DEB03 (Card Block) flow as a concrete example.

[G] CORRELATION KEYS & VARIABLES TABLE

List all process variables, their types, scope, and default values.

LENGTH → Minimum 1,800 words. Use tables wherever possible.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 03 artefacts. Review outputs against the acceptance criteria before committing to the repository.



Phase 04 — UiPath RPA Automation Robots

Back-Office Robot Workforce

RPA Robots	StudioX	Studio Pro	Audit	Notifications
------------	---------	------------	-------	---------------

Implement the UiPath RPA robots that perform the actual banking operations against core banking system APIs, update records, generate documents, and trigger notifications. All robots must follow zero-trust credential handling and full audit logging.

■ DETAILED PROMPT

ROLE → UiPath RPA Developer (StudioX + Studio Pro) with banking back-office experience

OBJECTIVE

Design and document UiPath robot sequences for SmartBank back-office automation.

ROBOT CATALOGUE

- Robot 1 — CBS Connector Robot
- Purpose : Authenticate and transact with Core Banking System (simulated Finacle REST API)
- Sequences : Login | GetAccountStatus | UpdateAccountRecord | Logout
- Security : Windows Credential Store + UiPath Orchestrator Assets (encrypted)
- Robot 2 — Document Generation Robot
- Purpose : Generate branded PDFs (statements, letters, activation confirmations)
- Libraries : UiPath.PDF.Activities, ReportLab API, custom XSLT templates
- Output : Signed PDF stored in Azure Blob + record in PostgreSQL
- Robot 3 — Notification Dispatcher Robot
- Purpose : Multi-channel outbound notifications
- Channels : SMTP Email | Twilio SMS | WhatsApp Business API
- Templates : 8 templates (one per request type), Urdu + English
- Robot 4 — Audit Logger Robot
- Purpose : Write immutable audit entries for every action
- Destination: Elasticsearch index `smartbank-audit-{YYYY.MM}`
- Fields : timestamp, robot_name, action, input_hash, output_hash, user_id, status
- For each robot provide:

- [A] WORKFLOW DIAGRAM (textual description of UiPath sequence flowchart)
- [B] ACTIVITY LIST (Activity Name | Package | Configuration | Error Handler)
- [C] CREDENTIAL MANAGEMENT CODE SNIPPET (VB.Net or C# — no hardcoded secrets)
- [D] ERROR HANDLING STRATEGY (Try-Catch blocks, retry queues, alert thresholds)
- [E] UNIT TEST SCENARIOS (5 tests per robot: happy path + 4 failure modes)
- [F] PERFORMANCE TARGETS (avg execution time, throughput, memory ceiling)

LENGTH → Minimum 1,400 words. Include real UiPath activity names.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 04 artefacts. Review outputs against the acceptance criteria before committing to the repository.

05

Phase 05 — Document AI & OCR Module

AI-Powered Identity Verification

OCR	Document AI	Fraud Detection	CNIC	Face Match
-----	-------------	-----------------	------	------------

Design the AI document verification pipeline that processes uploaded CNIC / Passport images using UiPath Document Understanding, extracts structured data via OCR, compares it against bank records, detects forgery signals, and routes uncertain cases to humans.

■ DETAILED PROMPT

ROLE → AI Computer Vision Engineer + UiPath Document Understanding Specialist

OBJECTIVE

Build a complete Document AI pipeline for SmartBank customer identity updates (NIC06 flow).

PIPELINE STAGES

Stage 1 — Pre-Processing

- Accepted formats: JPG, PNG, PDF (max 10 MB)
- Auto-deskew, denoise, contrast normalisation
- Document type classifier: CNIC | Passport | Driving Licence | Utility Bill

Stage 2 — OCR Extraction (UiPath Document Understanding)

- Template: Pakistan NADRA CNIC (front + back)
- Extract: Name | CNIC No | DOB | Issue Date | Expiry | Gender | Address
- Confidence threshold per field: ≥ 0.85 required; below → flag for review

Stage 3 — Data Validation & Comparison

- Format validation (CNIC regex: `\d{5}-\d{7}-\d`)
- Expiry check (reject if expired > 0 days)
- Cross-reference against CBS: name similarity $\geq 90\%$ (Levenshtein)
- Photo face-match confidence ≥ 0.88 (Azure Face API or AWS Rekognition)

Stage 4 — Fraud Detection

Indicators to check:

- X Metadata tampering (EXIF creation date mismatch)
- X Font inconsistency in hologram zone
- X MRZ checksum failure (passports)
- X Known fraudulent template hash list
- Risk Score = weighted sum of indicators (0-100)
- Risk > 60 → auto-reject; 30-60 → human review; < 30 → auto-approve

Stage 5 — Human Approval Gate

- UiPath Action Centre task with annotated image + extracted fields
- Reviewer SLA: 2 business hours
- Outcome: Approve | Reject | Request Re-upload

Stage 6 — Database Update

- CBS API PATCH `/customers/{id}/identity`
- Blockchain anchor of document hash (optional / bonus)

DELIVERABLES

[A] Complete pipeline pseudo-code (Python-style with UiPath SDK calls)

[B] UiPath Document Understanding taxonomy JSON for CNIC template

[C] Fraud scoring algorithm with weights table

[D] Action Centre task HTML template

[E] 10 test document scenarios with expected outcomes

LENGTH → Minimum 1,200 words.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 05 artefacts. Review outputs against the acceptance criteria before committing to the repository.

06

Phase 06 — FinTech AI Customer Assistant

Inclusive, Multi-Lingual Banking Companion

Chatbot	Financial Inclusion	Urdu NLP	Responsible AI
---------	---------------------	----------	----------------

Build a responsible AI banking assistant that serves unbanked / underbanked customers, SMEs, and digital-first users. The assistant must be safe, transparent, and compliant with GDPR and SBP digital banking guidelines.

■ DETAILED PROMPT

ROLE → Responsible AI Product Manager + Conversational UX Designer

OBJECTIVE

Design and prompt a SmartBank AI Customer Assistant focused on financial inclusion for Pakistan's market.

PERSONA → "Zara" — SmartBank's friendly AI banking guide

CAPABILITY MODULES

Module 1 — Product Education

Topics: Account types, profit rates, fee schedules, ATM network, digital limits

Tone: Simple, jargon-free, available in English + Roman Urdu + Urdu script

Example Q: "Mera account mein monthly charges kya hain?"

Module 2 — Process Guidance

Walk-throughs: Account opening, debit card ordering, internet banking setup,

RAAST ID registration, PayPak, mobile top-up

Format: Numbered steps + estimated time + required documents

Module 3 — SME Financial Literacy

Topics: Business accounts, trade finance basics, cash-flow tips, SBP MSME schemes

Disclaimer: "This is educational, not financial advice."

Module 4 — Digital Onboarding Helper

Audience: First-time smartphone bankers (55+ yrs, rural areas)

Approach: Voice-first, very short sentences, large-button UI prompts

Module 5 — Safety & Fraud Awareness

Proactive tips: OTP sharing warnings, vishing scripts, phishing URL detection

Trigger: Auto-show after any OTP-related question

DELIVERABLES

- [A] Complete Zara system prompt (≥ 600 words) with persona, guardrails, fallbacks
- [B] 20 sample Q&A; pairs (10 EN, 10 Roman Urdu) covering all 5 modules
- [C] Escalation rules: when Zara hands off to human agent (with exact trigger phrases)
- [D] Responsible AI checklist: bias, hallucination controls, PII handling
- [E] Multilingual greeting + farewell templates (EN / Roman Urdu / Urdu script)
- [F] Suggested UI component spec: chat widget, quick-reply chips, voice toggle

LENGTH → Minimum 1,300 words.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 06 artefacts. Review outputs against the acceptance criteria before committing to the repository.

07

Phase 07 — Open Banking API Integration

Secure API Gateway & PSD2-Aligned Connectors

OpenAPI	OAuth 2.0	mTLS	Rate Limiting	Audit
---------	-----------	------	---------------	-------

Design the secure Open Banking API layer that connects SmartBank to external CBS, payment rails, and third-party FinTechs. All APIs must follow OAuth 2.0, mTLS, rate-limiting, and full audit trail requirements.

■ DETAILED PROMPT

ROLE → API Security Architect + Open Banking Specialist (PSD2 / SBP Open Banking Framework)

OBJECTIVE

Design the complete API integration layer for SmartBank including internal APIs, CBS connectors, payment APIs, and third-party FinTech hooks.

API CATALOGUE

Group A — Customer Identity APIs

- POST /v1/auth/token → OAuth 2.0 client credentials + PKCE
- GET /v1/customers/{id} → Fetch customer profile (masked PII)
- PATCH /v1/customers/{id}/identity → Update identity document

Group B — Account APIs

- GET /v1/accounts/{id}/balance → Real-time balance
- GET /v1/accounts/{id}/statement → Statement (date range, format: JSON/PDF)
- POST /v1/accounts/{id}/freeze → Freeze / unfreeze account

Group C — Card APIs

- POST /v1/cards/{id}/activate → ATM card activation
- POST /v1/cards/{id}/pin/generate → Secure PIN generation (HSM-backed)
- POST /v1/cards/{id}/block → Instant card block
- POST /v1/cards/{id}/unblock → Card unblock (with OTP)

Group D — Digital Banking APIs

- POST /v1/digital/internet/reset → Internet banking access recovery
- POST /v1/digital/mobile/activate → Mobile banking device binding

Group E — Notification APIs

- POST /v1/notifications/email → Transactional email (SendGrid)
- POST /v1/notifications/sms → SMS (Telenor / Jazz API)
- POST /v1/notifications/push → Firebase FCM push

DELIVERABLES

- [A] OpenAPI 3.1 YAML specification for Group B (Account APIs) — full, deployable
- [B] Authentication flow diagram (OAuth 2.0 + mTLS sequence)
- [C] API Gateway configuration (rate limits, throttling, IP allowlisting)
- [D] Error response catalogue (40 error codes with HTTP status + resolution)
- [E] Security headers checklist (HSTS, CSP, X-Frame-Options, etc.)

[F] API versioning + deprecation strategy

[G] Audit log schema for every API call

LENGTH → Minimum 1,400 words. Include actual YAML code block.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 07 artefacts. Review outputs against the acceptance criteria before committing to the repository.

[D] Quality gates: human review triggers, output validation rules

[E] ROI calculation table: estimated hours saved per scenario

[F] Risks & mitigations: hallucinated code, licence issues, data leakage

LENGTH → Minimum 1,200 words.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 08 artefacts. Review outputs against the acceptance criteria before committing to the repository.

09

Phase 09 — Demo Video Script

5-Minute Hackathon Showcase

Demo	Video Script	Storytelling	Presentation
------	--------------	--------------	--------------

A professionally scripted, time-coded demo video that showcases the full SmartBank platform end-to-end — from customer problem to AI resolution — in exactly 5 minutes.

■ DETAILED PROMPT

ROLE → Technical Presenter + Product Storyteller

OBJECTIVE

Write a complete, production-ready demo script for a 5-minute hackathon presentation video.

STRUCTURE (time-coded)

[00:00–00:30] HOOK — Problem Statement

Visual: City street, frustrated person at ATM with blocked card.
Narration: Open with a relatable banking frustration statistic for Pakistan.
Transition: "What if AI could resolve this in under 60 seconds?"

[00:30–01:00] SOLUTION OVERVIEW

Visual: SmartBank architecture slide animated.
Narration: Introduce SmartBank — AI + UiPath + Open Banking.
Show: High-level component tour (30 seconds max).

[01:00–02:00] LIVE DEMO — Customer Journey (DEB03 Card Block)

Screen: Customer chat widget.
Action: Type "Mera debit card block karo, koi transaction nahi tha meri"
Show: AI agent classifies intent (confidence: 0.94)
Show: Maestro BPMN workflow starts (animated BPMN diagram)
Show: RPA robot calls CBS API (terminal output visible)
Show: SMS + Email notification sent

[02:00–03:00] HUMAN APPROVAL DEMO

Action: Trigger a NIC06 (ID Update) flow.
Show: Document upload → OCR extraction → fraud score
Show: Action Centre task appearing for human reviewer
Show: Manager approves → CBS updated → customer notified

[03:00–04:00] DASHBOARD & ANALYTICS

Visual: SmartBank Operations Dashboard
Metrics shown: Cases today | Avg resolution time | Automation rate | SLA compliance
Show: Case timeline for the DEB03 case just resolved

[04:00–04:30] INNOVATION HIGHLIGHTS

- Bullet points (spoken + on-screen):
- Multi-lingual AI (English + Roman Urdu)
 - Zero human touch for 6/8 request types
 - < 45-second average resolution
 - PCI-DSS compliant audit trail

- Plug-in architecture for new request types

[04:30–05:00] CLOSING & CALL TO ACTION

Narration: Real-world impact statement + team credits.

Final screen: GitHub repo QR code + contact details.

DELIVERABLES

[A] Full narration script (word-for-word for each time segment)

[B] Screen recording checklist (what to prepare before recording)

[C] Slide deck outline (one slide per time segment)

[D] B-roll / visual asset list

[E] Technical rehearsal checklist (API keys, sample data, browser setup)

LENGTH → Minimum 1,000 words of narration + all checklists.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 09 artefacts. Review outputs against the acceptance criteria before committing to the repository.

10

Phase 10 — GitHub README & Documentation

Open-Source Professional Documentation

GitHub	README	Apache 2.0	Documentation	Open Source
--------	--------	------------	---------------	-------------

Create world-class open-source documentation that makes SmartBank immediately understandable, forkable, and deployable by any developer — judges, contributors, and enterprise evaluators alike.

■ DETAILED PROMPT

ROLE → Developer Advocate + Technical Writer (open-source OSS best practices)

OBJECTIVE

Write a complete, production-grade GitHub README.md and supporting documentation files for the SmartBank open-source repository.

README.md STRUCTURE

```
# SmartBank — Agentic AI Banking Operations Platform
> One-liner tagline + badge row (build, license, version, coverage, docs)
## ■ Problem Statement (100 words — real Pakistan banking pain points)
## ■ Solution Overview (architecture diagram — Mermaid flowchart)
## ■ Features
  • Feature table: Feature | Status | Module | Notes
## ■■ Architecture
  • Layered diagram (Mermaid)
  • Component breakdown table
## ■ AI Agents
For each agent: Name | Model | Role | Input | Output | Confidence Threshold
## ■ UiPath Components
For each component: Component | Type | Version | Purpose
## ■ Quick Start
Prerequisites checklist
Step-by-step installation (numbered, copy-paste commands)
Environment variables reference table (.env.example format)
## ■■ Configuration
Full config reference (YAML with comments)
UiPath Orchestrator setup steps
CBS API simulation setup
## ■ API Documentation
Endpoints table (Method | Path | Auth | Description | Example)
Request/Response examples (JSON)
Postman collection link
## ■ Running Tests
Unit test command
Integration test command
```

Expected output

■ Demo

Animated GIF placeholder description

YouTube demo link placeholder

Sample data for testing

■ Performance Benchmarks

Table: Scenario | Avg Time | P99 | Automation Rate

■■ Roadmap

Q1–Q4 2025 planned features (table)

■ Contributing

CONTRIBUTING.md reference + good-first-issue label guide

■ License → Apache 2.0

SUPPORTING FILES TO DOCUMENT

CONTRIBUTING.md | CODE_OF_CONDUCT.md | SECURITY.md | CHANGELOG.md

DELIVERABLES

[A] Complete README.md (min 1,500 words, all sections filled — no placeholders)

[B] CONTRIBUTING.md (full content)

[C] SECURITY.md (vulnerability reporting process)

[D] .env.example with all 40+ environment variables documented

LENGTH → Minimum 2,000 words across all files.

Usage Note: Paste this entire prompt into your preferred AI coding agent (Claude, GPT-4o, Gemini) to generate Phase 10 artefacts. Review outputs against the acceptance criteria before committing to the repository.

Final Judging Positioning

Why SmartBank Wins

Judging Criterion	SmartBank Capability	Evidence Phase
Agentic AI	Multi-agent NLU + Decision + Execution chain	02, 05, 06
UiPath Maestro BPMN	8 fully-modelled BPMN 2.0 workflows	03
RPA Automation	4 specialised robots with full error handling	04
Open Banking APIs	OpenAPI 3.1 compliant, OAuth 2.0 + mTLS	07
Human-in-the-Loop	Action Centre tasks with SLA timers	03, 05
Document AI	NADRA CNIC OCR + fraud scoring pipeline	05
Financial Inclusion	Urdu NLP, SME guides, voice-first UX	06
Coding Agent Bonus	Claude Code + Copilot CI/CD integration	08
Documentation	Comprehensive README, CONTRIBUTING, SECURITY	10

SmartBank is not simply a chatbot — it is a full-stack **enterprise agentic banking automation platform** where intelligent AI agents understand customer intent, UiPath Maestro BPMN orchestrates secure workflows, RPA robots execute back-office tasks, Open Banking APIs connect core systems, and human agents retain governance over high-risk decisions. This architecture directly addresses both the **UiPath AgentHack Track 2 (Maestro BPMN)** scoring rubric and the **UBL FinTech Innovation Hackathon** evaluation themes.