GMT (Generic Movie Tickets)

Software Requirements Specification

Version 1

9/24/2026

Group #3
Andres Akerlundh, Madison Stevens,
Haoze Li

Prepared for
CS 250- Introduction to Software Systems
Instructor: Gus Hanna, Ph.D.
Fall 2026

Revision History

Date	Description	Author	Comments
9/14/26	Version 1.0	Group 3	First Draft
10/8/26	Version 2.0	Group 3	Software Design

Document Approval

The following Software Requirements Specification has been accepted and approved by the following:

Signature	Printed Name	Title	Date
	Dr. Gus Hanna	Software Eng. Instructor, CS 250	

Table of Contents

Revision History..... ii

Document Approval..... ii

1. Introduction..... 1

    1.1 Purpose..... 1
    1.2 Scope..... 1
    1.3 Definitions, Acronyms, and Abbreviations..... 1
    1.4 References..... 1
    1.5 Overview..... 1

2. General Description..... 2

    2.1 Product Perspective..... 2
    2.2 Product Functions..... 2
    2.3 User Characteristics..... 2
    2.4 General Constraints..... 2

2.5 Assumptions and Dependencies..... 2

3. Specific Requirements..... 2

3.1 External Interface Requirements..... 3
3.1.1 User Interfaces..... 3
3.1.2 Hardware Interfaces..... 3
3.1.3 Software Interfaces..... 3
3.1.4 Communications Interfaces..... 3
3.2 Functional Requirements..... 3
3.2.1 Employee Operation..... 3
3.2.2 Purchase Tickets..... 3
3.3 Use Cases..... 3
3.3.1 Use Case #1: Log In..... 3
3.3.2 Use Case #2: Purchase Movie Ticket..... 3
3.3.3 Use Case #3: Manage Movies and Screening Info..... 3
3.4 Classes / Objects..... 3
3.4.1 Class / Object #1 Movie..... 3
3.4.2 Class / Object #2 Users..... 3
3.5 Non-Functional Requirements..... 4
3.5.1 Performance..... 4
3.5.2 Reliability..... 4
3.5.3 Availability..... 4
3.5.4 Security..... 4
3.5.5 Maintainability..... 4
3.5.6 Portability..... 4
3.6 Inverse Requirements..... 4
3.7 Design Constraints..... 4
3.8 Logical Database Requirements..... 4
3.9 Other Requirements..... 4

4. Analysis Models..... 4

4.1 Sequence Diagrams..... 5
4.3 Data Flow Diagrams (DFD)..... 5
4.2 State-Transition Diagrams (STD)..... 5

5. Change Management Process..... 5

A. Appendices..... 5

A.1 Appendix 1..... 5
A.2 Appendix 2..... 5

1. Introduction

This Software Requirements Specification describes the requirements for a cinema system. The system enables customers to view movie information, search for showtimes, select seats, and purchase movie tickets, while also allowing authorized cinema staff to manage movies, screenings, and bookings. This document provides an overview of the system and outlines its user requirements, functional requirements, and non-functional requirements, including usability, reliability, performance, and security.

1.1 Purpose

The purpose of this document is to define the requirements for the theater ticketing system, capturing the needs of customers and theater administrators. This SRS was developed through a client requirements interview, followed by a team brainstorming session to identify and refine additional functionality, evaluate feasibility, and document potential issues to guide future updates. This document provides a clear and detailed picture of the system's scope, goals, and expected behavior, including its target users, interface design, and the hardware and software needed to support it. The intended audience includes customers, the development and testing teams, and project stakeholders. They can rely on this document as a shared reference for a consistent understanding of the system's functionality throughout the software development lifecycle, from design through implementation.

1.2 Scope

This document defines the requirements for a movie ticketing website that enables users to browse movie listings, view showtimes, select seats, and book tickets online. It covers the needs of administrative users, customers, and the engineers who will be referring to this document, and describes the functionality required to support ticket booking, show scheduling, and related customer-facing features.

In scope for this system are movie listings and showtime browsing, seat selection and booking, payment processing, email confirmation of bookings, QR code generation for ticket check-in, and other related features supporting the end-to-end ticketing experience.

This SRS specifies the requirements for the software to be developed and can also serve as a reference for evaluating existing or third-party software components that may be used in building the system. It can be used directly to guide development, or adapted as a template for defining requirements on similar projects. It does not prescribe any particular method, notation, or tool to be used in preparing the specification itself.

1.3 Definitions, Acronyms, and Abbreviations

FAQ	Frequently Asked Questions
CRM	Customer Relationship
SRS	Software Requirements Specification
UI	User Interface
HTTPS	Hypertext Transfer Protocol Secure
API	Application Programming Interface
PCI	Payment Card Industry
SMTP	Simple Mail Transfer Protocol

1.4 References

1. IEEE Std 830-1998, *IEEE Recommended Practice for Software Requirements Specifications*, Institute of Electrical and Electronics Engineers, 1998.
2. Theater Ticketing System Client Requirements Interview, provided as part of course materials, 2026.
3. Software Requirements Specification Template, provided by course instructor, 2026.

1.5 Overview

The remaining sections of this document provide a general description, including characteristics of the users of this project, the product's hardware, and the functional and data requirements of the product. General description of the project is discussed in section 2 of this document. Section 3 gives the functional requirements, data requirements and constraints and assumptions made while designing the Theater Ticketing System. It also gives the user a viewpoint of the product. Section 3 also gives the specific requirements of the product, and discusses the external interface requirements and gives detailed description of functional requirements. Section 4 is for supporting information.

2. General Description

This section provides a description of the movie ticketing system and its operating environment. It mainly summarizes the functions of our website, the user base that uses the website, the

limitations of the website, and the assumptions and dependencies in the design of the website. This section provides information for the third section, but does not offer detailed design and implementation plans.

2.1 Product Perspective

The cinema ticketing system is an independent system that runs on the website. Users can access our website by searching through the browser or by entering the website address. No software installation is required. The system supports both online and in-person purchasing, with seat and showtime data updated live and shared between the website and in-person point of sale. The website can integrate external payment services such as Apple Pay and PayPal. Users can register as our users by using their Apple account or Google account.

2.2 Product Functions

For users of the website: Create an account and log in, view movie information, select the screening time, choose the viewing seat, purchase movie tickets with regular, deluxe, student, military, or senior pricing, purchase or use a membership card to reserve tickets, view movie tickets and viewing records, submit post-purchase feedback, and view movie ratings and critic reviews.

For cinema managers and customer needs: Add or update movie information, create or modify screening times, manage screening halls and seats, update movie ticket prices, view sales and reservations, and the function for canceling screenings due to special circumstances.
For the backend maintenance personnel: manage user accounts, control employee access rights, maintain website information, and monitor website operation status.

2.3 User Characteristics

Our website can be divided into three types of users: customers, cinema staff and back-end maintenance personnel.

Moviegoers are the main users of this system. They use the website to access their accounts, view movie and screening information, select seats and purchase movie tickets. Since most moviegoers only use the website when planning to watch a movie, they should be occasional users with varying levels of technical experience. They should be able to complete ordinary tasks with little or no formal training. For new users, brief instructions are sufficient. When introducing new features, simple guidance can be provided. Moviegoers can only use the customer-oriented functions.

Cinema management staff will frequently use this system in their daily operations to update movie information, manage seating arrangements, schedule showtimes, and allocate movies to

screening halls. These users should possess basic computer skills and knowledge of theater operations. New staff may require initial training and guidance from experienced staff before independently using the management functions. Theater management has limited administrative privileges, allowing them to manage designated website content and operational information, but they do not have full system administrator privileges.

System administrators and maintenance personnel should possess high-level technical skills and have received specialized training. They are responsible for managing user and employee accounts, configuring system settings, monitoring system operation, diagnosing and resolving technical issues. They have the highest level of management authority over the website; therefore, this role must be restricted to authorized personnel.

2.4 General Constraints

There are the following points in regards to the limitations of this system. The limitations of the platform, as the system needs to run through a browser, may involve issues related to browser compatibility. External platform restrictions: Due to the need to comply with the third-party payment service interface and usage rules, if the third-party service is unavailable, then both payment and login functions will not be able to operate. At present, in terms of permissions, different restrictions are imposed on different user groups. Security and privacy restrictions mean that user data cannot be accessed by unauthorized individuals. The system must comply with applicable data privacy and payment security regulations. The project has a budget of $500,000 and a 4-month timeline to deliver a viable prototype, and covers 20 theaters in the San Diego area (Pacific time zone), supporting at least 1,000 concurrent users.

2.5 Assumptions and Dependencies

Assumptions
The system assumes that the user has a stable internet connection and accesses the website through a supported web browser. It also assumes that the user provides accurate and valid account information, and that the customer has at least one system-supported payment method. The system assumes regular theaters have 150 seats and deluxe theaters have 75 seats, and that ticket refunds are handled in person by theater staff rather than through the system.

Dependencies
The website relies on third-party payment services such as Apple Pay and PayPal, as well as servers and databases, Apple and Google's third-party login services, notification services via email or text messages, and information data provided by cinema staff regarding movie showtimes, seats, and prices.

3. Specific Requirements

This will be the largest and most important section of the SRS. The customer requirements will be embodied within Section 2, but this section will give the D-requirements that are used to guide the project's software design, implementation, and testing.

3.1 External Interface Requirements

3.1.1 User Interfaces

The system shall provide a web-based graphical user interface accessible via standard web browsers (Chrome, Firefox, Safari, Edge). The interface shall include pages for browsing movies, viewing showtimes, selecting seats, checking out, and managing user accounts. The interface shall be responsive and support both desktop and mobile screen sizes. Admin users shall have access to a separate dashboard interface for managing movies, showtimes, and users.

3.1.2 Hardware Interfaces

The system shall not require specialized hardware. Users shall access the system through standard devices (desktop computers, laptops, tablets, smartphones) with internet connectivity. The system shall support standard input devices (keyboard, mouse, touchscreen).

3.1.3 Software Interfaces

The system shall interface with a payment processing service to handle credit card transactions. The system shall interface with a relational database to store movie, user, and transaction data. The system may interface with an email service to send booking confirmations and notifications. The system shall interface with a third-party movie data API, such as Rotten Tomatoes or IMDB, to retrieve movie information such as posters, descriptions, ratings, and critic reviews.

3.1.4 Communications Interfaces

The system shall communicate over HTTPS to ensure secure data transmission between the client and server. The system shall use standard internet protocols (TCP/IP) for all client-server communication. The system shall send email notifications over SMTP for booking confirmations, cancellations, and password resets.

3.2 Functional Requirements

This section describes specific features of the software project. If desired, some requirements may be specified in the use-case format and listed in the Use Cases Section.

3.2.1 Employee operation

3.2.1.1 Introduction:
The authorized cinema staff are required to update the information, prices and showtimes of the movies. The modified version can be seen by customers, but this function cannot be accessed by customers.

3.2.1.2 Inputs

The following inputs are required:

- Employee login credentials, including the employee account and password
- Movie title
- Movie synopsis
- Movie genre
- Movie rating
- Movie poster
- Showtime
- Auditorium or screening location
- Ticket price

3.2.1.3 Processing
After the system is received, it is necessary to check whether the employee account is correct. Based on the movie information, make the necessary modifications. Check whether the new information is complete and the format is correct. Save the modified information to the database, update the information so that customers can see it, and record the modification time and the personnel information.

3.2.1.4 Outputs

The system shall produce the following outputs:

- A confirmation message indicating that the movie information was successfully updated
- The updated movie information displayed on the employee management page
- The updated movie information displayed on the customer-facing page
- A modification record containing the changes, time of modification, and responsible employee, accessible only to authorized staff

3.2.1.5 Error Handling
Employee account error, movie information error, network or database connection failure. Inform the employees when an error occurs.

3.2.2 Purchase Tickets

3.2.2.1 Introduction

This feature allows a customer to browse movies, select a showtime, choose seats, and complete payment to purchase tickets online. Pricing varies by ticket type (regular, deluxe, student, military, senior), and seating is either assigned (deluxe theaters) or general admission (regular theaters). Tickets may be purchased between two weeks in advance and up to 10 minutes after the showtime starts, with a limit of 20 tickets per transaction. Unfinished purchases are abandoned and seats released after 5 minutes.

3.2.2.2 Inputs

Movie, showtime, and seat selection
Ticket type and quantity
Payment information or membership card
Customer account information (if logged in)

3.2.2.3 Processing

The system shall verify the showtime falls within the allowed booking window, check and reserve seat availability for 5 minutes during checkout, and calculate total cost based on ticket type and quantity. It shall process payment through the payment gateway or apply a valid membership card, then release the reservation if payment is not completed within the 5-minute window.


3.2.2.4 Outputs

On-screen and emailed order confirmation (movie, showtime, seats, ticket type, total cost, order number)
Updated seat availability
Post-purchase feedback prompt

3.2.2.5 Error Handling

The system shall reject purchases outside the booking window, orders exceeding 20 tickets, and failed payments, prompting the customer to correct the issue. If selected seats become unavailable during checkout, or the 5-minute window expires, the system shall release the reservation and notify the customer.

3.3 Use Cases



3.3.1 Use Case #1: Log In

Actor: User (Customer or Cinema Management Staff)
Description: A user logs into the system to access account-specific features.
Preconditions: The user has a registered account.
Main Flow:

1. User navigates to the login page.
2. User enters login credentials.
3. System verifies the credentials.
4. System grants access to the appropriate interface (customer-facing pages for a customer, employee management page for cinema staff).
   Postconditions: The user is logged in and has access to role-appropriate features.

3.3.2 Use Case #2 Purchase Movie Ticket

Actor: User (Customer)
Description: A customer views movie and screening information, selects a showtime, chooses seats, and completes payment to purchase tickets, which are then verified at the theater.
Preconditions: The customer has viewed available movies and showtimes.
Main Flow:

1. Customer selects a showtime and desired seats (assigned seating for deluxe theaters, general admission for regular theaters).
2. Customer selects ticket type and quantity (regular, deluxe, student, military, senior).
3. Customer enters payment information or applies a membership card.
4. System verifies the booking window, reserves the selected seats, and processes payment.
5. System confirms the purchase and displays/emails the order confirmation.
6. At the theater, the customer's ticket is verified against their booking record before entry.
   Postconditions: Tickets are purchased, seats are reserved, a confirmation is sent to the customer, and the ticket is verified for entry.

3.3.3 Use Case #3: Manage Movies and Screening Info

Actor: Cinema Management Staff
Description: Authorized cinema staff add, update, or remove movie and showtime information.
Preconditions: The staff member is logged into the employee management page.
Main Flow:

1. Staff member selects a movie to add, update, or remove.
2. Staff member enters or modifies movie details, showtimes, theater assignment, and ticket price.
3. System validates the input and saves the changes.
4. System updates the information on both the employee management page and the customer-facing page.
   Postconditions: Movie and screening information is updated and visible to customers.

3.4 Classes / Objects

3.4.1 Class / Object #1 Movie

3.4.1.1 Attributes

- movieID (Integer): unique identifier for the movie
- title (String): name of the movie
- description (String): short synopsis
- genre (String): movie genre

- rating (String): MPAA rating (e.g., PG-13)
- duration (Integer): running time in minutes
- releaseDate (Date): date the movie is released
- posterURL (String): link to the poster image
- showtimes (List): scheduled screenings, each with theater, date, time, price, and seats available

3.4.1.2 Functions

- getMovieDetails(): returns the movie's information for display
- getShowtimes(): returns available showtimes for the movie
- checkSeatAvailability(showtime): returns the number of open seats for a showtime
- addMovie(), updateMovie(), removeMovie(): admin-only functions for managing the movie catalog

3.4.2 Class / Object #2 Users

3.4.2.1 Attributes

- userID (Integer): unique identifier for the user
- name (String): user's full name
- email (String): email address, used for login
- password (String): stored as a hashed value
- role (Enum: Customer, Admin): determines user permissions
- paymentInfo (Object): saved payment method (Customer only)
- purchaseHistory (List): past ticket purchases (Customer only)
- membershipStatus (Boolean): indicates whether the user holds a paid membership for ticket reservations

3.4.2.2 Functions

All users:

- register(), login(), logout()
- updateProfile()

Customer:

- searchMovies(): find movies by title, genre, or date
- selectSeats(showtime): choose seats for a screening
- purchaseTickets(): pay for and confirm a booking
- cancelBooking(): cancel a purchase where allowed
- viewPurchaseHistory(): view past and upcoming tickets

Admin:

- addMovie(), updateMovie(), removeMovie(): manage the movie catalog
- manageShowtimes(): add or change screenings and prices
- manageUsers(): view or deactivate customer accounts
- overridePurchase(): corrects or reverses a customer purchase error
- viewSalesReports(): view ticket sales data

3.5 Non-Functional Requirements

Non-functional requirements may exist for the following attributes. Often these requirements must be achieved at a system-wide level rather than at a unit level. State the requirements in the following sections in measurable terms (e.g., 95% of transaction shall be processed in less than a second, system downtime may not exceed 1 minute per day, > 30 day MTBF value, etc).

3.5.1 Performance

The system shall respond to user actions such as searching movies, selecting seats, and completing checkout within a time frame that does not disrupt the user experience. Specific target response times (e.g., page load time, transaction processing time) are to be determined based on team decision.

3.5.2 Reliability

The system shall prevent double booking of the same seat for the same showtime under concurrent access. A specific mean time between failures value is to be determined, as this project does not include a live deployment against which reliability could be measured.

3.5.3 Availability

As this system is not deployed to production, an uptime percentage is not applicable. If the system were deployed, an availability target (e.g., percentage uptime, maximum downtime per month) would need to be defined at that time.

3.5.4 Security

The system shall not store user passwords in plain text. The system shall not store complete payment card information directly; payment processing would rely on a third-party processor in a real implementation. Access to admin functions shall be restricted to authenticated users with the Admin role.

3.5.5 Maintainability

The system shall be organized into separate components for movie management, user accounts, and ticket purchasing, so that each part of the system could be modified

independently. Coding standards and documentation practices are to be determined based on team decision.

3.5.6 Portability

The system's interface shall be designed to function on standard modern web browsers and to support both desktop and mobile screen sizes. Specific browser and version support and deployment environment are to be determined, as no deployment platform has been selected.

3.6 Inverse Requirements

State any *useful* inverse requirements.

3.7 Design Constraints

Specify design constrains imposed by other standards, company policies, hardware limitation, etc. that will impact this software project.

3.8 Logical Database Requirements

Will a database be used? If so, what logical requirements exist for data formats, storage capabilities, data retention, data integrity, etc.

3.9 Other Requirements

Catchall section for any additional requirements.

4. Analysis Models

List all analysis models used in developing specific requirements previously given in this SRS. Each model should include an introduction and a narrative description. Furthermore, each model should be traceable the SRS's requirements.

4.1 Sequence Diagrams

4.3 Data Flow Diagrams (DFD)

4.2 State-Transition Diagrams (STD)

5. Change Management Process

Identify and describe the process that will be used to update the SRS, as needed, when project scope or requirements change. Who can submit changes and by what means, and how will these changes be approved.

6. Software Design Specification

This section is the Software Design Specification for GMT (Generic Movie Tickets). It continues the requirements in Sections 1–5 and is written for the developers who will implement and later maintain the system.

6.1 System Description

GMT (Generic Movie Tickets) is a web-based movie ticketing system designed to support ticket sales and theater management for 20 theaters in the San Diego area.

Customers can create and manage their accounts, browse movie descriptions and screening times, select cinemas and seats, purchase movie tickets through supported payment services, and receive electronic reservation confirmations.

The cinema staff log in to the management page using their employee accounts and passwords, add or modify movie information, manage the details of the movie details interface, set or modify the screening time, manage the screening venue and seats, modify the movie ticket prices, view the modification records of movie information, and ensure that all relevant information about the movies is accurate.

System maintenance personnel need to manage customer and employee accounts, set different account permissions, monitor the website, servers and databases, modify necessary system configurations, identify and fix system errors, handle technical issues, review logs and abnormal records, and back up and restore data.

External Services.


- Apple Pay and PayPal: Handling Online Payments;
- Apple and Google Login: Facilitates customer registration or login;
- Email/SMTP and SMS services: Sending ticket purchase confirmations, electronic tickets and password reset notifications;

6.2 Software Architecture Overview

6.2.1 Software Architecture (SWA) Diagram

[Insert the architectural diagram. Show all major components AND the connectors between them, and label each connector with its interaction type. Components suggested by Section 3.1: Web UI (customer and admin dashboard), application server, relational database, payment service (Apple Pay / PayPal), Apple/Google login, email service (SMTP), third-party movie data API.]

[SWA diagram goes here]



6.2.2 SWA Description

Components

Component	Responsibility	Interacts With
WebUI	Browser-based interface for customers (browsing, booking) and staff (movie/showtime management, admin dashboard)	Application server
Application server	Hosts business logic, including Movie and User classes; processes requests and enforces business rules	Web UI, Database, Payment service, Login service, Notification service, Movie data API
Database	Stores movie, user, showtime, and transaction data, partitioned by theater	Application server
Payment service (Apple Pay / PayPal)	External service that processes customer payment transactions	Application server
Apple/Google login service	External service used for account registration and authentication	Application server

Component	Responsibility	Interacts With
Email/SMS notification service	External service used to send booking confirmations and notifications	Application server
Movie data API (Rotten Tomatoes / IMDB)	External service providing movie ratings, descriptions, and critic reviews	Application server


Connectors

Connector (From -> To)	Type / Protocol	Data Exchanged
Web UI -> Application server	HTTPS request/response	User actions (browse, select seats, purchase, login) and page data
Application server -> Database	SQL (transactions)	Movie, user, showtime, and booking records
Application server -> Payment service	HTTPS API call	Payment authorization and confirmation
Application server -> Login service	HTTPS API call(OAuth)	Authentication tokens, account verification
Application server -> Notification service	SMTP / HTTPS API call	Booking confirmations, cancellations, password resets
Application server -> Movie data API	HTTPS API call	Movie ratings, descriptions, critic reviews

6.2.3 UML Class Diagram

[Insert the complete UML class diagram: every class with name, attributes, operations, and the connections between classes (association, aggregation, composition, inheritance) with multiplicities. Section 3.4 defines Movie and Users; add the other classes your design needs (e.g., Showtime, Theater/Auditorium, Seat, Booking/Ticket, Payment, Membership).]

[UML class diagram goes here]



6.2.4 Class Descriptions

6.2.4.1 Class: Movie

Overview

Represents a movie in the catalog and the screenings scheduled for it. Admin-only operations manage the catalog.

Attributes

Attribute	Datatype	Description
movieID	Integer	unique identifier for the movie
title	String	name of the movie
description	String	short synopsis
genre	String	movie genre
rating	String	MPAA rating (e.g., PG-13)
duration	Integer	running time in minutes
releaseDate	Date	date the movie is released

Attribute	Datatype	Description
posterURL	String	link to the poster image
showtimes	List	scheduled screenings, each with theater, date, time, price, and seats available

Operations

Operation	Parameters (name: type)	Returns	Description
getMovieDetails	none	Movie	returns the movie's information for display
getShowtimes	none	List	returns available showtimes for the movie
checkSeatAvailability	showtime: Showtime	Integer	returns the number of open seats for a showtime
addMovie / updateMovie / removeMovie	movie: Movie (add/update), movieID: Integer (remove)	Boolean	admin-only functions for managing the movie catalog

6.2.4.2 Class: Users

Overview

Represents any person with an account. The role attribute (Customer or Admin) determines which operations are permitted.

Attributes

Attribute	Datatype	Description
userID	Integer	unique identifier for the user
name	String	user's full name
email	String	email address, used for login
password	String	stored as a hashed value
role	Enum (Customer, Admin)	determines user permissions
paymentInfo	Object	saved payment method (Customer only)
purchaseHistory	List	past ticket purchases (Customer only)

Attribute	Datatype	Description
membershipStatus	Boolean	whether the user holds a paid membership for ticket reservations

Operations

Operation	Parameters (name: type)	Returns	Description
register/login/logout	name: String, email: String, password: String (register); email: String, password: String (login)	Boolean	all users
updateProfile	userID: Integer, fields: Object	Boolean	all users
searchMovies	query: String	List	Customer: find movies
selectSeats	showtime: Showtime	List<Seat>	Customer: choose seats for a screening
purchaseTickets	showtimeID: Integer, seats: List<Seat>, ticketType: String	Boolean	Customer: pay for and confirm a booking
cancelBooking	orderID: Integer	Boolean	Customer: cancel a purchase where allowed
viewPurchaseHistory	none	List	Customer: view past and upcoming tickets
manageShowtimes	movieID: Integer, showtime: Showtime	Boolean	Admin: add or change screenings and prices
manageUsers	userID: Integer	Boolean	Admin: view or deactivate customer accounts
overridePurchase	orderID: Integer	Boolean	Admin: correct or reverse a customer purchase error
viewSalesReports	none	List<Report>	Admin: view ticket sales data

6.2.5 Data Structures

Data Structure	Type	Purpose	Used In
Showtime record	Struct (within Movie.showtimes)	Represents one scheduled screening: theaterID, date, time, price, seatsAvailable	Movie
Seat map	List<Seat>	Tracks individual assigned seats for deluxe theaters, or a simple available count for general admission	Movie, User
Ticket and purchases	Struct (within User.purchaseHistory)	Represents one booking: orderID, showtimeID, seats, ticketType, totalCost, purchaseTimestamp	User

6.3 Development Plan and Timeline

6.3.1 Partitioning of Tasks

#	Task	Description	Depends On
1	Requirement analysis and framework design	Define database setup, finalize class design, confirm architecture.	NONE
2	UI/UX Design	Design Wireframe and design customer-facing pages (movie browsing, seat selection, checkout) and admin dashboard, per 3.1.1	Task 1
3	Database design and setup	Design and implement the partitioned relational database schema for movies, users, showtimes, and tickets.	Task 1
4	Frontend Development	Build customer and admin website pages and components from the UI/UX designs	Task 2
5	User login authentication and account management	Connect to a third-party login system (Google/Apple) and encrypt the user passwords.	Task 3
6	Movie catalog and showtime management	Implement Movie class operations and admin movie/showtime management interface	Task 3,Task 4

#	Task	Description	Depends On
7	Ticket purchasing flow	Implement seat selection, checkout, booking window/timeout logic, payment gateway integration	Task 4, Task 5, Task 6
8	Testing and quality assurance	Unit and integration testing, including concurrent-access testing for seat booking	Task 7

6.3.2 Timeline

[Estimated schedule per task, with who is responsible. The project has a 4-month timeline (Section 2.4).]

Task #	Start Date	End Date	Milestone / Deliverable	Responsible
1	9/1/2026	9/24/2026	Requirement Specification & Architecture Draft	All Members
2	9/25/2026	10/8/2026	Software Design Specification (SDS) Completed	All Members
3	10/9/2026	10/25/2026	Partitioned Relational Database Schema Setup	All Members
4	10/9/2026	10/30/2026	Customer & Admin Web Layouts and Components	All Members
5	10/26/2026	11/13/2026	Third-Party Auth & Password Encryption Module	All Members
6	10/31/2026	11/18/2026	Movie Catalog & Admin Showtime Endpoints	All Members
7	11/19/2026	12/05/2026	Integrated Ticket Purchasing & Seat Lock Flow	All Members
8	12/06/2026	12/16/2026	Unit/Integration Testing & QA Test Report	All Members

6.3.3 Team Member Responsibilities

Team Member	Role	Responsibilities / Components Owned	GitHub Username
Andres Akerlundh	UI/UX Designer	responsible for the UI/UX design	AA6304

Team Member	Role	Responsibilities / Components Owned	GitHub Username
Madison Stevens	Programmer	responsible for html code and implementation of data structures	MadisonStevens98
Haoze Li	Project Manager	responsible for managing timeline, labor, and quality	hli1614

A. Appendices

Appendices may be used to provide additional (and hopefully helpful) information. If present, the SRS should explicitly state whether the information contained within an appendix is to be considered as a part of the SRS's overall set of requirements.

Example Appendices could include (initial) conceptual documents for the software project, marketing materials, minutes of meetings with the customer(s), etc.

A.1 Appendix 1

A.2 Appendix 2