Teswatch — Fleet API Connection Setup Guide

This guide explains how to connect your Tesla account so that you can view and control vehicle information and functions such as battery status, climate control, door locks, and vehicle location.
Last updated: September 27, 2026

> This Setup Is **Optional.** Teswatch can perform basic functions such as locking and unlocking the vehicle using only the Direct Key feature, which allows the watch to communicate directly with the vehicle via Bluetooth (BLE). The setup below is only required if you want to use features that need to communicate through Tesla's servers via the Fleet API, such as: **Battery status, Charging information, Remote climate control, Vehicle location**

Why Does Each User Need to Set This Up Individually?

The main reason is cost.

Since January 2025, the Tesla Fleet API has become a paid API service where charges are based on usage. If I, as the developer, handled all API requests for every user through a single developer account, API usage would accumulate under my account as the number of users increased. Eventually, I would have to charge a monthly subscription fee to cover those API costs.

Tesla, however, currently provides approximately $10 of free monthly API usage credit per developer account. By creating and using your own Tesla developer account, typical personal usage for one or two vehicles can usually remain within this free allowance, meaning there is generally no ongoing cost.

This is the main reason why each user is asked to complete this setup individually, even though it may initially look a little complicated. Another secondary reason is security: Tesla requires the domain to be registered under the user's own account.

To make the process as simple as possible, you do **not** need to edit code or manually copy and modify program files. The setup has been designed so that it can be completed mostly by clicking a few buttons.

What You Need

- **Google (Gmail) account** — for creating a GitHub account
- **Email address** — for creating a Cloudflare account
- **Tesla account** — for accessing developer.tesla.com

* The free plans for both GitHub and Cloudflare are sufficient.
* No credit card registration is required.

What You Need

- **Google (Gmail) account** — for creating a GitHub account
- **Email address** — for creating a Cloudflare account
- **Tesla account** — for accessing developer.tesla.com

* The free plans for both GitHub and Cloudflare are sufficient.
* No credit card registration is required.

Step 1 — Click the Deployment Button

Click the button/link below. This single button automatically creates the required server (Cloudflare Worker) in your personal Cloudflare account.

Deploy to Cloudflare →

주소: https://deploy.workers.cloudflare.com/?url=https://github.com/Madmachine-X/Teswatch

1. Sign in to your Cloudflare account. (If you do not have one, you can create a free account on the spot.Cloudflare)
2. When prompted to connect a GitHub account, click "**New GitHub connection**". Sign in to GitHub and approve the requested permissions.
3. From the list of connected repositories, select '**Teswatch'**, then click **Next**.
4. Leave the Project name and KV namespace names at their default values, then click **Deploy**.
5. Please wait approximately 1–2 minutes for deployment to complete. (Initializing → Cloning → Installing → Deploying)

Step 2 — Enable Your Access URL

1. After deployment is complete, go to the **Domains** tab at the top.
2. If the toggle for **Worker URL (Production)** is turned off, turn it on.
3. You will now have your own personal URL in a format similar to: `https://teswatch-relay.youraccountname.workers.dev`
   `(*replace 'youraccountname' with your actual account name*)`

Step 3 — Set an Administrator Password (PIN)

1. **Settings** → **Runtime variables and secrets** → Click **Add variable**
2. Name: `SETUP_PIN`
3. Value: Enter any password or PIN you want and activate 'secret' (You will use this password later when accessing the setup page.)
4. Save

Step 4 — Register the App in the Tesla Developer Portal

1. developer.tesla.com → Sign in with your Tesla account
2. Create a new application
3. Enter the following value exactly as the Redirect URI:
   `https://teswatch-relay.youraccountname.workers.dev/callback`
4. After registration is complete, keep open Tesla Developer portal to copy **Client ID**, **Client Secret** later

Step 5 — Complete the Setup on Your Watch

1. Open the Teswatch app on your watch → Settings → **API Settings**
2. In the domain field, enter: `teswatch-relay.youraccountname.workers.dev` (***Do not enter https://**)
3. When you reach the Client ID entry step, select: **"Receive from Phone"** → 6-digit code will appear on the watch.
4. On your phone or PC, open: `https://teswatch-relay.youraccoutname.workers.dev/setup`
5. Enter the PIN you made earlier
6. Follow the instructions displayed on the setup page:

   1) Enter the **6-digit code** and send the **Client ID** (Copy it from the Tesla Developer website you already have open) →

   2) On the watch, open the "**View Tesla Public Key PEM**" screen and use the displayed code to register the public key →

   3) Client ID (Refer to Tesla developer homepage)/Client Secret (Refer to Tesla developer homepage)/Domain (`https://teswatch-relay.youraccoutname.workers.dev/setup`) and click **Register with Tesla**
7. When the registration success message appears, return to your watch and continue by signing in to your Tesla account

> Even a small typo or a difference such as including or omitting https:// can cause an error during the Tesla login process..

Tesla API Billing Information (Reference)

When you create an account at developer.tesla.com, Tesla tracks API usage by request type. Tesla currently provides approximately **$10 of free API usage credit per month**. For typical personal usage involving one or two vehicles controlled from a watch, it is generally difficult to exceed this free allowance.

Usage Type	Description	Approximate Rate
Commands	Sending vehicle commands such as lock/unlock or climate control On/Off	About 719 requests per $1
Data	Retrieving information such as battery or charging status through polling	About 360 requests per $1
Wakes	Waking a sleeping vehicle	About 36 requests per $1
Streaming	Real-time data streaming signals	About 100,000 signals per $1

> **Important:** These rates are provided for reference based on Tesla's published pricing, and **Tesla's policies may change at any time.** At present, typical personal usage can generally remain within the free monthly allowance. However, if Tesla reduces the free credit or increases its API rates in the future, **you may need to pay for usage through your own Tesla Developer account.**
>
> If no payment method (credit card) is registered, you will not be charged; however, API access may be suspended once the free allowance is exhausted. We therefore recommend checking and managing your billing status and API usage directly from your account dashboard at **developer.tesla.com**.

자세한 내용: https://developer.tesla.com/docs/fleet-api/billing-and-limits

Troubleshooting

Problem	What to Check
Cannot access the `/setup` page	Check that the `workers.dev` address is enabled under the **Domains** tab.
The login screen keeps appearing even after entering the PIN	Check that the `SETUP_PIN` value is correctly saved under **Settings → Variables**.
Error after Tesla login	Make sure the Redirect URI registered at developer.tesla.com exactly matches the domain entered on the watch.
Public key registration fails	Reopen the **"View Tesla Public Key PEM"** screen on the watch and try again using the newly generated code.