GENAI-Onecreadit [Administrator]

EXPLORER

GENAI-ONECREADIT
- __pycache__
- .venv
  - Include
  - Lib
  - Scripts
  - pyvenv.cfg
- venv
- .env
- agentex.py 1
- EX1.py

EX1.py > ...

```python
import os
from dotenv import load_dotenv
from openai import OpenAI

load_dotenv("./.env")

client = OpenAI(
    api_key=os.environ.get("GROQ_API_KEY"),
    base_url="https://api.groq.com/openai/v1",
)

response = client.responses.create(
    input="Explain the importance of fast language models",
    model="openai/gpt-oss-20b",
)
print(response.output_text)
```

OUTPUT DEBUG CONSOLE TERMINAL 1 PORTS

TERMINAL

```
PS D:\GENAI-Onecreadit> python Ex1.py
## Why the *speed* of a language model matters

When we talk about "fast language models" we're usually referring to **latency** (time to produce an answer) and **throughput** (how many requests can
 be handled in parallel). In practice, speed is as critical as accuracy because it determines whether an LLM can be used in real-world products, how m
uch it costs to run, and how well it serves the user.

---

### 1. User experience – latency is the invisible cost

* **Immediate feedback** – In chatbots, voice assistants, and real-time translation, a delay of > 0.3 s is perceptible and breaks conversational flow.
 A 1 s lag can feel like the system "thinking", while a 50 ms lag feels instantaneous.
* **Cognitive load** – Long wait times increase user frustration, lead to higher abandonment rates, and can even bias the content the model eventually
 produces (e.g., users might skip steps or stop using a feature).
* **Competitive advantage** – Companies that can answer faster than competitors gain user trust. Apple's Siri, Google Assistant, and Amazon Alexa all
invest heavily in low-latency inference.

### 2. Cost & economics – speed translates to dollars
```

Activate Windows
Go to Settings to activate Windows.

OUTLINE
TIMELINE

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF {} Python 3.11.4 Go Live

Type here to search 33°C Sunny ENG 10:55 AM 14-03-2026

GENAI-Onecreadit [Administrator]

EXPLORER

GENAI-ONECREADIT
- __pycache__
- .venv
- venv
- .env
- agentex.py
- EX1.py

EX1.py > ...

```python
import os
from dotenv import load_dotenv
from openai import OpenAI

load_dotenv("./.env")

client = OpenAI(
    api_key=os.environ.get("GROQ_API_KEY"),
    base_url="https://api.groq.com/openai/v1",
)

response = client.responses.create(
    input="Explain the importance of fast language models",
    model="openai/gpt-oss-20b",
)
print(response.output_text)
```

OUTPUT DEBUG CONSOLE TERMINAL PORTS

TERMINAL

```
PS D:\GENAI-Onecreadit> python Ex1.py
invest heavily in low-latency inference.

### 2. Cost & economics – speed translates to dollars

| Metric | Fast model | Slower model |
|--------|------------|--------------|
| **Inference cost** (GPU-hrs / 1,000 tokens) | $0.02 | $0.10 |
| **Cloud usage** | 10× fewer GPU-hours | 10× more |
| **Total monthly cost** (10M requests) | $200 | $1,000 |

* **More requests per GPU** – With higher throughput you can serve more users on the same hardware, reducing capital and operational expenses.
* **Batching efficiency** – Faster per-token inference allows larger batch sizes to be processed in a given time window, further improving GPU utiliza
tion.
* **Energy bills & sustainability** – Less compute per token means lower electricity usage and CO₂ emissions—important for corporate ESG goals.

### 3. Edge & privacy – speed lets us stay local

* **On-device inference** – Smartphones, IoT devices, and wearables can run a 7B or 8B model only if inference is < 50 ms on a mobile GPU or a special
ized accelerator. This eliminates latency to a server and removes the need to send private data out.
```

Activate Windows

OUTLINE
TIMELINE

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF {} Python 3.11.4 Go Live

Type here to search 33°C Sunny ENG 10:57 AM 14-03-2026

GENAI-Onecreadit [Administrator]

EXPLORER

GENAI-ONECREADIT
- __pycache__
- .venv
- venv
- .env
- agentex.py
- EX1.py

EX1.py

```python
import os
from dotenv import load_dotenv
from openai import OpenAI

load_dotenv("./.env")

client = OpenAI(
    api_key=os.environ.get("GROQ_API_KEY"),
    base_url="https://api.groq.com/openai/v1",
)

response = client.responses.create(
    input="Explain the importance of fast language models",
    model="openai/gpt-oss-20b",
)
print(response.output_text)
```

OUTPUT DEBUG CONSOLE TERMINAL PORTS

TERMINAL

```
PS D:\GENAI-Onecreadit> python Ex1.py
 without compromising functionality.
* **Bandwidth savings** – Low-latency local inference reduces the amount of data that must travel over networks, which is critical in rural or bandwid
th-constrained environments.

### 4. Safety & moderation – quick filtering protects

* **Real-time moderation** – Moderation engines must scan user-generated content instantly. A slow model would queue or fail to keep up with a high-vo
lume chat platform.
* **Adversarial robustness** – Rapid feedback allows systems to detect and react to prompt injection or toxic content before it spreads.

### 5. Training & research – speed accelerates innovation

* **Reinforcement Learning from Human Feedback (RLHF)** – Training loops that involve multiple forward passes per update benefit from fast inference.
A 4x speed-up can cut training time from weeks to days.
* **Experimentation** – Researchers can iterate over architectural tweaks, hyper-parameters, or prompt designs more rapidly when inference is cheap an
d fast.

---
```

Activate Windows
Go to Settings to activate Windows.

OUTLINE
TIMELINE

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF {} Python 3.11.4 Go Live

Type here to search 33°C Sunny ENG 10:57 AM 14-03-2026

GENAI-Onecreadit [Administrator]

EXPLORER

GENAI-ONECREADIT
- __pycache__
- .venv
- venv
- .env
- agentex.py
- EX1.py

EX1.py

```python
import os
from dotenv import load_dotenv
from openai import OpenAI

load_dotenv("./.env")

client = OpenAI(
    api_key=os.environ.get("GROQ_API_KEY"),
    base_url="https://api.groq.com/openai/v1",
)

response = client.responses.create(
    input="Explain the importance of fast language models",
    model="openai/gpt-oss-20b",
)
print(response.output_text)
```

OUTPUT DEBUG CONSOLE TERMINAL PORTS

TERMINAL

```
PS D:\GENAI-Onecreadit> python Ex1.py

## How speed is achieved

| Technique | Description | Typical speed-up |
|---------|---------|---------|
| **Model compression** (pruning, quantization) | Reduce parameter count or bit-precision | 2–5× |
| **Distillation** | Train a smaller student model on a larger teacher | 3–10× |
| **Efficient transformer variants** (e.g., Performer, BigBird, Longformer, FlashAttention) | Reduce attention complexity | 2–4× |
| **Hardware acceleration** (TensorRT, ONNX, custom ASICs) | Optimize kernel execution | 2–8× |
| **Pipeline & async execution** | Overlap computation and I/O | 1.5–3× |
| **Batching & request grouping** | Process multiple requests together | 2–5× |

Combining these strategies can produce a *fast* model that retains most of the accuracy of its larger counterpart. For example, the Llama-3-8B (origin
ally 8 B parameters) can run in ~15 ms on an A100 GPU when quantized to 4-bit and using FlashAttention, comparable to the inference time of a 35 B mod
el on older hardware.

---

## Real-world scenarios that highlight speed importance
```

Activate Windows
Go to Settings to activate Windows.

OUTLINE
TIMELINE

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF {} Python 3.11.4 Go Live

Type here to search 33°C Sunny ENG 10:57 AM 14-03-2026




**DS MADHUMITHA**
**(23isr028)**
**screenshots of exersice1**