PROJEKTPRÄSENTATION SOFTWARE ENGINEERING

Gruppe 10: Florian Djokaj und Markus Käppeler

GLIEDERUNG

1. Go Regeln
2. Version Control System
3. Scrum
4. Layers an MVC
5. Code Coverage
6. CI
7. Design Patterns
8. Components and Interfaces
9. Dependency Injection
10. FILE IO in JSON and XML
11. Documentation
12. TUI
13. GUI

GO RULES

- 2 Spieler, rundenbasiert, abwechselnd
- Schlagen durch Umzingeln
- Selbstmordverbot
- Passen und Spielende
- Tote Steine
- Abrechnung

VERSION CONTROL SYSTEM

Oct 15, 2017 – Jan 26, 2018

Contributions: **Commits**

Contributions to master, excluding merge commits

VERSION CONTROL SYSTEM



SCRUM


scrumwise
Markus
Nobody else is online
Help
Settings
Overview
Projects
People
Backlog
Releases
Burnup
Sprints
Task board
Burndown
More
SE2017WS-10-Go
Usefull end of a game
1 h
Sprint completed
2 Players turn by turn
2 h
Sprint completed
Sprint 2
Resume this sprint
Completed
Team 1
16 hours completed
Florian
5 h
Markus
11 h
Implement a design patterns
Implemnet undo/redo pattern
3 h
Sprint completed
Scoring
8 h
Sprint completed
Menu
Play field
5 h
Sprint completed
Sprint 3
Complete this sprint
In progress
Team 1
1.5 hours behind
Florian
3.5 h left
Markus
1 h left
Components
Done
Dependency Injection
Done
FILE IO
2.5 h left
In progress
Logging
1 h
To do
Documentation
Done
Settings
1 h left
In progress
Bug fixes
1 h left
In progress
Backlog items that are not assigned to any sprint
Game rules
Special optional rules
8 h left
In progress
Game rules
Epic
Auswertung des Spielstands
New
Add a backlog item
Showing 1 of 2 items
Check for Clean Code
3 hours
Implement a design patterns
Epic
Implement a design pattern
4 hours
Standard rules
2 h left
In progress
Add a backlog item
Showing 2 of 3 items
GUI
Epic
Menu
Epic
Add a backlog item
Showing 0 of 2 items
Add a backlog item
Showing 1 of 2 items
GUI
Basic play field
4 hours
Menu
Startup menu
1 hour
Add a sprint
Show
All sprints
Add a backlog item

BURNDOWNCHARTS







LAYERS AND MVC



CODE COVERAGE

COVERAGE	Δ	FILE	LINES	RELEVANT	COVERED	MISSED	HITS/LINE
0.0		...a/de/htwg/se/djokajkaeppeler/aview/gui/Board.scala	91	46	0	46	0.0
0.0		...e/htwg/se/djokajkaeppeler/aview/gui/SwingGui.scala	126	63	0	63	0.0
0.0		src/main/scala/de/htwg/se/djokajkaeppeler/Go.scala	41	17	0	17	0.0
0.0		...a/de/htwg/se/djokajkaeppeler/util/Observable.scala	15	4	0	4	0.0
0.0		...ollerComponent/controllerMockImpl/Controller.scala	55	21	0	21	0.0
0.0		...ppeler/model/gridComponent/gridMockImpl/Grid.scala	49	20	0	20	0.0
0.0		...r/model/fileIoComponent/fileIoXmlImpl/FileIO.scala	109	49	0	49	0.0
0.0		.../model/playerComponent/playerMockImpl/Player.scala	10	2	0	2	0.0
72.0		...n/scala/de/htwg/se/djokajkaeppeler/aview/Tui.scala	67	25	18	7	1.0
85.71		.../de/htwg/se/djokajkaeppeler/util/UndoManager.scala	30	14	12	2	1.0
87.93		...ollerComponent/controllerBaseImpl/Controller.scala	139	58	51 +1	7 -1	1.0
90.7		.../model/fileIoComponent/fileIoJsonImpl/FileIO.scala	103	43	39	4	1.0
95.83		...llerComponent/controllerBaseImpl/SkipCommand.scala	54	24	23	1	1.0
96.15		...llerComponent/controllerBaseImpl/TurnCommand.scala	57	26	25	1	1.0
100.0		...ppeler/model/gridComponent/gridBaseImpl/Grid.scala	153	67	67	0	1.0
100.0		.../gridBaseImpl/GridEvaluationStrategyTemplate.scala	56	24	24	0	1.0
100.0		...t/gridBaseImpl/GridEvaluationChineseStrategy.scala	22	10	10	0	1.0
100.0		...eler/model/gridComponent/gridBaseImpl/Matrix.scala	9	5	5	0	1.0
100.0		...ppeler/model/gridComponent/gridBaseImpl/Cell.scala	96	55	55 +7	0 -7	1.0
100.0		.../model/playerComponent/playerBaseImpl/Player.scala	10	1	1	0	1.0
100.0		...ollerComponent/controllerBaseImpl/SetCommand.scala	24	6	6	0	1.0
100.0		...twg/se/djokajkaeppeler/controller/GameStatus.scala	39	19	19	0	1.0
100.0		...in/scala/de/htwg/se/djokajkaeppeler/GoModule.scala	29	8	8	0	1.0

CONTINIOUS INTIGREATION

MaekTec / GoGame 

Current | Branches | Build History | Pull Requests | Requests | More

✓	8069664	10 minutes ago	Merge pull request #27 from MaekTec/dev	# 118	Build created successfully
✓	#27 43e8044	16 minutes ago	Merge pull request #26 from MaekTec/dev-maektec	# 117	Build created successfully
✓	5a1b8a8	17 minutes ago	Merge pull request #26 from MaekTec/dev-maektec	# 116	Build created successfully
✓	#26 0db59fd	18 minutes ago	added some tests	# 115	Build created successfully
✓	53220d5	21 minutes ago	added some tests	# 114	Build created successfully
✓	61c3702	24 minutes ago	Merge pull request #25 from MaekTec/dev-flobolo	# 113	Build created successfully
✓	#25 11942cc	30 minutes ago	Test for Controller and GameStatus added	# 112	Build created successfully
✓	#24 deb1141	37 minutes ago	Test for Controller and GameStatus added	# 111	Build created successfully
✓	#23 c99e7c3	40 minutes ago	Test for Controller and GameStatus added	# 110	Build created successfully
✓	59bffab	40 minutes ago	Test for Controller and GameStatus added	# 109	Build created successfully
✓	#23 79e65e0	about an hour ago	added test files	# 108	Build created successfully
✓	3995444	about an hour ago	added test files	# 107	Build created successfully
✓	#23 f47ddbd	about an hour ago	Test for Controller and GameStatus added	# 106	Build created successfully
✓	add3989	about an hour ago	Test for Controller and GameStatus added	# 105	Build created successfully
✓	8d30bc2	about 2 hours ago	xml save	# 104	Build created successfully
✓	ec6c7c6	about 2 hours ago	fixed player 2 wins always bug and added tests	# 103	Build created successfully
✓	7420b3c	about 3 hours ago	Merge pull request #22 from MaekTec/dev-logging	# 102	Build created successfully
✓	#22 4b55c26	about 3 hours ago	logging	# 101	Build created successfully

DESIGN PATTERNS

Observer Pattern (for MVC)

Command Pattern (do, undo and redo)

Strategy Pattern (for different rules)

Factory Pattern (in Dependency Injection)

COMMAND PATTERN

```scala
class TurnCommand(row: Int, col: Int, controller: Controller) extends Command{
  var memento: (GridInterface, (PlayerInterface,PlayerInterface)) = (controller.grid, controller.player)
  override def doStep: Unit =   {
    memento = (controller.grid, controller.player)

    controller.gameStatus match {
      case IN_EVALUATION_MARK | IN_EVALUATION_CONFIRM_OR_MARK => {
        controller.grid = controller.grid.markOrUnmarkDeadGroup(row, col)
      }
      case GAME_OVER =>
      case _ => {
        if (controller.gameStatus == PLAYOUT_OR_GAME_OVER) {
          controller.grid = controller.grid.allDeathCellsToAliveAndTeriReverse()
        }
        if (controller.grid.rowColIsValid(row, col) && !controller.grid.cellIsSet(row, col)) {
          var newGrid = controller.grid.set(row, col, controller.playerAtTurn.cellstatus)
          if (newGrid.checkIfMoveIsValid(row, col, controller.playerAtTurn.cellstatus)) {
            newGrid.checkForHits(row, col, controller.playerAtTurn.cellstatus) match {
              case Some(c) => c.foreach(rc => newGrid = newGrid.set(rc._1, rc._2,
                controller.injector.instance[CellFactory].create(CellStatus.EMPTY)))
              case None =>
            }
            controller.grid = newGrid
            controller.setNextPlayer
            controller.gameStatus = NEXT_PLAYER
          } else {
            controller.gameStatus = MOVE_NOT_VALID
          }
        } else {
          controller.gameStatus = MOVE_NOT_VALID
        }
      }
    }
  }

  override def undoStep: Unit = {
    val new_memento = (controller.grid, controller.player)
    controller.grid = memento._1
    controller.player = memento._2
    memento = new_memento
  }

  override def redoStep: Unit = {
    val new_memento = (controller.grid, controller.player)
    controller.grid = memento._1
    controller.player = memento._2
    memento = new_memento
  }
}
```

STRATEGY PATTERN

```
class GridEvaluationChineseStrategy extends GridEvaluationStrategyTemplate {

  override def countPoints(grid: GridInterface): (GridInterface, Int, Int) = {
    val gridToCount = evaluate(grid.removeAllDeadCells())
    var whitePoints = 0
    var blackPoints = 0
    for {
      row <- 0 until gridToCount.size
      col <- 0 until gridToCount.size
    } gridToCount.cellAt(row, col).status match {
      case CellStatus.BLACK | CellStatus.BLACK_TERI => blackPoints += 1
      case CellStatus.WHITE | CellStatus.WHITE_TERI => whitePoints += 1
      case _ =>
    }
    (gridToCount, blackPoints, whitePoints)
  }

}
```

```
trait GridEvaluationStrategyTemplate {

  def countPoints(grid: GridInterface): (GridInterface, Int, Int)

  def evaluate(grid: GridInterface): GridInterface = {
    var territories: Map[CellInterface, Set[Set[(Int, Int)]]] = Map()
    var inTerritories: Set[(Int, Int)] = Set()

    for(r <- 0 until grid.size) {
      for(c <- 0 until grid.size) {
        if (!inTerritories.contains((r, c))) {
          inTerritories += ((r, c))
          var currentCell = grid.cellAt(r, c)
          var (territory, edges) = grid.getSetFilled(r, c, currentCell)
          inTerritories ++= territory
          currentCell.status match {
            case CellStatus.EMPTY | CellStatus.WHITE_TERI | CellStatus.BLACK_TERI =>
              if (edges.size == 1) {
                territories ++= addOrReplaceToMap(territories, territory, edges.toList.head.toTeri)
              } else {
                territories ++= addOrReplaceToMap(territories, territory, Cell(CellStatus.EMPTY))
              }
            case CellStatus.BLACK =>
              territories ++= addOrReplaceToMap(territories, territory, Cell(CellStatus.BLACK))
            case CellStatus.WHITE =>
              territories ++= addOrReplaceToMap(territories, territory, Cell(CellStatus.WHITE))
          }
        }
      }
    }
    mapToGrid(territories, grid.size)
  }

  private def mapToGrid(territories: Map[CellInterface, Set[Set[(Int, Int)]]], size: Int): GridInterface = {
    var gridNew = new Grid(size).asInstanceOf[GridInterface]
    territories.keys.foreach{ t =>
      territories.get(t).toSeq.flatten.flatten.foreach{ c =>
        gridNew = gridNew.set(c._1, c._2, t)
      }
    }
    gridNew
  }
```

COMPONENTS AND INTERFACES



DEPENDENCY INJECTION

```
class GoModule extends AbstractModule with ScalaModule{

  override def configure() = {
    install(new FactoryModuleBuilder().implement(classOf[PlayerInterface], classOf[Player]).build(classOf[PlayerFactory]))
    install(new FactoryModuleBuilder().implement(classOf[GridInterface], classOf[Grid]).build(classOf[GridFactory]))
    install(new FactoryModuleBuilder().implement(classOf[CellInterface], classOf[Cell]).build(classOf[CellFactory]))
    install(new FactoryModuleBuilder().implement(classOf[ControllerInterface], classOf[controllerBaseImpl.Controller]).build(classOf[ControllerFactory]))
    bind[CellInterface].to[Cell]

    bind[FileIOInterface].to[fileIoXmlImpl.FileIO]

  }

}
```

```
case class Grid @AssistedInject() (@Assisted cells:Matrix[CellInterface]) extends GridInterface{
  @AssistedInject() def this(@Assisted size:Int) = this(new Matrix[CellInterface](size, Cell(CellStatus.EMPTY).asInstanceOf[CellInterface]))
```

```
trait GridFactory {
  def create(size: Int): GridInterface
  def create(cells:Matrix[CellInterface]): GridInterface
}
```

```
val injector = Guice.createInjector(new GoModule)
```

```
def createEmptyGrid(size: Int, player: (String, String)):Unit = {
  val grid = injector.instance[GridFactory].create(size)
```

FILE IO IN JSON AND XML



```
{
  "state" : "NEXT_PLAYER",
  "playerOne" : "Player 2",
  "playerTwo" : "Player 1",
  "playerOneCellstatus" : "WHITE",
  "playerTwoCellstatus" : "BLACK",
  "grid" : {
    "size" : 11,
    "cells" : [ {
      "cellstatus" : "EMPTY",
      "row" : 0,
      "col" : 0
    }, {
      "cellstatus" : "WHITE",
      "row" : 0,
      "col" : 1
    }, {
      "cellstatus" : "BLACK",
      "row" : 0,
      "col" : 2
    }, {
```



```
<go>
    <information>
      <activePlayer>
        Player 1
      </activePlayer>
      <activePlayerCellstatus>
        BLACK
      </activePlayerCellstatus>
      <otherPlayer>
        Player 2
      </otherPlayer>
      <otherPlayerCellstatus>
        WHITE
      </otherPlayerCellstatus>
      <state>
        NEXT_PLAYER
      </state>
    </information><grid size="11">
    <cell row="0" col="0">
    WHITE
  </cell><cell row="0" col="1">
    WHITE
  </cell><cell row="0" col="2">
    EMPTY
```

DOCUMENTATION

Go in Scala

This is a implementation of Go in Scala for the SE the class Software Engineering at the University of Applied Science HTWG Konstanz, Germany. (WS 17/18)

Goals of Project

- learning Scala
- learing Git
- Tests
- Srum
- TUI and GUI
- MVC Architecture
- Continious Integretion with Travis CI
- Design Patterns
  - Observer Pattern (for MVC)
  - Command Pattern (do, undo and redo)
  - Strategy Pattern (for different rules)
  - Factory Pattern
- Components and Interfaces
- Dependency Injection
- FILE IO, Serialization in XML and JSON

Go Rules

- https://senseis.xmp.net/?ChineseRules (the rules we implemented)
- https://senseis.xmp.net/?Scoring (All rules)
- https://senseis.xmp.net/?ComputerGoAlgorithms (famous algorithms for Go problems)
- https://www.brettspielnetz.de/spielregeln/go.php (in German, but not sure which rules)

Game Instructions

See the Chinese rules link above for rules.

- Start a new game
  - 'n 11' for a 11 * 11 Grid
  - Options -> Size 11 * 11
- Make a turn
  - '1 1' for example places a stone at row 1 and column 1
  - Click on a crossing
- Skip a turn
  - 's'
  - Skip
- Undo/Redo
  - 'z' and 'y'
  - Edit -> Undo/Redo
- Quit
  - 'q'

When two players skip the evaluation start. Every player can mark dead stones or confirm that all dead stones are marked or play the game out.

TUI DEVELOPMENT

GUI DEVELOPMENT