Guneysu Ayse

TD 3 :

Part 1 :

I understand the working tree, staging area, and commit concepts.

Part 2 :

```
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git --version
git version 2.56.0
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git config user.name
ayse3993
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git config user.email
ayse.guneysu@edu.devinci.fr
```

Part 3 :

```
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git status
On branch ayseguneysu
Your branch is up to date with 'origin/ayseguneysu'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git diff
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]
```

```
:...skipping...
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
:...skipping...
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]
```

```
+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
:...skipping...
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]
```

```
+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
:...skipping...
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]
```

```
 +def get_first_close(prices):
 +    return float(prices[0]["close"])
 +
 +
 +def get_last_close(prices):
 +    return float(prices[-1]["close"])
 +
 +
 +def display_market_summary(asset, prices, show_currency=True):
 +    first_close = get_first_close(prices)
 +    last_close = get_last_close(prices)
 :
```

```
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git --no-pager diff
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+
+    if show_currency:
+        print(f"First close  : {first_close:.2f} {asset['currency']}")
+        print(f"Last close   : {last_close:.2f} {asset['currency']}")
+    else:
+        print(f"First close  : {first_close:.2f}")
+        print(f"Last close   : {last_close:.2f}")

 def main():
     instruments = load_instruments()
@@ -36,26 +57,19 @@ def main():
     instrument_prices = filter_prices(prices, instrument["ticker"])
     benchmark_prices = filter_prices(prices, benchmark["ticker"])

-    instrument_latest = instrument_prices[-1]
-    benchmark_latest = benchmark_prices[-1]
-
     print("=== MarketPulse ===")
     print()
-    print("Instrument")
-    print(f"{instrument['ticker']} - {instrument['name']}")
-    print(f"Last price: {instrument_latest['close']} {instrument['currency']}")
-    print()
-    print("Benchmark")
-    print(f"{benchmark['ticker']} - {benchmark['name']}")
-    print(f"Last level: {benchmark_latest['close']}")
+    print("Market configuration")
+    print(f"Period   : {LOOKBACK_LABEL}")
+    print(f"Interval : {INTERVAL_LABEL}")
     print()
-    print(f"Period: {LOOKBACK_LABEL}")
-    print(f"Interval: {INTERVAL_LABEL}")
+
```

```
+
+    print("Instrument")
+    display_market_summary(instrument, instrument_prices)
     print()
-    print("Observations")
-    print(f"{instrument['ticker']}: {len(instrument_prices)}")
-    print(f"{benchmark['ticker']}: {len(benchmark_prices)}")

+    print("Benchmark")
+    display_market_summary(benchmark, benchmark_prices, False)

 if __name__ == "__main__":
     main()
```

1. I modified the `src/main.py` file during TD02.
2. I added three functions: `get_first_close()`, `get_last_close()` and `display_market_summary()`. I also added the market configuration display.
3. I removed the old lines that displayed the latest prices and observations separately. I replaced them with the new summary functions.
4. Yes, the changes match what I wanted to do in TD02. The code is now more organized and easier to read.
5. No, I checked the diff and there are no temporary debugging prints to remove. The remaining prints are used to display the market summary.

Part 4 :

A modified file has been changed, an untracked file is not followed by Git, and a staged change is ready to be committed.

```
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git status
On branch ayseguneysu
Your branch is up to date with 'origin/ayseguneysu'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git status --short
 M src/main.py
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git diff
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
```

```
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+
:...skipping...
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
+
+    print(f"{asset['ticker']} - {asset['name']}")
```

```
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+
+    if show_currency:
:...skipping...
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+
+    if show_currency:
```

```
+    if show_currency:
+        print(f"First close  : {first_close:.2f} {asset['currency']}")
:...skipping...
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+
+    if show_currency:
+        print(f"First close  : {first_close:.2f} {asset['currency']}")
+        print(f"Last close   : {last_close:.2f} {asset['currency']}")
+    else:
```

```
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+
+    if show_currency:
+        print(f"First close  : {first_close:.2f} {asset['currency']}")
+        print(f"Last close   : {last_close:.2f} {asset['currency']}")
+    else:
+        print(f"First close  : {first_close:.2f}")
+        print(f"Last close   : {last_close:.2f}")

:
```

Part 5 :

`git diff` shows unstaged changes, while `git diff --staged` shows changes ready for the next commit.

```
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git add src/main.py
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git status
On branch ayseguneysu
Your branch is up to date with 'origin/ayseguneysu'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/main.py

@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git diff --staged
diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
```

```
 +def get_first_close(prices):
 +    return float(prices[0]["close"])
 +
 +
 +def get_last_close(prices):
 +    return float(prices[-1]["close"])
 +
 +
 +def display_market_summary(asset, prices, show_currency=True):
 +    first_close = get_first_close(prices)
 +    last_close = get_last_close(prices)
 +
 +    print(f"{asset['ticker']} - {asset['name']}")
 +    print(f"Observations : {len(prices)}")
 +
 +    if show_currency:
 +        print(f"First close  : {first_close:.2f} {asset['currency']}")
 +        print(f"Last close   : {last_close:.2f} {asset['currency']}")
 +    else:
 +        print(f"First close  : {first_close:.2f}")
 +        print(f"Last close   : {last_close:.2f}")
● @ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git diff
```

Part 6 :

I ran MarketPulse to check that it works, then I created a local commit to save my TD02 changes.

```
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ python src/main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git commit -m "feat: improve MarketPulse market summary"
[ayseguneysu 68425cd] feat: improve MarketPulse market summary
 1 file changed, 29 insertions(+), 15 deletions(-)
```

Part 7 :

```
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git status
On branch ayseguneysu
Your branch is ahead of 'origin/ayseguneysu' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git log --oneline
68425cd (HEAD -> ayseguneysu) feat: improve MarketPulse market summary
5e26201 (origin/ayseguneysu) Add files via upload
0866299 Add files via upload
5207db8 first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
@ayse3993 →/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git show HEAD
commit 68425cd89798b4277c0f672016b80d54827bc119 (HEAD -> ayseguneysu)
Author: ayse3993 <ayse.guneysu@edu.devinci.fr>
Date:   Mon Nov 9 16:28:14 2026 +0000

    feat: improve MarketPulse market summary

diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
```

```
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+
+    if show_currency:
:
```

1. I changed the `src/main.py` file.
2. The diff shows the changes I made in TD02, like adding functions to display the first and last closing prices.
3. The commit message is appropriate because I improved the MarketPulse market summary.
4. The author is ayse3993, which is my Git username.

Part 8 :

1. My commit is `68425cd`, about improving the MarketPulse market summary.
2. I added functions to get the first and last closing prices and display the market summary.
3. I changed the code to make the output clearer and better organized.
4. Yes, the diff shows the functions I added and the old code I replaced.
5. Yes, I can find my changes in Git and run the program to check the result.

Part 9 :

It has been done.

Part 10 :

```
@ayse3993 ➜/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git status
On branch ayseguneysu
Your branch is ahead of 'origin/ayseguneysu' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
@ayse3993 ➜/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git log --oneline
68425cd (HEAD -> ayseguneysu) feat: improve MarketPulse market summary
5e26201 (origin/ayseguneysu) Add files via upload
0866299 Add files via upload
5207db8 first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
@ayse3993 ➜/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ python src/main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD
```

```
Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
@ayse3993 ➜/workspaces/esilv-marketpulse-g01-t07 (ayseguneysu) $ git show HEAD
commit 68425cd89798b4277c0f672016b80d54827bc119 (HEAD -> ayseguneysu)
Author: ayse3993 <ayse.guneysu@edu.devinci.fr>
Date:   Mon Nov 9 16:28:14 2026 +0000

    feat: improve MarketPulse market summary

diff --git a/src/main.py b/src/main.py
index 884b045..7aef1ac 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,27 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
```

```
+
+def display_market_summary(asset, prices, show_currency=True):
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
+
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+
+    if show_currency:
```