	Total richness (S _{tot}) n = 120			Insect richness (S _I) n = 120				Plant richness (S _P)			n = 120
	Σw _i	Average MAMs ^a	Best model	Σw_i	Ave	rage MAMs ^b	Best model	Σw _i	Ave	rage MAMs ^c	Best model
Anthropogenic pressures											
Human Influence Index		-	-		-	-	-		-	-	-
Climatic effects											
Annual total precipitation			-		-	-	-		0.29	0.036	-
Annual mean temperature	1.	00 -0.192***	-0.209***		1.00	-0.153**	-0.153***		0.29	-0.025	-
Precipitation seasonality	0.	49 -0.037	-		-	-	-		-	-	_
Temperature seasonality					1.00	0.036	0.036		-	-	-
Sampling effects											
Sampling time	1.	0.231***	0.226***		1.00	0.214***	0.214***		1.00	0.173**	0.170**
Annual time span	1.	0.243***	0.248***		1.00	0.233***	0.233***		1.00	0.232***	0.232***
Sampling method	1.	00 -0.185***	-0.187***		1.00	-0.168**	-0.168**		1.00	-0.182**	-0.161**
Taxonomic resolution	1.	00 -0.169**	-0.162**		1.00	-0.195***	-0.195***		-	-	-
AICc			204.84				225.94				221.47
R ² adjusted			0.484				0.448				0.487
Moran's I		≤ 0.066 ^{NS}	0.066 ^{NS}			0.028 ^{NS}	0.028 ^{NS}			0.019 ^{NS}	0.045 ^{NS}