

Maestro Cloud Control Infrastructure Setup in AWS

Admin Guide

M3AG-2.1

February 2026

Version 2.0

CONTENTS

This document provides the information on the configuration of an instance in AWS Cloud for on premise installation of Maestro.

The described setup is necessary to enable necessary access and performance for Maestro application.

The infrastructure setup in AWS includes several steps:

- Maestro Instance Setup
- Certificate Validation
- OnPrem Infrastructure Deployment

Preface	3
About This Guide.....	3
Audience.....	3
1 Maestro Instance Setup	4
1.1 Maestro Instance Configuration.....	4
1.2 Maestro Instance Setup.....	4
2 Certificate Validation	5
3 Deploy maestro OnPrem Infrastructure	7
3.1 Create a Key Pair	7
3.2 Launch AWS CloudFormation template	8
3.3 Create Route53 record for Load Balancer.....	10
Version History	12

PREFACE

ABOUT THIS GUIDE

This document provides the information on the configuration of an instance in AWS Cloud for on premise installation of Maestro.

The described setup is necessary to enable necessary access and performance for Maestro application.

The infrastructure setup in AWS includes several steps:

- Maestro Instance Setup
- Certificate Validation
- OnPrem Infrastructure Deployment

AUDIENCE

The guide is designed for administrative users who are authorized to perform infrastructure setup for further Maestro configuration.

1 MAESTRO INSTANCE SETUP

1.1 MAESTRO INSTANCE CONFIGURATION

- **Minimum instance type:** m7a.large (2 vCPU, 8 GB RAM)
- **Disk size:** 100 GB
- **Operating System:** Ubuntu 22.04

1.2 MAESTRO INSTANCE SETUP

To setup an instance where Maestro will be installed, complete the following steps:

1. Navigate to **AWS Certificate Manager**, click **Request** and select **Request a public certificate**. This certificate needed to enable https access for Maestro.

The screenshot shows the AWS Certificate Manager (ACM) console. In the left sidebar, 'Request certificate' is selected. The main panel shows 'Certificates (0)' with a 'Request' button highlighted. An arrow points down to the 'Request certificate' page. On this page, 'Request a public certificate' is selected under 'Certificate type'. The 'Next' button is visible at the bottom right.

2. Specify a fully qualified domain name and request certificate as shown below:

The screenshot shows the 'Request public certificate' page in the AWS Certificate Manager console. Under 'Domain names', the 'Fully qualified domain name' is 'maestro-onprem.maestro3.community'. Under 'Validation method', 'DNS validation - recommended' is selected. The 'Next' button is visible at the bottom right.

Key algorithm info
Select an encryption algorithm. Some algorithms may not be supported by all AWS services.

☒ **RSA 2048**
RSA is the most widely used key type.

☐ **ECDSA P 256**
Equivalent in cryptographic strength to RSA 3072.

☐ **ECDSA P 384**
Equivalent in cryptographic strength to RSA 7680.

Tags info
To help you manage your certificates, you can optionally assign your own metadata to each resource in the form of tags.

No tags associated with this resource.

Add tag

You can add 50 more tag(s).

Cancel Previous **Request**

- Once the certificate is requested it will be displayed as pending validation. Find it in the Certificates list:

AWS Certificate Manager > Certificates

Certificates (1) Refresh Delete Manage expiry events Import Request

< 1 > ⚙

☐	Certificate ID	Domain name	Type	Status	In use	Renewal eligibility	Key algorithm
☐	8c24aed9-ecf2-4438-b1a4-b23c8001c0ed	maestro-onprem.maestro3.community	Amazon Issued	⌚ Pending validation	No	Ineligible	RSA 2048

- Open the created certificate entity and scroll down to the Domains section:

Domains (1) Create records in Route 53 Export to CSV

< 1 >

Domain	Status	Renewal status	Type	CNAME name	CNAME value
maestro-onprem.maestro3.community	⌚ Pending validation	-	CNAME	_74b1dc6427b10d9b12c054dbfef01c81.maestro-onprem.maestro3.community.	_a5fa20578a97a10c94ee34a50d7252cd.mhbtsbpndt.acm-validations.aws.


- Copy “CNAME name” and “CNAME value” – it will be needed in following step to validate certificate.

2 CERTIFICATE VALIDATION

In order to validate a certificate, follow the steps below:

- Navigate to **Route53**, select **Hosted Zones** and select a hosted zone related to fully qualified domain name specified during certificate request

Maestro – Maestro Infrastructure Setup in AWS



2. Create a record to verify the certificate (Record name and Value can be obtained from step 5 of Maestro Instance Setup section – these are “CNAME name” and “CNAME value” respectively)

The screenshot shows the 'Quick create record' form in the AWS Route 53 console. It has a 'Switch to wizard' link at the top right. Under 'Record 1', there's a 'Record name' field with a value starting with '_74b1dc6427b10d9b12c054dbfe0' and a domain '.maestro3.community'. The 'Record type' is set to 'CNAME - Routes traffic to another domain name and to some AWS reso...'. There's an 'Alias' toggle switch. The 'Value' field contains '_a5fa20578a97a10c94ee34a50d7252cd.mhbtspbndt.acm-validations.aws.'. Below this, there's a 'TTL (seconds)' field set to '300' and a 'Routing policy' dropdown set to 'Simple routing'. At the bottom, there are 'Cancel' and 'Create records' buttons.

When the record is created, validation can take some time. Once the validation is completed, the certificate status will be changed to “Issued”:

The screenshot shows the AWS Certificate Manager console. At the top, there's a breadcrumb 'AWS Certificate Manager > Certificates'. Below it, a header 'Certificates (1)' with a refresh icon, 'Delete', 'Manage expiry events', 'Import', and a 'Request' button. Below the header is a table with columns: Certificate ID, Domain name, Type, Status, In use, Renewal eligibility, and Key algorithm. The table contains one entry: Certificate ID '8c24aed9-ecf2-4438-b1a4-b23c8001c0ed', Domain name 'maestro-onprem.maestro3.community', Type 'Amazon Issued', Status 'Issued' (with a green checkmark), In use 'No', Renewal eligibility 'Ineligible', and Key algorithm 'RSA 2048'.


3 DEPLOY MAESTRO ONPREM INFRASTRUCTURE

When installed in AWS, Maestro also needs additional infrastructure. The deployment is performed according to the steps listed below in this section.

3.1 CREATE A KEY PAIR

To create a Key Pair to be used to connect to the instance, follow the steps below:

1. Navigate to **EC2 -> Key Pairs -> Create Key Pair**



2. Set the key name as “maestro-service-key” and change Private key file format to “.pem”. After creating key will be downloaded.

Create key pair Info

Key pair

A key pair, consisting of a private key and a public key, is a set of security credentials that you use to prove your identity when connecting to an instance.

Name

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type Info

☒ RSA
 ☐ ED25519

Private key file format

☒ .pem
For use with OpenSSH

☐ .ppk
For use with PuTTY

Tags - *optional*

No tags associated with the resource.


You can add up to 50 more tags.

3.2 LAUNCH AWS CLOUDFORMATION TEMPLATE

The necessary infrastructure is deployed via an AWS CloudFormation template. To do this, complete the following steps:

Please use the template provided together with this instructions.

1. Go to **CloudFormation** -> **Create Stack**



2. Choose **“Upload a template file”** as template source and upload the file provided with this instruction.

Prerequisite - Prepare template

Prepare template
Every stack is based on a template. A template is a JSON or YAML file that contains configuration information about the AWS resources you want to include in the stack.

☒ Template is ready ☐ Use a sample template ☐ Create template in Designer

Specify template
A template is a JSON or YAML file that describes your stack's resources and properties.

Template source
Selecting a template generates an Amazon S3 URL where it will be stored.

☐ Amazon S3 URL
Provide an Amazon S3 URL to your template.

☒ Upload a template file
Upload your template directly to the console.

☐ Sync from Git - new
Sync a template from your Git repository.

Upload a template file
Choose file

maestro-onprem-aws-infra.yml
JSON or YAML formatted file

S3 URL: <https://s3.eu-central-1.amazonaws.com/cf-templates-18gqapog6vkk-eu-central-1/2024-02-22T143444.215Zc0z-maestro-onprem-aws-infra.yml> View in Designer

Cancel Next

3. Specify the following parameters for the template launch:

- Stack name: maestro
- Certificate: ACM certificate ARN created in previous step. To obtain it, navigate to AWS Certificate Manager, open created certificate and copy ARN



- **KeyName:** The key created on step 3.1

Stack name

Stack name can include letters (A-Z and a-z), numbers (0-9), and dashes (-).

Parameters

Parameters are defined in your template and allow you to input custom values when you create or update a stack.

Certificate
Certificate arn to use

EnvPrefix
Environment prefix

EnvSuffix
Environment suffix

EnvironmentName
An environment name that will be used for tags

KeyName
Key Pair for EC2

4. Leave other parameters default, scroll down, and click Next. At “Configure stack options” section keep everything default and move to the **Next** section.

CloudFormation > Stacks > Create stack

Step 1
[Create stack](#)

Step 2
[Specify stack details](#)

Step 3
Configure stack options

Step 4
[Review and create](#)

Configure stack options

Tags
You can specify tags (key-value pairs) to apply to resources in your stack. You can add up to 50 unique tags for each stack.

No tags associated with the stack.

[Add new tag](#)
You can add 50 more tag(s)

Permissions

IAM role - optional
Choose the IAM role for CloudFormation to use for all operations performed on the stack.

IAM role name [Remove](#) [Refresh](#)

Advanced options
You can set additional options for your stack, like notification options and a stack policy. [Learn more](#)

► **Stack policy**
Defines the resources that you want to protect from unintentional updates during a stack update.

► **Rollback configuration**
Specify alarms for CloudFormation to monitor when creating and updating the stack. If the operation breaches an alarm threshold, CloudFormation rolls it back.

► **Notification options**

► **Stack creation options**

Cancel [Previous](#) [Next](#)

5. Scroll down and press Submit

The screenshot shows the 'Review and create' page for a new CloudFormation stack. The left sidebar indicates the current step is 'Review and create'. The main content area is divided into two sections: 'Step 1: Specify template' and 'Step 2: Specify stack details'. In the 'Step 1' section, the 'Prerequisite - Prepare template' shows 'Template is ready'. The 'Template' section displays the 'Template URL' as <https://s3.eu-central-1.amazonaws.com/cf-templates-18gapog6vsk-eu-central-1/2024-02-22T162944.671Zzwc-maestro-onprem-aws-infra.yml> and the 'Stack description' as 'AWS CloudFormation template for VPC'. The 'Step 2' section is currently empty. At the bottom, there are buttons for 'Cancel', 'Previous', and 'Submit'.

Infrastructure creation may take some time. After all resources are created, the stack will be in `CREATE_COMPLETE` state.


The screenshot shows the AWS CloudFormation console. On the left, the 'Stacks (1)' list shows a stack named 'maestro' with a status of 'CREATE_COMPLETE'. On the right, the 'maestro' stack details are displayed. The 'Overview' tab is selected, showing the 'Stack ID' as `arn:aws:cloudformation:eu-central-1:218678211584:stack/maestro/ed9ce160-d1a3-11ee-9e41-06af7ac1d98d` and the 'Description' as 'AWS CloudFormation template for VPC'. The 'Status' is 'CREATE_COMPLETE' and the 'Status reason' is '-'. Other details include 'Root stack' as '-', 'Created time' as '2024-02-22 19:00:49 UTC+0200', and 'Updated time' as '-'. At the top right of the details panel, there are buttons for 'Delete', 'Update', 'Stack actions', and 'Create stack'.

3.3 CREATE ROUTE53 RECORD FOR LOAD BALANCER


To create a Route53 record for Load Balancer, do the following:

1. Navigate to **EC2 -> Load Balancer**. Retrieve Load Balancer DNS name. It will be used in following step.


Maestro – Maestro Infrastructure Setup in AWS



2. Navigate to **Route53 -> Hosted Zones**. Select Hosted zone used for certificate creation and press Create record:



3. Use your certificate from earlier steps as Record name. Choose “CNAME” for Record type. In value field paste Load Balancer DNS retrieved from previous step and click Create record.



VERSION HISTORY

Version	Date	Summary
2.0	February 23, 2026	Structure updated
1.0	March 25, 2024	Initial version created