# Table of Contents

# Assignemnt

Jacobi Itterator

```
% Name         : Mohamed Mafaz
% Roll Number : AM25M009
% Department   : Applied Mechanics

clc;
clear;

loops_taken = 0;

A = [4    1   -1;
     1   -5   -1;
     2   -1   -6];

B = [13; -8; -2];

X = [0; 0; 0];
X_new = [0; 0; 0];

tolerence = 1e-12;
relative_error = 0;
```

# Part 1 (Preprocessing)

Checking if Diagonally Dominant

```
function [] = Diag_dom(A)
    diag_dom = 0;
    for j = 1:length(A)
        sum = 0;
        for i = 1:length(A)
            if i ~= j
                sum = sum + abs(A(j, i)); % abs value of sum of non diagnoal
elements
            end
        end
        if sum > abs(A(j, j))               % Comparing to diagnol elements
            diag_dom = diag_dom + 1
        end
    end
```

```matlab
    if diag_dom > 0
        fprintf('Matrix is not Diagonally dominant :(\n\n')
    else
        fprintf('Matrix is Diagonally dominant :)\n\n')
    end
end

Diag_dom(A)
```

*Matrix is Diagonally dominant :)*

# Part 2 (Processing / Using the function)

```matlab
while (relative_error > tolerence) || loops_taken == 0

    for j = 1:length(A)
        sum = 0;
        for i = 1:length(A)
            if i ~= j
                sum = sum + (A(j, i) * X(i));          % Sum of non
diagnol elements
            end
        end
        X_new(j) = (B(j) - sum) / A(j, j);             % b - sum
                                                       % Jacobi doesnt
use new values right away in the same loop
    end

    relative_error = max(abs(X_new - X) ./ (X_new + 1e-9));  % Calculating
relative error

    X = X_new;                                         % Copying new
array to actual array of initial guesses
    loops_taken = loops_taken + 1;
```

# Part 3 (post processing)

Printing it out

```matlab
    fprintf("Loop: %d    |", loops_taken)
    for i = 1:length(X)
        fprintf("   X_%d: %f   |    ", i, X(i))
    end
    fprintf("\n")
```

*Loop: 1   |   X_1: 3.250000   |      X_2: 1.600000   |      X_3: 0.333333*
*|*

*Loop: 2   |   X_1: 2.933333   |      X_2: 2.183333   |      X_3: 1.150000*
*|*

*Loop: 3   |   X_1: 2.991667   |   X_2: 1.956667   |   X_3: 0.947222*
*|*

*Loop: 4   |   X_1: 2.997639   |   X_2: 2.008889   |   X_3: 1.004444*
*|*

*Loop: 5   |   X_1: 2.998889   |   X_2: 1.998639   |   X_3: 0.997731*
*|*

*Loop: 6   |   X_1: 2.999773   |   X_2: 2.000231   |   X_3: 0.999856*
*|*

*Loop: 7   |   X_1: 2.999906   |   X_2: 1.999983   |   X_3: 0.999886*
*|*

*Loop: 8   |   X_1: 2.999976   |   X_2: 2.000004   |   X_3: 0.999972*
*|*

*Loop: 9   |   X_1: 2.999992   |   X_2: 2.000001   |   X_3: 0.999991*
*|*

*Loop: 10   |   X_1: 2.999998   |   X_2: 2.000000   |   X_3: 0.999997*
*|*

*Loop: 11   |   X_1: 2.999999   |   X_2: 2.000000   |   X_3: 0.999999*
*|*

*Loop: 12   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 13   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 14   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 15   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 16   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 17   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 18   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 19   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 20   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 21   |   X_1: 3.000000   |   X_2: 2.000000   |   X_3: 1.000000*
*|*

*Loop: 22    |   X_1: 3.000000    |      X_2: 2.000000    |      X_3: 1.000000*
*|*

*Loop: 23    |   X_1: 3.000000    |      X_2: 2.000000    |      X_3: 1.000000*
*|*

*Loop: 24    |   X_1: 3.000000    |      X_2: 2.000000    |      X_3: 1.000000*
*|*

```matlab
end

fprintf("\nLoops Taken: %d\n", loops_taken)
fprintf("\nRelative Error: %d\n", relative_error)
```

*Loops Taken: 24*

*Relative Error: 4.013456e-13*

*Published with MATLAB® R2025a*