

Universidad de las Fuerzas Armadas ESPE
Software Engineering
Advanced Web Development
URIS

Project: Biconoir's Restaurant

Team: ByteClub

Biconoirs Gourmet API Documentation

Base URI: <https://biconoirsgourmet>

Main System Modules

- Authentication and Customer Management
- Menu and Food Management
- Reception and Table Management
- Reservations
- Orders and Kitchen Workflow
- Billing and Payments
- Inventory and Analytics

Authentication and Customer Management

Authentication and Customer Management

1. Register a new customer account

- **Endpoint Name:** Customer Registration
- **URI:** <https://biconoirsgourmet/auth/register>
- **Methods:** POST
- **Request:** JSON body with name, email, password, phone, and optional preferences
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 409 Conflict, 422 Unprocessable Entity, 500 Internal Server Error

2. Authenticate a customer or staff member

- **Endpoint Name:** Login Authentication
- **URI:** <https://biconoirsgourmet/auth/login>
- **Methods:** POST

- **Request:** JSON body with email and password
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 500 Internal Server Error

3. Refresh the access session

- **Endpoint Name:** Session Refresh
- **URI:** https://biconoirsgourmet/auth/refresh
- **Methods:** POST
- **Request:** JSON body with refreshToken
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 500 Internal Server Error

4. Close the current session

- **Endpoint Name:** Logout Session
- **URI:** https://biconoirsgourmet/auth/logout
- **Methods:** POST
- **Request:** Header-based authentication token or session cookie
- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 500 Internal Server Error

5. Retrieve the authenticated profile

- **Endpoint Name:** Current User Profile
- **URI:** https://biconoirsgourmet/auth/me
- **Methods:** GET
- **Request:** Authentication header or session cookie
- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 404 Not Found, 500 Internal Server Error

6. Update customer profile data

- **Endpoint Name:** Update Customer Profile
- **URI:** https://biconoirsgourmet/customers/:customerId
- **Methods:** PUT, PATCH
- **Request:** Route parameter customerId and JSON body with name, phone, address, and preferences
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found, 422 Unprocessable Entity

7. List a customer order history

- **Endpoint Name:** Customer Order History
- **URI:** <https://biconoirsgourmet/customers/:customerId/orders>
- **Methods:** GET
- **Request:** Route parameter customerId and optional query parameters from, to, and status
- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 403 Forbidden, 404 Not Found, 500 Internal Server Error

8. Request password recovery

- **Endpoint Name:** Password Recovery Request
- **URI:** <https://biconoirsgourmet/auth/password/forgot>
- **Methods:** POST
- **Request:** JSON body with email
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 404 Not Found, 500 Internal Server Error

9. Reset password with recovery token

- **Endpoint Name:** Password Reset Confirmation
- **URI:** <https://biconoirsgourmet/auth/password/reset>
- **Methods:** POST
- **Request:** JSON body with token, email, password, and passwordConfirmation
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 422 Unprocessable Entity, 500 Internal Server Error

10. Update customer loyalty or preferences

- **Endpoint Name:** Customer Preferences Update
- **URI:** <https://biconoirsgourmet/customers/:customerId/preferences>
- **Methods:** PUT, PATCH
- **Request:** Route parameter customerId and JSON body with favoriteDishes, allergies, communicationPreferences, and loyaltyLevel
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found, 422 Unprocessable Entity

Menu and Food Management

Menu and Food Management

11. List all published menu dishes

- **Endpoint Name:** Menu Catalog
- **URI:** <https://biconoirsgourmet/menu/dishes>
- **Methods:** GET
- **Request:** Optional query parameters category, search, available, page, and perPage
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 500 Internal Server Error

12. Retrieve dish detail

- **Endpoint Name:** Dish Detail
- **URI:** <https://biconoirsgourmet/menu/dishes/:dishId>
- **Methods:** GET
- **Request:** Route parameter dishId
- **Expected HTTP Responses:** 200 OK, 404 Not Found, 500 Internal Server Error

13. Create a new dish

- **Endpoint Name:** Create Dish
- **URI:** <https://biconoirsgourmet/menu/dishes>
- **Methods:** POST
- **Request:** JSON body with name, description, price, categoryId, imageUrl, ingredients, and availability
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 409 Conflict, 422 Unprocessable Entity

14. Update dish information

- **Endpoint Name:** Update Dish
- **URI:** <https://biconoirsgourmet/menu/dishes/:dishId>
- **Methods:** PUT, PATCH
- **Request:** Route parameter dishId and JSON body with name, description, price, categoryId, imageUrl, ingredients, and availability
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found, 422 Unprocessable Entity

15. Delete a dish from the menu

- **Endpoint Name:** Delete Dish
- **URI:** <https://biconoirsgourmet/menu/dishes/:dishId>
- **Methods:** DELETE

- **Request:** Route parameter dishId
- **Expected HTTP Responses:** 204 No Content, 401 Unauthorized, 403 Forbidden, 404 Not Found, 409 Conflict

16. Toggle dish availability

- **Endpoint Name:** Change Dish Availability
- **URI:** <https://biconoirsgourmet/menu/dishes/:dishId/availability>
- **Methods:** PATCH
- **Request:** Route parameter dishId and JSON body with available and reason
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found

17. Attach ingredients to a dish

- **Endpoint Name:** Add Dish Ingredients
- **URI:** <https://biconoirsgourmet/menu/dishes/:dishId/ingredients>
- **Methods:** POST
- **Request:** Route parameter dishId and JSON body with ingredientSku and quantityRequired entries
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found, 409 Conflict

18. Remove an ingredient from a dish

- **Endpoint Name:** Remove Dish Ingredient
- **URI:** <https://biconoirsgourmet/menu/dishes/:dishId/ingredients/:ingredientSku>
- **Methods:** DELETE
- **Request:** Route parameters dishId and ingredientSku
- **Expected HTTP Responses:** 204 No Content, 401 Unauthorized, 403 Forbidden, 404 Not Found

19. List menu categories

- **Endpoint Name:** Menu Categories
- **URI:** <https://biconoirsgourmet/menu/categories>
- **Methods:** GET
- **Request:** Optional query parameters search and activeOnly
- **Expected HTTP Responses:** 200 OK, 500 Internal Server Error

20. Create a menu category

- **Endpoint Name:** Create Category
- **URI:** https://biconoirsgourmet/menu/categories
- **Methods:** POST
- **Request:** JSON body with name, description, and sortOrder
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 409 Conflict, 422 Unprocessable Entity

21. Update a menu category

- **Endpoint Name:** Update Category
- **URI:** https://biconoirsgourmet/menu/categories/:categoryId
- **Methods:** PUT, PATCH
- **Request:** Route parameter categoryId and JSON body with name, description, sortOrder, and active
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found, 422 Unprocessable Entity

22. List ingredients for menu planning

- **Endpoint Name:** Ingredient Catalog for Menu
- **URI:** https://biconoirsgourmet/menu/ingredients
- **Methods:** GET
- **Request:** Optional query parameters name, skuCode, lowStockOnly, and page
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 500 Internal Server Error

23. Retrieve all orders for authenticated user

- **Endpoint Name:** User Orders List
- **URI:** https://biconoirsrestaurant/orders
- **Methods:** GET
- **Request:** Authentication header (User context)
- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 500 Internal Server Error

24. Retrieve order details by ID

- **Endpoint Name:** Order Details
- **URI:** https://biconoirsrestaurant/orders/:orderId
- **Methods:** GET
- **Request:** Route parameter orderId

- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 404 Not Found, 500 Internal Server Error

25. Create a new order from cart items

- **Endpoint Name:** Create Order
- **URI:** <https://biconoirsrestaurant/orders>
- **Methods:** POST
- **Request:** JSON body with items (array of dish_id and quantity), delivery_type, delivery_address, and optional special_instructions
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 401 Unauthorized, 422 Unprocessable Entity, 500 Internal Server Error

26. Update order status

- **Endpoint Name:** Update Order Status
- **URI:** <https://biconoirsrestaurant/orders/:orderId>
- **Methods:** PUT, PATCH
- **Request:** Route parameter orderId and JSON body with status (Admin can update any, user can only cancel own pending order)
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found

27. Cancel an order

- **Endpoint Name:** Cancel Order
- **URI:** <https://biconoirsrestaurant/orders/:orderId>
- **Methods:** DELETE
- **Request:** Route parameter orderId (Only valid if order status is pending)
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found

28. Retrieve all reservations for authenticated user

- **Endpoint Name:** List User Reservations
- **URI:** <https://biconoirsrestaurant/reservations>
- **Methods:** GET
- **Request:** Authentication header
- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 500 Internal Server Error

29. Retrieve specific reservation details

- **Endpoint Name:** Reservation Details
- **URI:** https://biconoirsrestaurant/reservations/:reservationId
- **Methods:** GET
- **Request:** Route parameter reservationId
- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 404 Not Found, 500 Internal Server Error

30. Create a new table reservation

- **Endpoint Name:** Create Reservation
- **URI:** https://biconoirsrestaurant/reservations
- **Methods:** POST
- **Request:** JSON body with reservation_date, reservation_time, party_size, and optional special_requests
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 401 Unauthorized, 409 Conflict, 422 Unprocessable Entity

31. Update reservation

- **Endpoint Name:** Update Reservation
- **URI:** https://biconoirsrestaurant/reservations/:reservationId
- **Methods:** PUT, PATCH
- **Request:** Route parameter reservationId and JSON body with reservation_time and party_size (User can modify own, Admin can modify any)
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found

32. Cancel a reservation

- **Endpoint Name:** Cancel Reservation
- **URI:** https://biconoirsrestaurant/reservations/:reservationId
- **Methods:** DELETE
- **Request:** Route parameter reservationId
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found

33. Retrieve current shopping cart for authenticated user

- **Endpoint Name:** View Cart
- **URI:** https://biconoirsrestaurant/cart
- **Methods:** GET
- **Request:** Authentication header

- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 500 Internal Server Error

34. Add item to shopping cart

- **Endpoint Name:** Add to Cart
- **URI:** <https://biconoirsrestaurant/cart/items>
- **Methods:** POST
- **Request:** JSON body with dish_id and quantity
- **Expected HTTP Responses:** 200 OK, 201 Created, 400 Bad Request, 401 Unauthorized, 404 Not Found

35. Update quantity of item in cart

- **Endpoint Name:** Update Cart Item
- **URI:** <https://biconoirsrestaurant/cart/items/:dishId>
- **Methods:** PUT, PATCH
- **Request:** Route parameter dishId and JSON body with quantity
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 404 Not Found

36. Remove item from shopping cart

- **Endpoint Name:** Remove Cart Item
- **URI:** <https://biconoirsrestaurant/cart/items/:dishId>
- **Methods:** DELETE
- **Request:** Route parameter dishId
- **Expected HTTP Responses:** 200 OK, 204 No Content, 401 Unauthorized, 404 Not Found

37. Clear all items from shopping cart

- **Endpoint Name:** Clear Cart
- **URI:** <https://biconoirsrestaurant/cart>
- **Methods:** DELETE
- **Request:** Authentication header
- **Expected HTTP Responses:** 200 OK, 204 No Content, 401 Unauthorized, 500 Internal Server Error

38. Retrieve all inventory items

- **Endpoint Name:** Inventory Catalog
- **URI:** <https://biconoirsrestaurant/inventory>
- **Methods:** GET

- **Request:** Authentication header (Admin only)
- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 403 Forbidden, 500 Internal Server Error

39. Retrieve specific inventory item details

- **Endpoint Name:** Inventory Item Details
- **URI:** https://biconoirsrestaurant/inventory/:inventoryId
- **Methods:** GET
- **Request:** Route parameter inventoryId
- **Expected HTTP Responses:** 200 OK, 401 Unauthorized, 403 Forbidden, 404 Not Found

40. Add new inventory item

- **Endpoint Name:** Add Inventory Item
- **URI:** https://biconoirsrestaurant/inventory
- **Methods:** POST
- **Request:** JSON body with ingredient_name, current_stock, unit, reorder_level, supplier, unit_cost, and expiry_date (Admin only)
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 422 Unprocessable Entity

41. Update Inventory Item

- **Endpoint Name:** Update Inventory Item
- **URI:** https://biconoirsgourmet/inventory/:inventoryId
- **Methods:** PUT, PATCH
- **Request:** Route parameter inventoryId and JSON body with current_stock, reorder_level, and expiry_date (Admin only)
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found, 422 Unprocessable Entity

42. Delete Inventory Item

- **Endpoint Name:** Delete Inventory Item
- **URI:** https://biconoirsgourmet/inventory/:inventoryId
- **Methods:** DELETE
- **Request:** Route parameter inventoryId (Admin only)

- **Expected HTTP Responses:** 204 No Content, 401 Unauthorized, 403 Forbidden, 404 Not Found, 409 Conflict

Ingredients

43. Ingredient Catalog

- **Endpoint Name:** Ingredient Catalog
- **URI:** <https://biconoirsgourmet/ingredients>
- **Methods:** GET
- **Request:** No authentication required; optional query parameters name and category
- **Expected HTTP Responses:** 200 OK, 500 Internal Server Error

44. Ingredient Details

- **Endpoint Name:** Ingredient Details
- **URI:** <https://biconoirsgourmet/ingredients/:ingredientId>
- **Methods:** GET
- **Request:** Route parameter ingredientId
- **Expected HTTP Responses:** 200 OK, 404 Not Found, 500 Internal Server Error

45. Create Ingredient

- **Endpoint Name:** Create Ingredient
- **URI:** <https://biconoirsgourmet/ingredients>
- **Methods:** POST
- **Request:** JSON body with name, category, unit, description, and unit_cost (Admin only)
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 409 Conflict, 422 Unprocessable Entity

46. Update Ingredient

- **Endpoint Name:** Update Ingredient
- **URI:** <https://biconoirsgourmet/ingredients/:ingredientId>
- **Methods:** PUT, PATCH

- **Request:** Route parameter ingredientId and JSON body with name, category, unit, description, and unit_cost (Admin only)
- **Expected HTTP Responses:** 200 OK, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found, 422 Unprocessable Entity

47. Delete Ingredient

- **Endpoint Name:** Delete Ingredient
- **URI:** https://biconoirsgourmet/ingredients/:ingredientId
- **Methods:** DELETE
- **Request:** Route parameter ingredientId (Admin only)
- **Expected HTTP Responses:** 204 No Content, 401 Unauthorized, 403 Forbidden, 404 Not Found, 409 Conflict

Surveys

48. List Active Surveys

- **Endpoint Name:** List Active Surveys
- **URI:** https://biconoirsgourmet/surveys
- **Methods:** GET
- **Request:** No authentication required
- **Expected HTTP Responses:** 200 OK, 500 Internal Server Error

49. Survey Details

- **Endpoint Name:** Survey Details
- **URI:** https://biconoirsgourmet/surveys/:surveyId
- **Methods:** GET
- **Request:** Route parameter surveyId; returns survey questions and metadata
- **Expected HTTP Responses:** 200 OK, 404 Not Found, 500 Internal Server Error

50. Submit Survey Response

- **Endpoint Name:** Submit Survey Response
- **URI:** https://biconoirsgourmet/surveys/:surveyId/submit
- **Methods:** POST

- **Request:** Route parameter surveyId and JSON body with responses array containing question_id and answer pairs
- **Expected HTTP Responses:** 201 Created, 400 Bad Request, 401 Unauthorized, 404 Not Found, 422 Unprocessable Entity