

Universidad de las Fuerzas Armadas ESPE

Software Engineering

Advanced Web Development

URIS

Project: Biconoir's Restaurant

Team: ByteClub

Biconoirs Gourmet API Documentation

Backend Class Operation

Base URI: <http://3.20.57.154:3000/ops/>

Authentication and Customer Management

1. Register User

- **URI:** auth/register
- **Method:** POST
- **Request body fields**

Field	Type	Required	Description
name	string	Yes	Full name of the user
email	string (email)	Yes	Unique email address
passwordHash	string (min 8)	Yes	Plain-text password — the service hashes it before storing
phone	string	No	Optional phone number

- **Request body example**

```
{
  "name": "John Doe",
  "email": "john@example.com",
  "passwordHash": "myPassword123",
  "phone": "+593 988454546"
}
```

- **Response examples**
- **201 Created**

```
{
  "message": "User registered successfully",
  "data": {
```

```

    "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "refreshToken": "d3f4a1b2c9e8...",
    "expiresIn": 3600,
    "user": {
      "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
      "name": "John Doe",
      "email": "john@example.com",
      "role": "customer"
    }
  }
}

```

- **400 Bad Request**

```

{
  "message": "Invalid input data",
  "errors": [
    { "field": "email", "error": "Must be a valid email address" },
    { "field": "passwordHash", "error": "Minimum 8 characters required" }
  ]
}

```

- **409 Conflict**

```

{
  "message": "Email already registered",
  "data": null
}

```

- **HTTP status codes**

Code	Description
201 Created	Resource created successfully
400 Bad Request	Invalid or missing input fields (validation error)
409 Conflict	Conflict — resource already exists (e.g. duplicate email)

2. Login

- **URI:** auth/login
- **Method:** POST
- **Request body fields**

Field	Type	Required	Description
email	string (email)	Yes	Registered user email
password	string	Yes	Plain-text password

- **Request body example**

```
{
  "email": "john@example.com",
  "password": "myPassword123"
}
```

- **Response examples**
- **200 OK**

```
{
  "message": "Login successful",
  "data": {
    "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "refreshToken": "d3f4a1b2c9e8...",
    "expiresIn": 3600,
    "user": {
      "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
      "name": "John Doe",
      "email": "john@example.com",
      "role": "customer"
    }
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "email", "error": "Must be a valid email address" }
  ]
}
```

- **401 Unauthorized**

```
{
  "message": "Invalid credentials",
  "data": null
}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
400 Bad Request	Invalid or missing input fields (validation error)
401 Unauthorized	Unauthorized — invalid, expired, or missing token

3. Refresh token

- **URI:** auth/refresh
- **Method:** POST
- **Request body fields**

Field	Type	Required	Description
refreshToken	string	Yes	Refresh token obtained during login or register

- **Request body example**

```
{
  "refreshToken": "d3f4alb2c9e8..."
}
```

- **Response examples**
- **200 OK**

```
{
  "message": "Token refreshed successfully",
  "data": {
    "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "expiresIn": 3600
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "refreshToken", "error": "Field is required" }
  ]
}
```

- **401 Unauthorized**

```
{
  "message": "Invalid or revoked refresh token",
  "data": null
}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully

400 Bad Request	Invalid or missing input fields (validation error)
401 Unauthorized	Unauthorized — invalid, expired, or missing token

4. Refresh token

- **URI:** auth/logout
- **Method:** POST
- **Header**

Header	Value	Required
Authorization	Bearer <refreshToken>	Yes

- **Request body example**

```
// No body — refreshToken is sent in the Authorization header
```

- **Response examples**
- **200 OK**

```
{
  "message": "Logged out successfully",
  "data": {
    "revokedSessions": 1
  }
}
```

- **401 Unauthorized**

```
{
  "message": "Token not provided or already revoked",
  "data": null
}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
401 Unauthorized	Unauthorized — invalid, expired, or missing token

5. Get own profile

- **URI:** auth/logout
- **Method:** GET
- **Header**

Header	Value	Required
x-user-id	<userId>	Yes

- **Request body example**

```
// No body – userId is sent in the x-user-id header
```

- **Response examples**
- **200 OK**

```
{
  "message": "Profile retrieved successfully",
  "data": {
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "name": "John Doe",
    "email": "john@example.com",
    "phone": "+1-555-000-0000",
    "role": "customer",
    "preferences": {
      "favoriteDishes": ["item-001", "item-005"],
      "allergies": ["gluten"],
      "communicationPreferences": { "email": true, "sms": false },
      "loyaltyLevel": 2
    },
    "createdAt": "2025-01-15T10:00:00Z"
  }
}
```

- **401 Unauthorized**

```
{
  "message": "Unauthorized – x-user-id header is required",
  "data": null
}
```

- **404 Not Found**

```
{
  "message": "User not found",
  "data": null
}
```

- **HTTP status codes**

Code	Description
------	-------------

200 OK	Request processed successfully
401 Unauthorized	Unauthorized — invalid, expired, or missing token
404 Not Found	Resource not found

6. Request password recovery

- **URI:** auth/password/forgot
- **Method:** POST
- **Request body fields**

Field	Type	Required	Description
email	string (email)	Yes	Email of the account to recover

- **Request body example**

```
{
  "email": "john@example.com"
}
```

- **Response examples**
- **200 OK**

```
{
  "message": "If the email is registered, you will receive a recovery link",
  "data": null
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "email", "error": "Must be a valid email address" }
  ]
}
```

- **404 Not Found**

```
{
  "message": "No account found with that email",
  "data": null
}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
400 Bad Request	Invalid or missing input fields (validation error)
404 Not Found	Resource not found

7. Reset password

- **URI:** auth/password/reset
- **Method:** POST
- **Request body fields**

Field	Type	Required	Description
token	string	Yes	Token received by email (password_reset_token)
newPassword	string (min 8)	Yes	New plain-text password

- **Request body example**

```
{
  "token": "abc123def456...",
  "newPassword": "newSecurePassword123"
}
```

- **Response examples**
- **200 OK**

```
{
  "message": "Password updated successfully",
  "data": {
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "email": "john@example.com"
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "newPassword", "error": "Minimum 8 characters required" }
  ]
}
```


- **401 Unauthorized**

```
{
  "message": "Invalid or expired token",
  "data": null
}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
400 Bad Request	Invalid or missing input fields (validation error)
401 Unauthorized	Unauthorized — invalid, expired, or missing token

8. Update customer

- **URI:** /customers/:customerId
- **Method:** PUT
- **URI Params:**

Param	Type	Required	Description
customerId	string	Yes	ID of the user to update

- **Request body fields**

Field	Type	Required	Description
name	string	No	New full name
email	string (email)	No	New unique email address
phone	string	No	New phone number

- **Request body example**

```
{
  "name": "John Doe",
  "email": "john@example.com",
  "phone": "+1-555-000-0000"
}
```

```
}
```

- **Response examples**
- **200 OK**

```
{
  "message": "Customer updated successfully",
  "data": {
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "name": "John Doe",
    "email": "john@example.com",
    "phone": "+1-555-000-0000",
    "role": "customer",
    "preferences": {
      "favoriteDishes": [],
      "allergies": [],
      "communicationPreferences": {},
      "loyaltyLevel": 1
    },
    "createdAt": "2025-01-15T10:00:00Z"
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "email", "error": "Must be a valid email address" }
  ]
}
```

- **404 Not Found**

```
{
  "message": "Customer not found",
  "data": null
}
```

- **HTTP status codes**

Code	Description
200	Customer updated successfully
400	Invalid or missing input fields
404	Customer not found

9. Get customer orders

- **URI:** /customers/:customerId/orders
- **Method:** GET
- **URI Params:**

Param	Type	Required	Description
customerId	string	Yes	ID of the customer

- **Response examples**
- **200 OK**

```
{
  "message": "Orders retrieved successfully",
  "data": [
    {
      "orderId": "ord-001",
      "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
      "totalAmount": 45.50,
      "status": "delivered",
      "deliveryType": "delivery",
      "deliveryAddress": "123 Main St, Springfield",
      "specialInstructions": "Leave at the door",
      "createdAt": "2025-01-15T10:00:00Z"
    },
    {
      "orderId": "ord-002",
      "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
      "totalAmount": 22.00,
```

```

        "status": "pending",
        "deliveryType": "dine_in",
        "deliveryAddress": null,
        "specialInstructions": null,
        "createdAt": "2025-01-20T18:30:00Z"
      }
    ]
  }
  // No orders Found
  {
    "message": "Orders retrieved successfully",
    "data": []
  }

```

- **404 Not Found**

```

{
  "message": "Customer not found",
  "data": null
}

```

- **HTTP status codes**

Code	Description
200	Orders returned (empty array if none)
404	Customer not found

10. Update customer preferences

- **URI:** /customers/:customerId/preferences
- **Method:** PATCH
- **URI Params:**

Param	Type	Required	Description
customerId	string	Yes	ID of the customer

- **Request body fields**

Field	Type	Required	Description
preferences	object	Yes	Full preferences object to replace the current one

- **Request body example**

```
{
  "preferences": {
    "favoriteDishes": ["item-001", "item-005"],
    "allergies": ["gluten", "lactose"],
    "communicationPreferences": {
      "email": true,
      "sms": false
    },
    "loyaltyLevel": 2
  }
}
```

- **Response examples**
- **200 OK**

```
{
  "message": "Preferences updated successfully",
  "data": {
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "name": "John Doe",
    "email": "john@example.com",
    "phone": "+1-555-000-0000",
    "role": "customer",
    "preferences": {
      "favoriteDishes": ["item-001", "item-005"],
      "allergies": ["gluten", "lactose"],
      "communicationPreferences": {
        "email": true,
        "sms": false
      },
    },
  }
}
```

```
      "loyaltyLevel": 2
    },
    "createdAt": "2025-01-15T10:00:00Z"
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "preferences", "error": "Must be a valid object" }
  ]
}
```

- **404 Not Found**

```
{
  "message": "Customer not found",
  "data": null
}
```

- **HTTP status codes**

Code	Description
200	Preferences updated successfully
400	Invalid or missing preferences field
404	Customer not found

Menu

11. Get all dishes

- **URI:** /menu/dishes
- **Method:** GET
- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{ "message": "Dishes retrieved successfully", "data": [  
  {  
    "itemId": "uuid-001",  
    "name": "Margherita Pizza",  
    "description": "Classic pizza with tomato and mozzarella",  
    "price": 12.99,  
    "categoryId": "cat-001",  
    "imageUrl": "https://cdn.example.com/pizza.jpg",  
    "isAvailable": true,  
    "availabilityReason": null,  
    "createdAt": "2025-01-15T10:00:00Z"  
  }  
]}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully

12. Get dish by ID

- **URI:** /menu/dishes/:dishID
- **Method:** GET
- **URL Parameters**

Param	Type	Required	Description
-------	------	----------	-------------

dishId	string	Yes	ID of the dish
--------	--------	-----	----------------

- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{ "message": "Dish retrieved successfully", "data": {  
  "itemId": "uuid-001",  
  "name": "Margherita Pizza",  
  "description": "Classic pizza with tomato and mozzarella",  
  "price": 12.99,  
  "categoryId": "cat-001",  
  "imageUrl": "https://cdn.example.com/pizza.jpg",  
  "isAvailable": true,  
  "availabilityReason": null,  
  "createdAt": "2025-01-15T10:00:00Z"  
}}
```

- **404 Not Found**

```
{ "message": "Dish not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
404 Not Found	Resource not found

13. Create dish

- **URI:** /menu/dishes
- **Method:** POST
- **Request body fields**

Field	Type	Required	Description
name	string	Yes	Name of the dish
price	number (min 0)	Yes	Price of the dish
description	string	No	Optional description
categoryId	string	No	ID of the category
imageUrl	string	No	URL of the dish image
isAvailable	boolean	No	Availability flag (default true)
availabilityReason	string	No	Reason if unavailable

- **Request body example**

```
{
  "name": "Margherita Pizza",
  "price": 12.99,
  "description": "Classic pizza with tomato and mozzarella",
  "categoryId": "cat-001",
  "imageUrl": "https://cdn.example.com/pizza.jpg",
  "isAvailable": true
}
```

- **Response examples**
- **201 Created**

```
{ "message": "Dish created successfully", "data": {
  "itemId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Margherita Pizza",
  "description": "Classic pizza with tomato and mozzarella",
  "price": 12.99,
  "categoryId": "cat-001",
  "imageUrl": "https://cdn.example.com/pizza.jpg",
```

```
"isAvailable": true,

"availabilityReason": null,

"createdAt": "2025-01-15T10:00:00Z"

}}
```

- **400 Bad Request**

```
{ "message": "Invalid input data", "errors": [

  { "field": "name", "error": "Field is required" },

  { "field": "price", "error": "Must be a number >= 0" }

]}
```

- **HTTP status codes**

Code	Description
201 Created	Resource created successfully
400 Bad Request	Invalid or missing input fields

14. Update dish

- **URI: /menu/dishes/:dishId**
- **Method: PUT**
- **URL Parameters**

Param	Type	Required	Description
dishId	string	Yes	ID of the dish to update

- **Request body fields**

Field	Type	Required	Description
name	string	No	New name
description	string	No	New description

price	number (min 0)	No	New price
categoryId	string	No	New category ID
imageUrl	string	No	New image URL
isAvailable	boolean	No	New availability flag
availabilityReason	string	No	New availability reason

- **Request body example**

```
{
  "name": "Margherita Pizza XL",
  "price": 15.99,
  "isAvailable": true
}
```

- **Response examples**
- **200 OK**

```
{ "message": "Dish updated successfully", "data": {
  "itemId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Margherita Pizza XL",
  "price": 15.99,
  "isAvailable": true,
  "createdAt": "2025-01-15T10:00:00Z"
}}
```

-
- **400 Bad Request**

```
{ "message": "Invalid input data", "errors": [
  { "field": "price", "error": "Must be a number >= 0" }
]}
```

- **404 Not Found**

```
{ "message": "Dish not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
400 Bad Request	Invalid or missing input fields
404 Not Found	Resource not found

15. Delete dish

- **URI: /menu/dishes/:dishId**
- **Method: DELETE**
- **URL Parameters**

Param	Type	Required	Description
dishId	string	Yes	ID of the dish to delete

- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{ "message": "Dish deleted successfully", "data": {
  "itemId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Margherita Pizza XL"
}}
```

- **404 Not Found**

```
{ "message": "Dish not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
404 Not Found	Resource not found

16. Update dish availability

- **URI:** /menu/dishes/:dishId/availability
- **Method:** PATCH
- **URL Parameters**

Param	Type	Required	Description
dishId	string	Yes	ID of the dish

- **Request body fields**

Field	Type	Required	Description
isAvailable	boolean	Yes	New availability status
availabilityReason	string	No	Reason for unavailability

- **Request body example**

```
{
  "isAvailable": false,
  "availabilityReason": "Out of stock"
}
```

- **Response examples**
- **200 OK**

```
{ "message": "Dish availability updated successfully", "data": {
  "itemId": "alb2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Margherita Pizza XL",
```

```
"isAvailable": false,

"availabilityReason": "Out of stock"

}}
```

- **400 Bad Request**

```
{ "message": "Invalid input data", "errors": [

  { "field": "isAvailable", "error": "Field is required and must be a boolean" }

]}
```

- **404 Not Found**

```
{ "message": "Dish not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
400 Bad Request	Invalid or missing input fields
404 Not Found	Resource not found

17. Add ingredient to dish

- **URI: /menu/dishes/:dishId/ingredients**
- **Method: POST**
- **URL Parameters**

Param	Type	Required	Description
dishId	string	Yes	ID of the dish

- **Request body fields**

Field	Type	Required	Description
-------	------	----------	-------------

skuCode	string	Yes	SKU of the ingredient to link
quantityRequired	number (min 0)	Yes	Quantity needed for the dish

- **Request body example**

```
{
  "skuCode": "ING-001",
  "quantityRequired": 200
}
```

- **Response examples**
- **201 Created**

```
{ "message": "Ingredient added to dish successfully", "data": {
  "itemId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "skuCode": "ING-001",
  "quantityRequired": 200
}}
```

- **400 Bad Request**

```
{ "message": "Invalid input data", "errors": [
  { "field": "skuCode", "error": "Field is required" }
]}
```

- **404 Not Found**

```
{ "message": "Dish or ingredient not found", "data": null }
```

- **409 Conflict**

```
{ "message": "Ingredient already linked to this dish", "data": null }
```

- **HTTP status codes**

Code	Description
201 Created	Resource created successfully

400 Bad Request	Invalid or missing input fields
404 Not Found	Resource not found
409 Conflict	Conflict — resource already exists

18. Remove ingredient from dish

- **URI:** /menu/dishes/:dishId/ingredients/:sku
- **Method:** DELETE
- **URL Parameters**

Param	Type	Required	Description
dishId	string	Yes	ID of the dish
sku	string	Yes	SKU of the ingredient to remove

- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{ "message": "Ingredient removed from dish successfully", "data": {
  "itemId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "skuCode": "ING-001",
  "quantityRequired": 200
}}
```

- **404 Not Found**

```
{ "message": "Ingredient link not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
404 Not Found	Resource not found

19. Get all categories

- **URI: /menu/categories**
- **Method: GET**
- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{ "message": "Categories retrieved successfully", "data": [
  {
    "categoryId": "cat-001",
    "name": "Pizzas",
    "description": "All pizza varieties",
    "sortOrder": 1,
    "active": true
  }
]}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully

20. Create category

- **URI:** /menu/categories
- **Method:** POST
- **Request body fields**

Field	Type	Required	Description
name	string	Yes	Name of the category
description	string	No	Optional description
sortOrder	number	No	Display order (default 0)
active	boolean	No	Whether active (default true)

- **Request body example**

```
{
  "name": "Pizzas",
  "description": "All pizza varieties",
  "sortOrder": 1,
  "active": true
}
```

- **Response examples**
- **201 Created**

```
{ "message": "Category created successfully", "data": {
  "categoryId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Pizzas",
  "description": "All pizza varieties",
  "sortOrder": 1,
  "active": true
}}
```

- **400 Bad Request**

```
{ "message": "Invalid input data", "errors": [
```

```
{ "field": "name", "error": "Field is required" }  
}}
```

- **HTTP status codes**

Code	Description
201 Created	Resource created successfully
400 Bad Request	Invalid or missing input fields

21. Update category

- **URI:** /menu/categories/:categoryId
- **Method:** PUT
- **URL Parameters**

Param	Type	Required	Description
categoryId	string	Yes	ID of the category to update

- **Request body fields**

Field	Type	Required	Description
name	string	No	New name
description	string	No	New description
sortOrder	number	No	New sort order
active	boolean	No	New active status

- **Request body example**

```
{  
  "name": "Italian Pizzas",  
  "sortOrder": 2,  
}
```

```
"active": false
}
```

- **Response examples**
- **200 OK**

```
{ "message": "Category updated successfully", "data": {
  "categoryId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Italian Pizzas",
  "description": "All pizza varieties",
  "sortOrder": 2,
  "active": false
}}
```

- **400 Bad Request**

```
{ "message": "Invalid input data", "errors": [
  { "field": "sortOrder", "error": "Must be a number" }
]}
```

- **404 Not Found**

```
{ "message": "Category not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
400 Bad Request	Invalid or missing input fields
404 Not Found	Resource not found

22. Get all ingredients

- **URI: /menu/ingredients**
- **Method: GET**

- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{ "message": "Ingredients retrieved successfully", "data": [  
  {  
    "skuCode": "ING-001",  
    "name": "Mozzarella",  
    "category": "Dairy",  
    "description": "Fresh mozzarella cheese",  
    "unitOfMeasurement": "grams",  
    "unitCost": 0.05  
  }  
]}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully

Orders

23. Get all orders

- **URI: /orders**
- **Method: GET**
- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{  
  "message": "Orders retrieved successfully",
```

```

"data": [
  {
    "orderId": "uuid-001",
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "totalAmount": 45.50,
    "status": "pending",
    "deliveryType": "delivery",
    "deliveryAddress": "123 Main St, Springfield",
    "specialInstructions": "Leave at the door",
    "createdAt": "2025-01-15T10:00:00Z",
    "items": [
      { "orderId": 1, "itemId": "uuid-dish-001", "quantity": 2,
"priceAtPurchase": 12.99 }
    ]
  }
]

```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully

24. Get order by ID

- **URI: /orders/:orderId**
- **Method: GET**
- **URL Parameters**

Param	Type	Required	Description
orderId	string	Yes	ID of the order

- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{
  "message": "Order retrieved successfully",
  "data": {
    "orderId": "uuid-001",
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "totalAmount": 45.50,
    "status": "pending",
    "deliveryType": "delivery",
    "deliveryAddress": "123 Main St, Springfield",
    "specialInstructions": "Leave at the door",
    "createdAt": "2025-01-15T10:00:00Z",
    "items": [
      { "orderId": 1, "itemId": "uuid-dish-001", "quantity": 2,
        "priceAtPurchase": 12.99 },
      { "orderId": 2, "itemId": "uuid-dish-002", "quantity": 1,
        "priceAtPurchase": 19.52 }
    ]
  }
}
```

- **404 Not Found**

```
{ "message": "Order not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
404 Not Found	Resource not found

25. Create Order

- **URI: /orders**

- **Method: POST**
- **Request body fields**

Field	Type	Required	Description
userId	string	No	ID of the customer placing the order
totalAmount	number (min 0)	Yes	Total price of the order
deliveryType	string	Yes	delivery, dine_in, or pickup
deliveryAddress	string	No	Required if deliveryType is delivery
specialInstructions	string	No	Optional notes for the kitchen
status	string	No	Initial status (default: pending)
items	array (min 1)	Yes	List of ordered dishes
items[].itemId	string	Yes	ID of the menu item
items[].quantity	number (min 1)	Yes	Quantity ordered
items[].priceAtPurchase	number (min 0)	Yes	Price at time of order

- **Request body example**

```
{
  "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "totalAmount": 45.50,
  "deliveryType": "delivery",
  "deliveryAddress": "123 Main St, Springfield",
  "specialInstructions": "Leave at the door",
```



```
"items": [
  { "itemId": "uuid-dish-001", "quantity": 2, "priceAtPurchase": 12.99 },
  { "itemId": "uuid-dish-002", "quantity": 1, "priceAtPurchase": 19.52 }
]
```

- **Response examples**
- **201 Created**

```
{
  "message": "Order created successfully",
  "data": {
    "orderId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "totalAmount": 45.50,
    "status": "pending",
    "deliveryType": "delivery",
    "deliveryAddress": "123 Main St, Springfield",
    "specialInstructions": "Leave at the door",
    "createdAt": "2025-01-15T10:00:00Z",
    "items": [
      { "orderItemId": 1, "itemId": "uuid-dish-001", "quantity": 2,
        "priceAtPurchase": 12.99 },
      { "orderItemId": 2, "itemId": "uuid-dish-002", "quantity": 1,
        "priceAtPurchase": 19.52 }
    ]
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "deliveryType", "error": "Field is required" },
    { "field": "items", "error": "Must contain at least 1 item" }
  ]
}
```

```
}
```

- **HTTP status codes**

Code	Description
201 Created	Resource created successfully
400 Bad Request	Invalid or missing input fields

26. Update order

- **URI: /orders/:orderId**
- **Method: PUT**
- **URL Parameters**

Param	Type	Required	Description
orderId	string	Yes	ID of the order to update

- **Request body fields**

Field	Type	Required	Description
totalAmount	number (min 0)	No	New total amount
status	string	No	New order status
deliveryType	string	No	New delivery type
deliveryAddress	string	No	New delivery address
specialInstructions	string	No	New special instructions

- **Request body example**

```
{
```

```
"status": "confirmed",  
"specialInstructions": "Ring the bell twice"  
}
```

- **Response examples**
- **200 OK**

```
{  
  "message": "Order updated successfully",  
  "data": {  
    "orderId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",  
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",  
    "totalAmount": 45.50,  
    "status": "confirmed",  
    "deliveryType": "delivery",  
    "deliveryAddress": "123 Main St, Springfield",  
    "specialInstructions": "Ring the bell twice",  
    "createdAt": "2025-01-15T10:00:00Z",  
    "items": [  
      { "orderId": 1, "itemId": "uuid-dish-001", "quantity": 2,  
        "priceAtPurchase": 12.99 }  
    ]  
  }  
}
```

- **400 Bad Request**

```
{  
  "message": "Invalid input data",  
  "errors": [  
    { "field": "status", "error": "Must be a string" }  
  ]  
}
```

- **404 Not Found**

```
{ "message": "Order not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
400 Bad Request	Invalid or missing input fields
404 Not Found	Resource not found

27. Delete order

- **URI: /orders/:orderId**
- **Method: DELETE**
- **URL Parameters**

Param	Type	Required	Description
orderId	string	Yes	ID of the order to delete

- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{
  "message": "Order deleted successfully",
  "data": {
    "orderId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "status": "pending",
    "totalAmount": 45.50
  }
}
```

- **404 Not Found**

```
{ "message": "Order not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
404 Not Found	Resource not found

Surveys

28. Get all surveys

- **URI: surveys**
- **Method: GET**
- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{
  "message": "Surveys retrieved successfully",
  "data": [
    { "surveyId": "uuid-001", "title": "Customer Satisfaction Q1", "isActive": true },
    { "surveyId": "uuid-002", "title": "Delivery Experience", "isActive": false }
  ]
}
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully

-

29. Get survey by ID

- **URI:** surveys/:surveyId
- **Method:** GET
- **URL Parameters**

Param	Type	Required	Description
surveyId	string	Yes	ID of the survey

- **Request body example**

```
// No body
```

- **Response examples**
- **200 OK**

```
{
  "message": "Survey retrieved successfully",
  "data": {
    "surveyId": "uuid-001",
    "title": "Customer Satisfaction Q1",
    "isActive": true,
    "responses": [
      {
        "responseId": 1,
        "surveyId": "uuid-001",
        "userId": "alb2c3d4-e5f6-7890-abcd-ef1234567890",
        "questionId": "q-001",
        "answer": "Very satisfied",
        "createdAt": "2025-01-15T10:00:00Z"
      }
    ]
  }
}
```

- **404 Not Found**

```
{ "message": "Survey not found", "data": null }
```

- **HTTP status codes**

Code	Description
200 OK	Request processed successfully
404 Not Found	Resource not found

30. Submit survey responses

- **URI:** surveys/:surveyId/
- **Method:** POST
- **URL Parameters**

Param	Type	Required	Description
surveyId	string	Yes	ID of the survey to respond to

- **Request body fields**

Field	Type	Required	Description
user_id	string	No	ID of the user submitting (null if anonymous)
responses	array (min 1)	Yes	List of question answers
responses[].question_id	string	Yes	ID of the question being answered
responses[].answer	string	Yes	Answer text

- **Request body example**

```
{
```

```
"user_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
"responses": [
  { "question_id": "q-001", "answer": "Very satisfied" },
  { "question_id": "q-002", "answer": "The delivery was fast and accurate" }
]
}
```

- **Response examples**
- **201 Created**

```
{
  "message": "Survey submitted successfully",
  "data": {
    "surveyId": "uuid-001",
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "submittedAnswers": 2
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "responses", "error": "Must contain at least 1 answer" },
    { "field": "responses[0].question_id", "error": "Field is required" }
  ]
}
```

- **404 Not Found**

```
{ "message": "Survey not found", "data": null }
```

- **HTTP status codes**

Code	Description
201 Created	Resource created successfully

400 Bad Request	Invalid or missing input fields
404 Not Found	Resource not found

Cart

31. View Cart

- **URI:** `cart`
- **Method:** `GET`
- **Headers:**

Header	Value	Required
<code>x-user-id</code>	<code><userId></code>	Yes

- **Response examples**
- **200 OK**

```
{
  "message": "Cart retrieved successfully",
  "data": {
    "userId": "usr_abc123",
    "updatedAt": "2025-01-15T10:30:00Z",
    "items": [
      {
        "userId": "usr_abc123",
        "itemId": "dish_001",
        "quantity": 2,
        "item": {
          "itemId": "dish_001",
          "name": "Lomo Saltado",
          "description": "Clasico peruano",
          "price": 12.50,
          "categoryId": "cat_main",

```

```

        "imageUrl": "https://...",
        "isAvailable": true,
        "createdAt": "2025-01-01T00:00:00Z"
      }
    }
  ],
  "total": 25.00
}

```

- **401 Unauthorized**

```

{
  "message": "Missing x-user-id header",
  "data": null
}

```

- **HTTP status codes**

Code	Description
200 Ok	Cart returned (empty if no items)
401 Unauthorized	Missing or invalid x-user-id header

32. Add item to cart

- **URI: /cart/items**
- **Method: POST**
- **Headers:**

Header	Value	Required
x-user-id	<userId>	Yes

- **Request body fields**

Field	Type	Required	Description
-------	------	----------	-------------

dish_id	string	Yes	ID of the dish to add
quantity	integer (min 1)	Yes	Quantity to add

- **Request body example**

```
{
  "dish_id": "uuid-dish-001",
  "quantity": 2
}
```

- **Response examples**
- **201 Created**

```
{
  "message": "Item added to cart successfully",
  "data": {
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "updatedAt": "2025-01-15T10:00:00Z",
    "total": 25.98,
    "items": [
      {
        "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
        "itemId": "uuid-dish-001",
        "quantity": 2,
        "item": {
          "itemId": "uuid-dish-001",
          "name": "Margherita Pizza",
          "price": 12.99,
          "isAvailable": true
        }
      }
    ]
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "dish_id", "error": "Field is required" },
    { "field": "quantity", "error": "Must be an integer greater than 0" }
  ]
}
```

-
- **401 Unauthorized**

```
{
  "message": "Missing x-user-id header",
  "data": null
}
```

- **404 Not Found**

```
{
  "message": "Dish not found",
  "data": null
}
```

- **HTTP status codes**

Code	Description
201 Created	Item added, returns updated cart
400 Bad Request	Invalid or missing fields
401	Missing or invalid x-user-id header
404	Dish not found

33. Update cart item quantity

- **URI:** /cart/items/:dishId
- **Method:** POST - PATCH
- **Headers:**

Header	Value	Required
x-user-id	<userId>	Yes

- **URL: Params**

Field	Type	Required	Description
dishId	string	Yes	ID of the dish to update

- **Request body fields**

Field	Type	Required	Description
quantity	integer (min 1)	Yes	New quantity to set

- **Request body example**

```
{
  "quantity": 5
}
```

- **Response examples**
- **200 Ok**

```
{
  "message": "Cart item updated successfully",
  "data": {
    "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "updatedAt": "2025-01-15T10:05:00Z",
    "total": 64.95,
    "items": [
```

```
{
  "userId": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "itemId": "uuid-dish-001",
  "quantity": 5,
  "item": {
    "itemId": "uuid-dish-001",
    "name": "Margherita Pizza",
    "price": 12.99,
    "isAvailable": true
  }
}
```

- **400 Bad Request**

```
{
  "message": "Invalid input data",
  "errors": [
    { "field": "quantity", "error": "Must be an integer greater than 0" }
  ]
}
```

- **401 Unauthorized**

```
{
  "message": "Missing x-user-id header",
  "data": null
}
```

- **404 Not Found**

```
{
  "message": "Cart item not found",
  "data": null
}
```

- **HTTP status codes**

Code	Description
201 Created	Item updated, returns updated cart
400 Bad Request	Invalid or missing quantity
401	Missing or invalid x-user-id header
404	Item not found in cart

35. Remove item from cart

- **URI: /cart/items/:dishId**
- **Method: DELETE**
- **Headers:**

Header	Value	Required
x-user-id	<userId>	Yes

- **URL Params:**

Field	Type	Required	Description
dishId	string	Yes	ID of the dish to remove

- **Response examples**
- **204 No content**
- **401 Unauthorized**

```
{
  "message": "Missing x-user-id header",
  "data": null
}
```

- **404 Not Found**

```
{
  "message": "Cart item not found",
  "data": null
}
```

- **HTTP status codes**

Code	Description
204	Item removed successfully — no body returned
401	Missing or invalid x-user-id header
404	Item not found in cart

36. Clear cart

- **URI:** /cart
- **Method:** DELETE
- **Headers:**

Header	Value	Required
x-user-id	<userId>	Yes

- **Response examples**
- **204 No Content**
- **401 Unauthorized**

```
{
  "message": "Missing x-user-id header",
  "data": null
}
```

- **HTTP status codes**

Code	Description
------	-------------

204	Cart cleared successfully — no body returned
401	Missing or invalid x-user-id header