

# **CUSTOMER SUPPORT TICKET PRIORITY PREDICTION AND AUTOMATED ASSIGNMENT SYSTEM USING AGENTFORCE**

**College / University Name: Arifa Institute of Technology**

**College Code: 8226**

**Team ID: SWTID-2026-5140**

## **TEAM DETAILS**

**Team Leader:**

**Name: Magen S**

**Registered Email ID: magenpvm009@gmail.com**

**Team Member 1:**

**Name: Dharshan M**

**Registered Email ID: dharshanm284@gmail.com**

**Team Member 2:**

**Name: Gayathri V**

**Registered Email ID: gayathrivedhamoorthy8270@gmail.com**

**Team Member 3:**

**Name: Jemima N**

**Registered Email ID: jemimanamasi2005@gmail.com**

## User Story:

The Customer Support Ticket Priority Prediction and Automated Assignment System uses Salesforce and Agentforce to analyze customer support ticket descriptions, automatically determine priority as High, Medium, or Low, and trigger backend automation for appropriate support handling. The solution uses the Support Ticket Intelligence custom object, an Auto-Launched Flow, and an Agentforce subagent named Support Ticket Priority Analysis. High-priority tickets create an urgent handling task and are assigned to a senior support agent, reducing manual effort and improving response time.

## 1. INTRODUCTION

### 1.1 Project Overview :

Customer support teams receive a large number of tickets daily, while prioritization and assignment can be manual. This project provides a Salesforce-based solution that analyzes ticket information, classifies urgency, assigns the appropriate support level, and initiates automation for critical cases.

### 1.2 Purpose :

- Automatically classify support tickets as High, Medium, or Low priority.
- Retrieve the latest support ticket associated with a customer Account.
- Reduce manual prioritization and assignment effort.
- Create an urgent handling task for High-priority tickets.
- Use Agentforce to analyze ticket details and trigger backend automation.
- Improve ticket response and resolution efficiency

## 2. IDEATION PHASE

### 2.1 Problem Statement

| PS   | I am<br>(Customer) | I'm trying<br>to                            | But                                                       | Because                                            | Which<br>makes me<br>feel |
|------|--------------------|---------------------------------------------|-----------------------------------------------------------|----------------------------------------------------|---------------------------|
| PS-1 | Support<br>Agent   | focus on<br>critical<br>tickets first       | tickets are<br>not always<br>prioritized<br>automatically | ticket<br>prioritization<br>can be<br>manual       | frustrated                |
| PS-2 | Customer           | get urgent<br>issues<br>resolved<br>quickly | critical issues<br>may wait<br>behind                     | support<br>teams handle<br>large ticket<br>volumes | concerned                 |

|      |                 |                                           |                                               |                                                       |             |
|------|-----------------|-------------------------------------------|-----------------------------------------------|-------------------------------------------------------|-------------|
|      |                 |                                           | lower-priority tickets                        |                                                       |             |
| PS-3 | Support Manager | assign tickets to the right support level | assignment may require manual decisions       | ticket urgency is not consistently analyzed           | overwhelmed |
| PS-4 | Support Agent   | identify urgent issues from descriptions  | important keywords can be missed              | ticket descriptions contain different urgency signals | uncertain   |
| PS-5 | Support Manager | reduce SLA-related risk                   | older unresolved tickets may remain unnoticed | SLA risk needs additional checking                    | concerned   |

## 2.2 Empathy Map Canvas

### User Persona: Support Agent

- **Think & Feel:** Wants critical issues identified quickly so urgent customer problems receive attention.
- **Hear:** Receives customer issue descriptions and support requests.
- **See:** Ticket status, issue type, description, priority level, assignment, and SLA risk.
- **Say & Do:** Reviews tickets, handles assigned cases, and focuses on urgent support issues.
- **Pain:** Manual prioritization, missed urgency signals, and delays in handling critical tickets
- **Gain:** Automatic priority classification, clearer assignment, urgent-task creation, and reduced manual effort.

## 2.3 Brainstorming

The team brainstormed different approaches to automate customer support ticket prioritization and assignment. The final selected solution is a Salesforce CRM-based system integrated with Agentforce to analyze support ticket descriptions, classify ticket priority, and trigger appropriate backend automation.

## 3. REQUIREMENT ANALYSIS

### 3.1 Customer Journey

Ticket Creation → Account Identification → Ticket Retrieval → Description Analysis → Priority Classification → Agent Assignment → Urgent Task Creation → Support Handling → Resolution

### 3.2 Solution Requirements

#### Functional Requirements

| FR No | Requirement                            |
|-------|----------------------------------------|
| FR-1  | Support ticket creation and management |
| FR-2  | Account and Contact association        |
| FR-3  | Ticket description analysis            |
| FR-4  | Automatic priority classification      |
| FR-5  | High-priority task creation            |
| FR-6  | Support agent assignment               |
| FR-7  | SLA breach risk checking               |
| FR-8  | Agentforce conversational analysis     |

#### Non-Functional Requirements

| NFR             | Description                                                              |
|-----------------|--------------------------------------------------------------------------|
| Usability       | Clear Agentforce interaction and understandable priority messages        |
| Reliability     | Consistent priority classification based on configured conditions        |
| Performance     | Quick retrieval and analysis of the latest support ticket                |
| Security        | Controlled Salesforce access to customer and ticket information          |
| Maintainability | Flow and Agentforce configuration can be updated                         |
| Scalability     | Supports increasing support-ticket volumes through Salesforce automation |

### 3.3 Data Flow Diagram

## Flow:

Customer / Support Request → Account → Latest Support Ticket → Ticket Description → Analyze Description → Priority Level → High/Medium/Low Decision → Agent Assignment → High-Priority Task (if applicable) → Final Response

## Agentforce Flow:

User provides Account Name → Agentforce Support Ticket Priority Analysis → Auto-Launched Flow → Ticket Analysis → Priority and Assignment Output → Response to User.

## 3.4 Technology Stack

| Layer               | Technology                                                                  |
|---------------------|-----------------------------------------------------------------------------|
| Platform            | Salesforce                                                                  |
| Database            | Support_Ticket_Intelligence__c with Account, Contact, User and Task records |
| Logic               | Auto-Launched Flow                                                          |
| AI                  | Agentforce                                                                  |
| Agent Configuration | Support Ticket Priority Analysis subagent                                   |
| Automation          | Flow Decision, Assignment and Create Records                                |
| Output              | Agentforce conversation response                                            |

## 4. PROJECT DESIGN PHASE

### 4.1 Problem–Solution Fit

| Problem                        | Solution                                    | Benefit                               |
|--------------------------------|---------------------------------------------|---------------------------------------|
| Manual ticket prioritization   | Flow analyzes description and sets priority | Faster identification of urgent cases |
| Urgent issues may be missed    | High-priority keyword decision              | Critical cases receive attention      |
| Manual task creation           | Flow creates Task for High priority         | Reduced manual effort                 |
| Manual support assignment      | Flow sets assigned support level            | More consistent handling              |
| SLA risk can be overlooked     | Optional SLA Risk decision                  | Better risk awareness                 |
| Need for conversational access | Agentforce subagent                         | AI-assisted interaction               |

### 4.2 Proposed Solution

#### Functional Requirements

| <b>Parameter</b>      | <b>Description</b>                                                                                                                                                       |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Problem</b>        | Manual ticket prioritization and assignment causing delays in handling critical customer support issues                                                                  |
| <b>Solution</b>       | Salesforce-based Customer Support Ticket Priority Prediction and Automated Assignment System                                                                             |
| <b>Innovation</b>     | Agentforce AI + Auto-Launched Flow for analyzing ticket descriptions, automatically classifying priority, assigning support level, and triggering urgent-task automation |
| <b>Impact</b>         | Faster identification of critical tickets, reduced manual effort, improved response time, and better support-team productivity                                           |
| <b>Business Model</b> | Customer support operations involving customers, support agents, support managers, and AI-assisted ticket handling                                                       |
| <b>Scalability</b>    | Supports increasing support-ticket volumes through Salesforce automation, with scope for additional assignment rules, SLA monitoring, and priority indicators            |

## 4.3 Solution Architecture

### Components:

Users / Support Team → Agentforce → Support Ticket Priority Analysis → Auto-Launched Flow → Account & Ticket Data → Description Analysis → Priority Decision → Task / Assignment → Final Message → Agentforce Response

## 5. PROJECT PLANNING & SCHEDULING

### 5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

### Product Backlog, Sprint Schedule, and Estimation

Use the below template to create product backlog and sprint schedule

| Sprint   | Functional Requirement (Epic) | User Story | Team Member       | User Story / Task                                                                                                                                                                 | Story Points | Priority |
|----------|-------------------------------|------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|
| Sprint-1 | Developer Setup               | USN-1      | <b>Magen S</b>    | As a system administrator, I want to configure the Salesforce environment for Support Ticket Intelligence so that the support automation solution can be developed.               | 3            | High     |
| Sprint-2 | Data Modeling                 | USN-2      | <b>Jemima N</b>   | As an admin, I want to create the Support Ticket Intelligence object with required fields and relationships so that customer support ticket information is stored systematically. | 5            | High     |
| Sprint-2 | Data Modeling                 | USN-3      | <b>Gayathri V</b> | As a support user, I want support tickets to be associated with Accounts and Contacts so that the latest customer ticket can be identified for analysis.                          | 3            | High     |
| Sprint-3 | Automation                    | USN-4      | <b>Dharshan M</b> | As a support agent, I want an Auto-Launched Flow to retrieve the latest ticket and analyze its description so that ticket                                                         | 5            | High     |

|          |                         |       |                   |                                                                                                                                                                                           |   |        |
|----------|-------------------------|-------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--------|
|          |                         |       |                   | priority can be determined automatically.                                                                                                                                                 |   |        |
| Sprint-3 | Automation              | USN-5 | <b>Gayathri V</b> | As a support agent, I want tickets to be automatically classified as High, Medium, or Low based on configured urgency conditions so that critical issues receive attention first.         | 5 | High   |
| Sprint-4 | Agentforce & Automation | USN-6 | <b>Magen S</b>    | As an AI Agent (Agentforce), I want to analyze support ticket details and trigger the backend Flow so that manual ticket prioritization is reduced.                                       | 8 | High   |
| Sprint-4 | Task & Assignment       | USN-7 | <b>Jemima N</b>   | As a support manager, I want High-priority tickets to automatically create an urgent handling task and assign the appropriate support level so that critical tickets are handled quickly. | 5 | High   |
| Sprint-5 | SLA Management          | USN-8 | <b>Dharshan M</b> | As a support manager, I want the system to check SLA breach risk for older unresolved tickets so that potential SLA issues can be identified.                                             | 5 | Medium |

|          |                                     |       |          |                                                                                                                                                                                                                   |   |        |
|----------|-------------------------------------|-------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--------|
| Sprint-6 | Agentforce & Conversational Support | USN-9 | Jemima N | As a support user, I want to provide an Account Name to Agentforce and receive the ticket ID, priority, assigned agent, and action message so that I can understand the ticket handling outcome conversationally. | 5 | Medium |
|----------|-------------------------------------|-------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--------|

## 6. Project Development Phase:

### Milestone 1: Salesforce Account

#### Activity 1: Creating Developer Account

##### Creating a developer org in Salesforce.

1. Go to Salesforce Developer signup page.
2. On the sign up form, enter the following details:
  1. First Name & Last Name
  2. Email
  3. Role: Developer
  4. Company: College Name
  5. Country: India
  6. Postal Code: Pin Code
  7. Username: Should be a combination of your name and company

This need not be an actual email ID. You can give anything in the format:

[username@organization.com](mailto:username@organization.com)

Click on Sign Me Up after filling these details.

#### Activity 2: Account Activation

1. Go to the inbox of the email that you used while signing up.

2. Click on **Verify Account** to activate your account. The email may take 5–10 minutes.

## Milestone 2: Data Management-Objects

### Custom Object

**Object Name:**


Support Ticket Intelligence

**API Name:**

Support\_Ticket\_Intelligence\_\_c

### Fields

| Field Label              | API Name           | Data Type           | Description                    |
|--------------------------|--------------------|---------------------|--------------------------------|
| Ticket Number            | Ticket_Number__c   | Auto Number         | TKT-{0000}                     |
| Customer                 | Customer__c        | Lookup<br>(Account) | Related Account                |
| Contact                  | Contact__c         | Lookup<br>(Contact) | Customer contact               |
| Issue Type               | Issue_Type__c      | Picklist            | Technical, Billing,<br>General |
| Description              | Description__c     | Long Text Area      | Issue details                  |
| Priority Level           | Priority_Level__c  | Picklist            | Low, Medium, High              |
| Status                   | Status__c          | Picklist            | New, In Progress,<br>Resolved  |
| Created Date             | Created_Date__c    | Date                | Ticket date                    |
| Assigned To              | Assigned_To__c     | Lookup (User)       | Support agent                  |
| SLA Breach Risk          | SLA_Breach_Risk__c | Checkbox            | Risk flag                      |
| Resolution Time<br>(hrs) | Resolution_Time__c | Number              | Time taken                     |



## Auto-Launched Flow Logic (Modified for this Project)

### 1. Flow Type

Auto-Launched Flow (No Trigger or called from Agentforce)

### 2. Variables

#### Input Variable

| Label        | API Name       | Type | Input |
|--------------|----------------|------|-------|
| Account Name | varAccountName | Text | Yes   |

#### Output Variables

| Label          | API Name         | Type | Output |
|----------------|------------------|------|--------|
| Account Id     | varAccountId     | Text | Yes    |
| Ticket Id      | varTicketId      | Text | Yes    |
| Priority Level | varPriorityLevel | Text | Yes    |
| Assigned Agent | varAssignedTo    | Text | Yes    |
| Action Message | varActionMessage | Text | Yes    |

## 3. Step-by-Step Flow Implementation

### Step 1: Get Account

#### Element: Get Records

- Label: Get Account

- Object: Account
- Condition:  
Name Equals {!varAccountName}
- Sort: CreatedDate DESC
- Store: Only first record

## **Step 2: Assignment (Store Account Id)**

### **Element: Assignment**

- Label: Store Account Id

### **Set:**

- varAccountId = {!Get\_Account.Id}

## **Step 3: Get Ticket Record**

### **Element: Get Records**

- Label: Get Ticket
- Object: Support\_Ticket\_Intelligence\_\_c
- Condition:  
Customer\_\_c Equals {!varAccountId}
- Sort: CreatedDate DESC
- Store: Only first record

## **Step 4: Assignment (Store Ticket Id)**

### **Element: Assignment**

- Label: Store Ticket Id

### **Set:**

- varTicketId = {!Get\_Ticket.Id}

## **Step 5: Decision (Analyze Description)**

### **Element: Decision**

- Label: Analyze Description

### **Outcomes:**

### **High Priority**

**Description contains:**

- "urgent"
- "not working"
- "failure"

(Use multiple conditions with CONTAINS)

**Medium Priority**

**Description contains:**

- "issue"
- "slow"
- "delay"

**Default Outcome**

- Low Priority

**Step 6: Assignment (Set Priority Level)**

**High Path**

- varPriorityLevel = "High"

**Medium Path**

- varPriorityLevel = "Medium"

**Low Path**

- varPriorityLevel = "Low"

**Step 7: Decision (High Priority Check)**

**Element:** Decision

- Label: Is High Priority

**Condition:**

- varPriorityLevel Equals "High"

**Step 8: Create Task (Only High Priority)**

**Element:** Create Records

**Object:** Task

**Set Fields:**

- Subject = "Urgent Ticket Handling"
- WhatId = {!varTicketId}
- Priority = High
- Status = Not Started

### **Step 9: Assignment (Assign Agent Name)**

**Element:** Assignment

- Label: Set Assigned Agent

**Set:**

- varAssignedTo = "Senior Support Agent"

### **Step 10: Optional SLA Check**

**Decision:** SLA Risk

**Condition example:**

- If Created Date older than 2 days

**Then:**

- (Optional internal flag or message)

### **Step 11: Final Output Message**

**Element:** Assignment

- Label: Set Final Message

**Set varActionMessage:**

**High:**

"High priority ticket detected. Assigned to senior agent."

**Medium:**

"Ticket marked as medium priority. Will be handled shortly."

**Low:**

"Tickets are low priority and queued for processing."

### **Step 12: Save Flow**

**Label Name:** Support\_Ticket\_Intelligence


**Active Flow**

## **4. Final Flow Structure**

Start

- Get Account
- Assignment (Account Id)
- Get Ticket
- Assignment (Ticket Id)
- Decision (Analyze Description)
- Assignment (Priority Level)
- Decision (High Priority)
- Create Task
- Assignment (Assigned Agent)
- Optional SLA Decision
- Assignment (Final Message)
- End


**Figure: Support Ticket Intelligence Auto-Launched Flow**



## 5. Flow Output

The flow retrieves the Account based on the provided Account Name, identifies the latest support ticket, analyzes the ticket description, determines the priority level, assigns the appropriate support level, creates an urgent task for High-priority tickets, and returns the final action message.

**Figure: Successful Flow Debug Execution**



**Output includes:**

- Account Id
- Ticket Id
- Priority Level
- Assigned Agent
- Action Message

## 6. Final Outcome

- Takes Account Name as input
- Fetches latest support ticket
- Analyzes description using keywords
- Sets priority automatically
- Creates task for urgent cases
- Returns output to Agentforce

## Agentforce Configuration

### Steps:

1. Go to Gear icon and Click Salesforce Go.
2. Search Default and Select Agentforce Default then Enabled It.
3. Select Get Started → Turn On → Confirm.
4. Search Agents in Quick Find Box and Enabled The Agent then you will see Default Agent.
5. Select **Default Agent** and Click **Open in Builder**.
6. Click **New** to Create New SubAgent.
7. Click **Next**.

## Agentforce Subagent Configuration

### Name

Support Ticket Priority Analysis

### API Name

Support\_Ticket\_Priority\_Analysis


### Classification Description

This topic analyzes customer support tickets to determine priority based on issue description and urgency. It handles user requests related to ticket status, issue severity, and support prioritization.

### Scope

Your job is only to analyze support ticket descriptions, determine the priority level (High, Medium, Low), and trigger backend automation for task assignment. Do not handle unrelated requests such as billing, subscription management, or account updates.

**Figure: Support Ticket Priority Analysis Subagent Configuration**



## Instructions

Follow these steps when this topic is triggered:

1. Ask the user to provide the **Account Name** if not already given.
2. Retrieve the latest support ticket associated with the Account.
3. Read and analyze the ticket description.
4. Determine priority based on keywords:  
**High Priority:** contains “urgent”, “not working”, “failure”  
**Medium Priority:** contains “issue”, “slow”, “delay”  
**Low Priority:** if none of the above
5. Set the priority level accordingly.
6. If the ticket is **High Priority:**
  - Trigger the Auto-Launched Flow
  - Ensure a task is created for immediate handling

7. Assign the ticket to the appropriate support level (e.g., senior agent for high priority).
8. Return a clear response message to the user:
  - High → Inform urgent handling is initiated
  - Medium → Inform issue will be handled shortly
  - Low → Inform ticket is queued
9. Do not update records directly or send emails. Use Flow for all actions.

## Agent Action Description

Analyzes customer support tickets based on the provided account name, determines ticket priority using issue description, and triggers automation to assign tasks for high-priority cases.

### Loading Text

Analyzing ticket details and determining priority...

### Input

**varAccountName**

#### Description:

Enter the customer account name to fetch the latest support ticket and analyze its priority.

#### Data Type:

lightning\_\_textType

#### Require Input:

Enabled

#### Collect Data From User:

Enabled

### Outputs

**varAccountId**

#### Description:

Returns the unique identifier of the customer account used to retrieve the support ticket.

#### Data Type:

lightning\_\_textType

**Show in Conversation:**

Enabled

**Output Rendering:**

Text

**varActionMessage****Description:**

Displays the final message indicating ticket priority and actions taken by the system.

**Data Type:**

lightning\_\_textType

**Show in Conversation:**

Enabled

**Output Rendering:**

Text

**varAssignedTo****Description:**

Indicates the support agent or team assigned to handle the ticket.

**Data Type:**

lightning\_\_textType

**Show in Conversation:**

Enabled

**Output Rendering:**

Text

**varPriorityLevel****Description:**

Represents the calculated ticket priority level (High, Medium, Low) based on issue description.

**Data Type:**

lightning\_\_textType

**Show in Conversation:**

Enabled

**Output Rendering:**

Text

**varTicketId**

**Description:**

Returns the unique identifier of the support ticket analyzed by the system.

**Data Type:**

lightning\_\_textType

**Show in Conversation:**


Enabled

**Output Rendering:**

Text

**Final Output:**

**Figure: Agentforce Final Ticket Priority Analysis Output**



## 7. FUNCTIONAL & PERFORMANCE TESTING

During testing, the Salesforce implementation was validated to ensure that the Customer Support Ticket Priority Prediction and Automated Assignment System functions correctly. The Auto-Launched Flow successfully retrieves the latest support ticket associated with the given

Account, analyzes the ticket description, and classifies the priority as High, Medium, or Low based on the configured conditions.

For High-priority tickets, the system successfully creates an Urgent Ticket Handling task and assigns the appropriate support level as Senior Support Agent. The Flow was also tested through Agentforce using the Support Ticket Priority Analysis subagent. Agentforce successfully triggered the backend Flow and returned the ticket priority, assigned agent, and action message in the conversation.

The successful Flow execution and Agentforce response confirm that the ticket prioritization, task creation, assignment, and conversational support features are functioning as expected.

Testing Result: Successful

## **Test Case 1: High Priority Ticket Analysis**


### **Expected Output:**

The system should identify the ticket as High Priority, create an urgent handling task, assign it to the Senior Support Agent, and return the appropriate action message through Agentforce.

### **Actual Output:**

The system successfully identified the ticket as High Priority and returned the message "High priority ticket detected. Assigned to senior agent." The assigned support level was displayed as "Senior Support Agent."

**Result:** Pass



## Test Case 2: Auto-Launched Flow Execution


### Expected Output:

The Auto-Launched Flow should retrieve the Account, fetch the latest associated support ticket, analyze the ticket description, determine the priority level, and return the required output values.

### Actual Output:

The Auto-Launched Flow executed successfully. It retrieved the Account and support ticket, analyzed the description, determined the ticket priority, and completed the configured flow path successfully.

**Result:** Pass



## Test Case 3: High-Priority Task Creation


### Expected Output:

When a support ticket is classified as High Priority, the Flow should create a Task with the subject “Urgent Ticket Handling”, Priority as High, and Status as Not Started.

### Actual Output:

For the High Priority path, the Flow successfully executed the configured Create Records element for the urgent ticket handling process.

**Result:** Pass



## Test Case 4: Agentforce and Flow Integration


### Expected Output:

Agentforce should accept the customer Account Name, trigger the Support Ticket Intelligence Flow, and return the ticket priority, assigned support agent, and action message.

### Actual Output:

Agentforce successfully triggered the backend Flow for the provided Account Name and returned the High priority result, "Senior Support Agent", and the corresponding action message.

**Result:** Pass



## Test Case 5: Priority Classification Logic


### Expected Output:

The system should classify tickets containing keywords such as “urgent”, “not working”, or “failure” as High Priority.

### Actual Output:

The Flow successfully analyzed the ticket description and classified the tested support ticket as High Priority based on the configured keyword conditions.

**Result:** Pass



## 8. ADVANTAGES & DISADVANTAGES

### Advantages

- Automatic Ticket Prioritization – Classifies support tickets as High, Medium, or Low based on ticket description.
- Faster Identification of Critical Issues – Helps support agents focus on urgent tickets first.
- Reduced Manual Effort – Automates ticket analysis, priority setting, task creation, and assignment.
- Intelligent Ticket Handling – Agentforce analyzes ticket details and initiates the appropriate backend automation.
- Automatic Urgent Task Creation – High-priority tickets automatically create an Urgent Ticket Handling task.
- Improved Support Assignment – Assigns High-priority tickets to the appropriate support level, including a senior support agent.
- Conversational Support – Support users can interact with Agentforce to analyze ticket information and receive the outcome.
- Better Response Time – Automation helps reduce delays in handling critical customer issues.
- SLA Risk Awareness – The solution can check older unresolved tickets for potential SLA breach risk.

- Scalable Support Operations – Salesforce automation can support increasing volumes of support tickets.
- Improved Team Productivity – Reduces repetitive work and allows support teams to concentrate on ticket resolution.

## **Disadvantages**

- Keyword-Based Priority Logic – The documented priority classification depends on configured keywords such as urgent, not working, failure, issue, slow, and delay.
- Limited Understanding of Context – The current implementation may not capture every possible urgency signal because the documented logic is based on configured conditions.
- Dependence on Accurate Ticket Data – Correct Account, Contact, and ticket information is required for successful analysis.
- Flow Configuration Dependency – Changes to ticket handling require maintenance of the Auto-Launched Flow and its logic.
- Agentforce Configuration Dependency – Agentforce responses and actions depend on properly configured subagent instructions and Flow actions.
- Limited Scope of Agentforce – The documented Agentforce subagent is focused on ticket analysis, priority determination, and backend automation; unrelated requests such as billing or subscription management are outside its scope.
- SLA Monitoring is Limited – The current implementation includes an optional SLA-risk check rather than a comprehensive SLA monitoring and escalation solution.
- Assignment Logic May Need Expansion – Additional support teams or more sophisticated assignment rules would require further configuration.
- Maintenance Required – Priority keywords, Flow variables, Agentforce outputs, and assignment logic may need to be updated as support requirements evolve.
- Limited Analytics in Current Scope – Advanced analytics for priority trends and resolution performance are identified as future scope rather than part of the current implementation.

## **9. Conclusion:**

The Customer Support Ticket Priority Prediction and Automated Assignment System demonstrates how Salesforce Flow and Agentforce can work together to reduce manual support-ticket handling. The solution retrieves the latest ticket for an Account,

analyzes its description, classifies priority, creates an urgent task for High-priority cases, assigns a support level, and returns a clear conversational response. This supports faster ticket handling, reduced manual effort, intelligent prioritization, and better team productivity.

## **10. FUTURE SCOPE**

- Add more priority indicators and business rules.
- Extend Agentforce outputs with additional ticket information.
- Add more sophisticated SLA monitoring and escalation.
- Support additional support teams or assignment rules.
- Introduce analytics for priority trends and resolution performance.
- Add more variables and configure them in the Agentforce action for richer outputs.

## **11. APPENDIX**

- **A. Custom Object:** Support Ticket Intelligence
- **B. Key Salesforce Records:** Account, Contact, User, Task
- **C. Flow:** Support\_Ticket\_Intelligence - V1– Auto-Launched Flow
- **D. Agentforce Subagent:** Support Ticket Priority Analysis
- **E. Agentforce Action:** Flow-based Support Ticket Intelligence action

**Thank You**