

PHARMACEUTICAL CUSTOMER COMPLAINT REPORT
=====

COMPLAINT ID: COMP-2024-001
DATE RECEIVED: January 15, 2024
COMPLAINT SOURCE: Email

CUSTOMER INFORMATION

Customer Name: St. Mary's Medical Center
Contact Person: Dr. Patricia Rodriguez, Chief Pharmacist
Contact Email: prodriquez@stmarys-med.com
Contact Phone: (555) 987-6543

PRODUCT INFORMATION

Product Name: Amoxicillin Capsules
Product Strength: 500mg
Batch Number: AMX-2024-001-A
Manufacturing Date: January 5, 2024
Expiry Date: January 5, 2026
Affected Quantity: 100 capsules (2 bottles)
Originating Site: Manufacturing Facility - Building 3, Phoenix, AZ

COMPLAINT DETAILS

Complaint Type: Product Quality - Foreign Matter Contamination
Priority: HIGH
Initial Severity: Critical

Complaint Description:

Customer reports discovering what appears to be foreign particulate matter in two bottles of Amoxicillin. The pharmacy received a shipment of 10 bottles (1000 capsules total) on January 12, 2024. During routine inspection, two bottles were found to contain visible foreign matter. No product from this batch has been dispensed to patients. The customer is requesting immediate investigation. Storage conditions have been maintained per label requirements (15-30°C, protected from moisture).

REGULATORY CONSIDERATIONS

- Potential for patient harm if contaminated product dispensed
- May require batch recall evaluation
- FDA reportable event consideration needed
- CAPA investigation required

IMMEDIATE ACTIONS REQUIRED

1. Quality investigation initiation
2. Batch hold and disposition review
3. Manufacturing records review
4. Retained sample examination
5. Risk assessment for other batches from same production run
6. Customer communication and product retrieval

Complaint Date: January 15, 2024
Report Prepared By: Quality Assurance Department