

Version: 31 of 31					
Detail Results: Patient Info				Results Info	
Patient Name:	PATIENQ TEST FAKE	Home Phone:	(437)774-5555	Date of Service:	2023-06-09 09:49
Date of Birth:	1995-12-11	Work Phone:		Date Received:	2024-04-08 18:37
Age:	27 years	Sex:	F	Report Status:	F
Health Care #:	9876543225	Patient Location:	GDML	Client Ref. #:	
				Accession #:	AC-46222032
Requesting Client: P. AZIZI NAMINI		cc: Client:			

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F

END OF REPORT