

Version: 30 of 31					
Detail Results: Patient Info				Results Info	
Patient Name: SMITH JOHN		Home Phone: (437)774-5555		Date of Service: 2023-06-09 09:49	
Date of Birth: 1995-12-11		Work Phone:		Date Received: 2024-03-21 21:09	
Age: 27 years		Sex: F		Report Status: F	
Health Care #: 9876543225		Patient Location: GDML		Client Ref. #: AC-46222032	
				Accession #: AC-46222032	
Requesting Client: P. AZIZI NAMINI			cc: Client:		

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:51	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:51	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:51	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:51	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:51	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:51	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:51	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:51	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:51	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:51	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F

URINALYSIS						
Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F
URINALYSIS CHEMICAL						
GLUCOSE	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
BILIRUBIN	NEG	N	NEGATIVE		2023-06-09 23:12:52	F
KETONES	NEG	N	- NEG	mmol/L	2023-06-09 23:12:52	F
SPECIFIC GRAVITY	1.022	N	1.005 - 1.030		2023-06-09 23:12:52	F
BLOOD	TRACE	A	NEGATIVE		2023-06-09 23:12:52	F
pH	6.5	N	5.0 - 8.0		2023-06-09 23:12:52	F
PROTEIN	NEG	N	- NEG	g/L	2023-06-09 23:12:52	F
UROBILINOGEN	3.2	N	- 32.99	umol/L	2023-06-09 23:12:52	F
NITRITE	NEG	N	NEGATIVE		2023-06-09 23:12:52	F

URINALYSIS

Test Name(s)	Result	Abn	Reference Range	Units	Date/Time Completed	Status
LEUKOCYTES	MODERATE	A	NEGATIVE		2023-06-09 23:12:52	F
COLOUR	YELLOW	N	- YELLOW	YELLOW	2023-06-09 23:12:52	F
APPEARANCE	CLOUDY	A	- CLEAR	CLEAR	2023-06-09 23:12:52	F

END OF REPORT