

# PROJECT TITLE: Personal Blog on IBM Cloud Static Web Apps

## PHASE 4:DEVELOPMENT PART 2

### INTRODUCTION:

The project's objective is to establish a personal travel blog, with hosting provided by IBM Cloud Static Web Apps, aimed at sharing remarkable travel experiences, valuable tips, and captivating photographs to ignite the wanderlust within others .These encompasses the meticulous design of the blog's structure, the creation of compelling and informative content, the seamless setup of IBM Cloud Static Web Apps

### WEBSITE DESIGN CODE:

#### HOME PAGE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My travel Blog</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <header>
    <h1>My FOOD Blog</h1>
    <nav>
      <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="destinations.html">Destinations</a></li>
        <li><a href="blog.html">Blog</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="contact.html">Contact</a></li>
      </ul>
    </nav>
  </header>

  <section class="hero">
    <h2>Explore the World </h2>
    <p>Discover amazing places, cultures, and adventures around the globe
with their traditional foods</p>
    <a href="#" class="btn">Get Started</a>
  </section>
```

```

<section class="featured-destinations">
  <h2>Featured Destinations</h2>
  <div class="destination">
    
    <h3>Chettinadu,Karaikudi</h3>
    <p>Experience the treasure of Chettinadu.</p>
  </div>
  <div class="destination">
    
    <h3>Kumbakonam,Thanjavur</h3>
    <p>Discover the vibrant culture and temples of Kumbakonam.</p>
  </div>
  <div class="destination">
    
    <h3>Alappuzha,Kerala</h3>
    <p>Relax on the beautiful view of kerala.</p>
  </div>
</section>

<section class="latest-posts">
  <h2>Latest Posts</h2>
  <div class="post">
    
    <h3>Exploring the foods of Chettinadu</h3>
  </div>
  <div class="post">
    
    <h3>Taste Degree Coffee Of Kumbakonam</h3>
  </div>
</section>

<footer>
  <p>&copy; 2023 My Food Blog</p>
</footer>
</body>
</html>

<style>
  /* Reset some default styles */
body, h1, h2, h3, p {
  margin: 0;
  padding: 0;
}

/* Basic styling */
body {
  font-family: Arial, sans-serif;
  background-color: #f2f2f2;
}

```

```
}

header {
  background-color: #333;
  color: #fff;
  padding: 20px 0;
  text-align: center;
}

header h1 {
  font-size: 36px;
  margin-bottom: 10px;
}

nav ul {
  list-style: none;
}

nav ul li {
  display: inline;
  margin-right: 20px;
}

nav a {
  color: #fff;
  text-decoration: none;
}

.hero {
  text-align: center;
  padding: 50px 0;
}

.hero h2 {
  font-size: 36px;
  margin-bottom: 10px;
}

.btn {
  display: inline-block;
  padding: 10px 20px;
  background-color: #333;
  color: #fff;
  text-decoration: none;
  border-radius: 5px;
}

.featured-destinations {
```

```
    text-align: center;
    padding: 50px 0;
}

.destination {
    margin: 20px;
    padding: 20px;
    background-color: #fff;
    border-radius: 5px;
}

.destination h3 {
    font-size: 24px;
    margin-top: 10px;
}

.latest-posts {
    text-align: center;
    padding: 50px 0;
}

.post {
    margin: 20px;
    padding: 20px;
    background-color: #fff;
    border-radius: 5px;
}

.post h3 {
    font-size: 24px;
    margin-top: 10px;
}

footer {
    text-align: center;
    padding: 10px 0;
    background-color: #333;
    color: #fff;
}

</style>
```

## DESTINATIONS:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Destinations - My FOOD Blog</title>
<link rel="stylesheet" href="styles.css">
</head>
<body>
  <header>
    <h1>My Food Blog</h1>
    <nav>
      <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="destinations.html">Destinations</a></li>
        <li><a href="blog.html">Blog</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="contact.html">Contact</a></li>
      </ul>
    </nav>
  </header>

  <section class="destinations">
    <h2>Explore Our Featured Destinations</h2>
    <div class="destination">
      
      <h3>explore the world through pictures </h3>
      <p>Experience the delicious in the world.</p>
    </div>
    <div class="destination">
      
      <h3>Chidambara Vilas,Chettinadu</h3>
      <p>Traditional Of Chettinadu.</p>
    </div>
    <div class="destination">
      
      <h3>Alappuzha,Kerala</h3>
      <p>Relax on the beautiful view of Alappuzha <p>
    </div>
  </section>

  <!-- Additional destinations can be added here -->

  <footer>
    <p>&copy; 2023 Blog</p>
  </footer>
</body>
</html>

<style>
  /* Reset some default styles */
body, h1, h2, h3, p {

```

```
margin: 0;
padding: 0;
}

/* Basic styling */
body {
  font-family: Arial, sans-serif;
  background-color: #f2f2f2;
}

header {
  background-color: #333;
  color: #fff;
  padding: 20px 0;
  text-align: center;
}

header h1 {
  font-size: 36px;
  margin-bottom: 10px;
}

nav ul {
  list-style: none;
}

nav ul li {
  display: inline;
  margin-right: 20px;
}

nav a {
  color: #fff;
  text-decoration: none;
}

.destinations {
  text-align: center;
  padding: 50px 0;
}

.destinations h2 {
  font-size: 36px;
  margin-bottom: 20px;
}

.destination {
  margin: 20px;
```

```

padding: 20px;
background-color: #fff;
border-radius: 5px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

.destination img {
    max-width: 100%;
    border-radius: 5px;
}

.destination h3 {
    font-size: 24px;
    margin-top: 10px;
}

.destination p {
    margin-top: 10px;
}

footer {
    text-align: center;
    padding: 10px 0; background-color: #333;
    color: #fff;}
</style>

```

## BLOG:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Blog - My FOOD Blog</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <header>
        <h1>My Travel Blog</h1>
        <nav>
            <ul>
                <li><a href="index.html">Home</a></li>
                <li><a href="destinations.html">Destinations</a></li>
                <li><a href="blog.html">Blog</a></li>
                <li><a href="about.html">About</a></li>
                <li><a href="contact.html">Contact</a></li>
            </ul>
        </nav>
    </header>

```

```

<section class="blog">
  <h2>Latest Blog Posts</h2>
  <div class="post">
    
    <p> New York City, often dubbed the "Big Apple," is a bustling metropolis that
never sleeps. From the iconic skyline of Manhattan to the serene beauty of Central Park, this
city offers a captivating blend of culture, history, and modernity. You can explore world-class
museums like the Metropolitan Museum of Art, savor diverse culinary delights in
neighborhoods like Chinatown and Little Italy, or catch a Broadway show in the Theater
District. Whether you're strolling through Times Square, taking a ferry to see the Statue of
Liberty, or wandering through the charming streets of Brooklyn, New York City is a
destination that promises an unforgettable adventure for every type of traveler.< p>
  </div>
  <div class="post">
    
    <p> Santorini, a gem in the Aegean Sea, is a dream destination for those
seeking romantic sunsets and picturesque landscapes. The island's distinctive white-washed
buildings with blue domes overlooking the deep blue sea create a postcard-perfect setting.
Visitors can unwind on the stunning black sand beaches, explore ancient ruins like Akrotiri, or
sip local wine at wineries perched on volcanic cliffs. The island's enchanting villages, such as
Oia and Fira, offer breathtaking panoramas and charming streets to wander. Santorini is a
paradise for couples and explorers alike, providing an idyllic blend of history, culture, and
natural beauty. <p>
  </div>
</section>

<!-- Additional blog posts can be added here -->

<footer>
  <p>&copy; 2023 Blog</p>
</footer>
</body>
</html>

<style>
  /* Reset some default styles */
body, h1, h2, h3, p {
  margin: 0;
  padding: 0;
}

/* Basic styling */
body {
  font-family: Arial, sans-serif;
  background-color: #f2f2f2;
}

```



```
header {
  background-color: #333;
  color: #fff;
  padding: 20px 0;
  text-align: center;
}

header h1 {
  font-size: 36px;
  margin-bottom: 10px;
}

nav ul {
  list-style: none;
}

nav ul li {
  display: inline;
  margin-right: 20px;
}

nav a {
  color: #fff;
  text-decoration: none;
}

.blog {
  text-align: center;
  padding: 50px 0;
}

.blog h2 {
  font-size: 36px;
  margin-bottom: 20px;
}

.post {
  margin: 20px;
  padding: 20px;
  background-color: #fff;
  border-radius: 5px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

.post img {
  max-width: 100%;
  border-radius: 5px;
}
```

```

.post h3 {
    font-size: 24px;
    margin-top: 10px;
}

.post p {
    margin-top: 10px;
}

footer {
    text-align: center;
    padding: 10px 0;
    background-color: #333;
    color: #fff;
}
</style>

```

## ABOUT:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>About - My FOOD Blog</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <header>
        <h1>My Food Blog</h1>
        <nav>
            <ul>
                <li><a href="index.html">Home</a></li>
                <li><a href="destinations.html">Destinations</a></li>
                <li><a href="blog.html">Blog</a></li>
                <li><a href="about.html">About</a></li>
                <li><a href="contact.html">Contact</a></li>
            </ul>
        </nav>
    </header>

    <section class="about">
        <h2>About Us</h2>

```

```
    <p>Welcome to My Blog! We're passionate about exploring the world of
food and sharing our experiences with you. Our goal is to inspire and help you
plan your next dining.</p>
  </section>

  <footer>
    <p>&copy; 2023 My Food Blog</p>
  </footer>
</body>
</html>

<style>
  /* Reset some default styles */
body, h1, h2, p {
  margin: 0;
  padding: 0;
}

/* Basic styling */
body {
  font-family: Arial, sans-serif;
  background-color: #f2f2f2;
}

header {
  background-color: #333;
  color: #fff;
  padding: 20px 0;
  text-align: center;
}

header h1 {
  font-size: 36px;
  margin-bottom: 10px;
}

nav ul {
  list-style: none;
}

nav ul li {
  display: inline;
  margin-right: 20px;
}

nav a {
  color: #fff;
  text-decoration: none;
```

```

}

.about {
  text-align: center;
  padding: 50px 0;
}

.about h2 {
  font-size: 36px;
  margin-bottom: 20px;
}

.about p {
  max-width: 600px;
  margin: 0 auto;
  padding: 0 20px;
}

footer {
  text-align: center;
  padding: 10px 0;
  background-color: #333;
  color: #fff;
}

</style>

```

## CONTACT:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Contact - My FOOD Blog</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <header>
    <h1>My Food Blog</h1>
    <nav>
      <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="destinations.html">Destinations</a></li>
        <li><a href="blog.html">Blog</a></li>
        <li><a href="about.html">About</a></li>

```

```

        <li><a href="contact.html">Contact</a></li>
    </ul>
</nav>
</header>

<section class="contact">
    <h2>Contact Us</h2>
    <p>Have questions or feedback? Feel free to get in touch with us.</p>
    <form>
        <label for="name">Name</label>
        <input type="text" id="name" name="name" placeholder="Your name">

        <label for="email">Email</label>
        <input type="email" id="email" name="email" placeholder="Your
email">

        <label for="message">Message</label>
        <textarea id="message" name="message" placeholder="Your
message"></textarea>

        <button type="submit">Submit</button>
    </form>
</section>

<footer>
    <p>&copy; 2023 My Food Blog</p>
</footer>
</body>
</html>
<style>
    /* Reset some default styles */
body, h1, h2, p, form, label, input, textarea, button {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

/* Basic styling */
body {
    font-family: Arial, sans-serif;
    background-color: #f2f2f2;
}

header {
    background-color: #333;
    color: #fff;
    padding: 20px 0;
    text-align: center;

```

```
}

header h1 {
  font-size: 36px;
  margin-bottom: 10px;
}

nav ul {
  list-style: none;
}

nav ul li {
  display: inline;
  margin-right: 20px;
}

nav a {
  color: #fff;
  text-decoration: none;
}

.contact {
  text-align: center;
  padding: 50px 0;
}

.contact h2 {
  font-size: 36px;
  margin-bottom: 20px;
}

.contact p {
  margin-bottom: 20px;
}

form {
  max-width: 500px;
  margin: 0 auto;
}

label, input, textarea, button {
  display: block;
  margin-bottom: 20px;
}

label {
  font-weight: bold;
}
```

```
input, textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

button {
  background-color: #333;
  color: #fff;
  padding: 10px 20px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}

footer {
  text-align: center;
  padding: 10px 0;
  background-color: #333;
  color: #fff;
}

</style>
```

**OUTPUT:**

