
100

**Duration** : 0.203 s Start: Mar 07, 11:40:30.650 AM End: Mar 07, 11:40:30.853 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 8 9 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Test E-Commerce Website	0.203 s	1	0	1	0	9	0	1	8


FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Test E-Commerce Website	1	0	1	0	0.203 s

SCENARIOS SUMMARY

-- 4 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test E-Commerce Website	Product Search	9	0	1	8	0.185 s

DETAILED SECTION -- 5 --

## **Test E-Commerce Website**

FAILED	DURATION - 0.203 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 11:40:30.650 AM //	/ 11:40:30.853 AM /	Pass - 0	1	Pass - 0	l a
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

## **Product Search**



#	Step / Hook Details	Status	Duration
1	Given User User Launch the "chrome" Browser	FAILED	0.066 s
	java.lang.lllegalStateException: The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://github.com/SeleniumHQ/selenium/wiki/ChromeDriver. The latest version can be downloaded from http://chromedriver.storage.googleapis.com/index.html		
	at com.google.common.base.Preconditions.checkState(Preconditions.java:847)		
	at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:134)		
	at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35)		
	at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159)		
	at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355)		
	at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94)		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:157)</init>		
	at Baseclass.Baseclass.BrowserLaunch(Baseclass.java:41)		
	at Stepdefinition.Steps.user_User_Launch_the_Browser(Steps.java:24)		
	at ?.User User Launch the "chrome" Browser(file:///C:/Users/Kavidiya/Desktop/Flipkart_Project/src/test/java/Features/Flipkart.feature:4)		
	* Not displayable characters are replaced by '?'.		
2	And User Navigate the Url "https://www.flipkart.com/"	SKIPPED	0.008 s
3	And User Type "ipad" in the Search box	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
4	And User Will Click One Of Them In Suggestions Lists Are Displayed	SKIPPED	0.006 s
5	And User Filter All Result By The Online Only Filter	SKIPPED	0.001 s
6	And User Select One Of The Results	SKIPPED	0.000 s
7	Then User Checkout The Order	SKIPPED	0.001 s
8	And User Place The Order	SKIPPED	0.001 s
9	And User Enter Random Email and Phone Number	SKIPPED	0.001 s
	AFTER - Hooks.Hooks.AfterHooks(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException at Hooks.Hooks.AfterHooks(Hooks.java:20)		