

MagicCode Super-Resolution Software Migration Guide v1.0.0 to v1.1

Document Version: v1.1

1. Purpose

This guide helps customers migrate from MagicCode Super-Resolution Software v1.0.0 to v1.1.

2. Main Migration Changes

	Area	Action
	v1.0.0	
	v1.1	
Scaling		
		Commonly documented as integer ratios such as 2x, 3x, 4x.
		Public range is 1.0x to 8.0x, subject to backend/model support.
		Validate requested scales and model availability.
Modes		
		Old wording used veryfast and fast.
		Public API uses HIGH_SPEED_MODE and SPEED_MODE.
		Update UI labels, config values, and API mappings.
Backend		
		Less explicit backend coverage.
		Backend selector includes x86, NEON, Metal, OpenGL, OpenGLES, Vulkan, and default.
		Set backend explicitly where needed.
Input Type		
		Older integrations may assume buffer input.
		Input type is explicit and must match CPU/GPU backend.
		Set input_type correctly.
Reporting		
		Fewer technical fields.
		Additional report reason and processing statistics are reported.
		Review Privacy Policy and Data Reporting Notice.
Plugins		
		Plugin support was less formal.

Unity and Unreal Engine integration guides and validation workflows are included.

Use v1.1 plugin docs and rebuild plugin artifacts.

3. Native Code Migration

- 1 Replace the old header with v1.1 `mc_interface.h`.
- 2 Rebuild against v1.1 libraries.
- 3 Populate new or newly required fields in `input_param_t`, including `input_type`, `log_level`, and backend.
- 4 Replace old mode constants or strings with `HIGH_SPEED_MODE` and `SPEED_MODE`.
- 5 Confirm model path and selected backend/mode/scale are compatible.
- 6 Use `MC_Control(QUERY_STATUS)` to verify output dimensions and runtime status.

4. Unity Migration

- Replace old native plugin binaries with v1.1 plugin artifacts.
- Update C# wrappers to v1.1.
- Use `CreateEx` where explicit input type and backend selection are required.
- Validate Android and iOS builds on physical devices.

5. Unreal Engine Migration

- Replace the `MagicSR` plugin folder with the v1.1 plugin.
- Verify native library paths in module rules.
- Update Blueprint usage to the v1.1 exposed API.
- Validate package/install/run workflow for each target platform.

6. Documentation Migration

- Replace old EULA and Privacy Policy with v1.1

versions.

- Review the updated Software Specification, Error Code Manual, Data Reporting Notice, and Release Notes.
- If your product redistributes MagicCode, update your own customer-facing privacy and license notices as needed.

7. Final Acceptance Checklist

- Version query returns v1.1.
- All target modes and scales pass validation.
- All target backends pass validation or are disabled in product configuration.
- Model files are packaged correctly.
- Technical reporting disclosure has been reviewed.
- Known issues and release notes are reviewed by integration and support teams.