

MagicCode Super-Resolution Software Privacy Policy

Effective Date: July 3, 2026

This Privacy Policy ("Policy") explains how MagicCode Super-Resolution Software ("MagicCode", "we", "us", or "our") collects, uses, stores, and protects your personal information and device-related data when you use our super-resolution software. By installing, accessing, or using MagicCode, you acknowledge that you have read, understood, and agreed to the terms and practices described in this Policy.

1. Information We Collect

We only collect device-related information and usage data that is necessary to provide and improve the core functions of MagicCode, troubleshoot technical issues, and ensure the software operates efficiently. The collected information does not include personal identification information such as your name, address, or contact details. We do not collect or upload your image or video content. Specifically, we may collect the following types of data:

1.1 Device Hardware and Identification Information

To enable SIMD (Single Instruction, Multiple Data) instruction set acceleration, a key technology for optimizing the super-resolution processing speed of MagicCode, and to ensure accurate identification of device instances for compatibility optimization, we need to obtain basic hardware and identification information of your device, including:

- Central Processing Unit (CPU) model and architecture, such as x86_64 or ARM64;
- Graphics Processing Unit (GPU) model and related specifications;
- Device model and platform information, such as iPhone or iPad model identifier, Mac model identifier, Android device model, or Windows architecture;

- Universally Unique Identifier (UUID): a unique string used to identify the specific instance of the application or device running our product. This identifier is used solely for distinguishing individual device instances or sessions, tracking product usage status, and optimizing the compatibility of the super-resolution algorithm with different device environments.

This information is collected locally on your device first to determine whether the hardware supports NEON, AVX2, or other required SIMD instructions and to match the optimal algorithm configuration for the device instance, ensuring the software can activate the corresponding acceleration module and operate stably.

1.2 Technical and Usage Data for Troubleshooting and Performance Optimization

When MagicCode encounters operational errors or malfunctions, when the software is initialized or uninitialized, when control parameters change, and periodically during processing for performance optimization, we may collect and send the following technical and usage data to our secure servers:

- Client Internet Protocol (IP) address: used to identify the device network environment and assist in analyzing server connection issues;
- Error code (error_code): a unique identifier for the specific error that occurred, helping our technical team quickly locate the root cause;
- Algorithm mode (alg_mode): the super-resolution mode used when the error occurred or during normal operation, such as veryfast or fast;
- Scaling factor (scaler_factor): the super-resolution scaling ratio selected by the user, such as 2x, 3x, or 4x;
- Input image parameters: width and height of the input image data. We collect only these dimensional parameters, not the image or video content itself;
- Thread configuration (num_threads): the number of CPU

threads allocated for running the MagicCode super-resolution library, which may be configured by the user or automatically detected by the software;

- Device model and UUID: used to analyze error correlations with specific hardware environments and device instances;
- Report reason (report_reason): the reason for the data report, such as software initialization, periodic processing statistics after a defined number of processing calls, control parameter changes, software uninitialization, or operational errors;
- Processing call statistics: the total number of super-resolution processing calls (process_call_count), successful processing calls (process_success_count), and failed processing calls (process_fail_count);
- Processing time statistics: the latest processing time, minimum processing time, maximum processing time, total processing time, and average processing time, measured in microseconds. These metrics are used only to assess performance and do not include image or video content;
- Transmission integrity data: a packet checksum used to verify that reported technical data is transmitted correctly.

2. Purpose of Information Use

The information we collect is strictly used for the following purposes and will not be used for any unstated purposes without your prior consent:

- Optimize software performance: by identifying the device's hardware characteristics, device model, UUID, algorithm mode, scaler_factor, num_threads configuration, and processing-time statistics, we activate the matching acceleration path and dynamically adjust optimization strategies to ensure the super-resolution function operates efficiently and smoothly;
- Troubleshoot technical issues: by analyzing the client IP,

error code, report_reason, input image parameters, and related usage data, we quickly locate the cause of software malfunctions, develop fixes, and improve the overall stability of the product;

- Improve product experience: based on aggregated and anonymized hardware adaptation data, device compatibility data, image parameter processing data, report trigger data, and performance statistics, we optimize the software's compatibility with different devices and adaptability to various image sizes, ensuring a consistent user experience across various platforms.

3. How We Protect Your Information

We take strict technical and management measures to protect the security of the collected information, including UUID, device model, client IP, num_threads, input image width and height, report reason, error code, and processing statistics, and to prevent unauthorized access, use, disclosure, or tampering:

- Data transmission security: data sent to our servers, such as error logs, device information, UUID, num_threads, image parameters, report reason, and processing statistics, is protected using appropriate technical safeguards during transmission;
- Data storage security: collected information is stored on secure servers with access control mechanisms. Only authorized technical personnel can access the data for troubleshooting and performance optimization purposes;
- Data minimization and anonymization: we only collect data necessary for the stated purposes. Technical data used for product improvement is aggregated and anonymized where appropriate, removing or reducing information that could identify individual devices or users;
- Data retention period: error logs and related technical data are retained for 90 days from the date of collection. After this period, the data is automatically deleted or anonymized to prevent long-term storage of unnecessary information.

4. Information Disclosure

We will not sell, rent, or otherwise disclose your device information, technical data, or other related data to any third party, except in the following circumstances:

- With your explicit consent: we will disclose information to third parties only if you have given clear and voluntary consent;
- Legal compliance: we may disclose information if required by law, legal process, or government request, or to protect our legitimate rights, privacy, safety, or property, or that of other users;
- Service providers: we may share anonymized and aggregated data with trusted third-party service providers who assist us in maintaining server operations, analyzing technical issues, or improving the software. These service providers are bound by confidentiality agreements and are prohibited from using the data for any other purposes.

5. Your Rights

You have the following rights regarding the information we collect, including UUID, device model, client IP, num_threads, input image width and height, report reason, error code, and processing statistics, and we provide convenient channels for you to exercise these rights:

- Right to access: you may request to access the specific device information, technical data, UUID, num_threads, image parameter data, report reason, error code, and processing statistics we have collected about your device by contacting our customer service;
- Right to delete: you may request the deletion of your device's related data at any time. After verifying your request, we will delete the corresponding data within 15 working days;
- Right to opt out of non-essential data collection: the collection of hardware information, device model, UUID, and basic runtime parameters is necessary for core acceleration,

compatibility optimization, and software stability and cannot be opted out where required for these functions. However, if you do not wish to send error logs and related technical data to our servers, you can disable this function in the software's "Settings" - "Technical Support" menu where such an option is provided. Please note that disabling this function may prevent us from assisting you in resolving technical issues and optimizing the software for your device.

6. Changes to This Privacy Policy

We may update this Privacy Policy from time to time to reflect changes in our business practices, technical developments, or legal requirements. When we make material changes to the Policy, we will notify you through a prominent pop-up window within the software or via other reasonable means before the changes take effect. Your continued use of MagicCode after the changes take effect constitutes your acceptance of the updated Policy.

7. Contact Us

If you have any questions, concerns, or requests regarding this Privacy Policy or the handling of your information, please contact us at:

Email: contact@magiccode-ai.com

We will respond to your inquiries within 15 working days and provide a clear explanation or resolution.

Technical Reporting Schema Update (v1.1.0)

For clarity, the technical reporting schema includes the following fields:

- Device and runtime identifiers: `uuid`, `client_ip`, `device_model`, `sdk_version`, `backend`.
- Runtime parameters: `alg_mode`, `scaler_factor`, `width`, `height`, `num_threads`.
- Diagnostics: `error_code`, `report_reason`.
- Processing statistics: `process_call_count`, `process_success_count`, `process_fail_count`, `process_last_time_us`, `process_total_time_us`, `process_avg_time_us`.
- The fields `process_min_time_us` and `process_max_time_us` are not reported in the current schema.